

KEY FIGURES ABOUT HIV AND AIDS IN

NIGERIA

Country population	148,000,000
Population aged 15-49	68,900,000
Percentage of population in urban areas	50%
Number of people living with HIV	2,600,000
Adults aged 15 and up living with HIV	2,400,000
Women aged 15 and up living with HIV	1,400,000
Adults aged 15 to 49 prevalence rate	3.1%
Deaths due to AIDS	170,000
National funds spent by governments on HIV and AIDS from domestic sources	10.8 (million USD)
Estimated number of people receiving antiretroviral therapy	198,000
Reported number of children aged under 15 years receiving antiretroviral therapy	15,345

Estimated number of people living with HIV across the globe	33 million
Number of individuals who died of AIDS in 2007	2 million
Daily number of new cases of HIV infection	Nearly 7,500
Number of people who receive antiretroviral treatment in low- and middle-income countries	Almost 3 million
Leading cause of death for persons living with HIV in low- and middle-income countries	Tuberculosis
Number of people in Western and Central Europe infected with HIV	Nearly 800,000
Of all people with HIV in the world, percentage living in Africa	67%, making AIDS the leading cause of death in Africa
Percentage of HIV infections worldwide that affect women	50%

KEY FIGURES ABOUT HIV AND AIDS IN

BRAZIL

Country population	191,791,000
Population aged 15-49	104,714,000
Percentage of population in urban areas	85%
Number of people living with HIV	730,000
Adults aged 15 and up living with HIV	710,000
Women aged 15 and up living with HIV	240,000
Adults aged 15 to 49 prevalence rate	0.6%
Deaths due to AIDS	15,000 (9,400 in 2001)
National funds spent by governments on HIV and AIDS from domestic sources	562 (million USD)
Estimated number of people receiving antiretroviral therapy	181,000 (154,000 in 2004)
Reported number of children aged under 15 years receiving antiretroviral therapy	6,815

Estimated number of people living with HIV across the globe	33 million
Number of individuals who died of AIDS in 2007	2 million
Daily number of new cases of HIV infection	Nearly 7,500
Number of people who receive antiretroviral treatment in low- and middle-income countries	Almost 3 million
Leading cause of death for persons living with HIV in low- and middle-income countries	Tuberculosis
Number of people in Western and Central Europe infected with HIV	Nearly 800,000
Of all people with HIV in the world, percentage living in Africa	67%, making AIDS the leading cause of death in Africa
Percentage of HIV infections worldwide that affect women	50%

KEY FIGURES ABOUT HIV AND AIDS IN

BURKINA FASO

Country population	14,784,000
Population aged 15-49	6,840
Percentage of population in urban areas	19%
Number of people living with HIV	130,000
Adults aged 15 and up living with HIV	120,000
Women aged 15 and up living with HIV	61,000
Adults aged 15 to 49 prevalence rate	1.6%
Deaths due to AIDS	9,200 (10,000 in 2001)
National funds spent by governments on HIV and AIDS from domestic sources	9.7 (million USD in 2006)
Estimated number of people receiving antiretroviral therapy	17,000 (3,000 in 2004)
Reported number of children aged under 15 years receiving antiretroviral therapy	658

Estimated number of people living with HIV across the globe	33 million
Number of individuals who died of AIDS in 2007	2 million
Daily number of new cases of HIV infection	Nearly 7,500
Number of people who receive antiretroviral treatment in low- and middle-income countries	Almost 3 million
Leading cause of death for persons living with HIV in low- and middle-income countries	Tuberculosis
Number of people in Western and Central Europe infected with HIV	Nearly 800,000
Of all people with HIV in the world, percentage living in Africa	67%, making AIDS the leading cause of death in Africa
Percentage of HIV infections worldwide that affect women	50%

KEY FIGURES ABOUT HIV AND AIDS IN

CHINA

Country population	1,328,630,000
Population aged 15-49	751,043
Percentage of population in urban areas	42%
Number of people living with HIV	700,000
Adults aged 15 and up living with HIV	690,000
Women aged 15 and up living with HIV	200,000
Adults aged 15 to 49 prevalence rate	0.1%
Deaths due to AIDS	39,000 (15,000 in 2001)
National funds spent by governments on HIV and AIDS from domestic sources	124.1 (million USD)
Estimated number of people receiving antiretroviral therapy	35,000 (9,000 in 2004)
Reported number of children aged under 15 years receiving antiretroviral therapy	766

Estimated number of people living with HIV across the globe	33 million
Number of individuals who died of AIDS in 2007	2 million
Daily number of new cases of HIV infection	Nearly 7,500
Number of people who receive antiretroviral treatment in low- and middle-income countries	Almost 3 million
Leading cause of death for persons living with HIV in low- and middle-income countries	Tuberculosis
Number of people in Western and Central Europe infected with HIV	Nearly 800,000
Of all people with HIV in the world, percentage living in Africa	67%, making AIDS the leading cause of death in Africa
Percentage of HIV infections worldwide that affect women	50%

KEY FIGURES ABOUT HIV AND AIDS IN

ESTONIA

Country population	1,300,000
Percentage of population in urban areas (2004 figure)	69%
Number of people living with HIV	9,900
Age group most affected by HIV infections	15 – 29 year olds
Of all HIV infections in Estonia, percentage which are women	24% (20% in 2000)
Of all HIV infections in Estonia, percentage which are men	76% (80% in 2000)
Deaths due to AIDS	500
Number of Estonians diagnosed with AIDS at 31 December 2007	191

Estimated number of people living with HIV across the globe	33 million
Number of individuals who died of AIDS in 2007	2 million
Daily number of new cases of HIV infection	Nearly 7,500
Number of people who receive antiretroviral treatment in low- and middle-income countries	Almost 3 million
Leading cause of death for persons living with HIV in low- and middle-income countries	Tuberculosis
Number of people in Western and Central Europe infected with HIV	Nearly 800,000
Of all people with HIV in the world, percentage living in Africa	67%, making AIDS the leading cause of death in Africa
Percentage of HIV infections worldwide that affect women	50%

KEY FIGURES ABOUT HIV AND AIDS IN

MALI

Country population	12,337,000
Population aged 15-49	5,420,000
Percentage of population in urban areas	32%
Number of people living with HIV	100,000
Adults aged 15 and up living with HIV	93,000
Women aged 15 and up living with HIV	56,000
Adults aged 15 to 49 prevalence rate	1.5%
Deaths due to AIDS	5,800
National funds spent by governments on HIV and AIDS from domestic sources	8.7 (million USD)
Estimated number of people receiving antiretroviral therapy	12,000 (800 in 2004)
Reported number of children aged under 15 years receiving antiretroviral therapy	579

Estimated number of people living with HIV across the globe	33 million
Number of individuals who died of AIDS in 2007	2 million
Daily number of new cases of HIV infection	Nearly 7,500
Number of people who receive antiretroviral treatment in low- and middle-income countries	Almost 3 million
Leading cause of death for persons living with HIV in low- and middle-income countries	Tuberculosis
Number of people in Western and Central Europe infected with HIV	Nearly 800,000
Of all people with HIV in the world, percentage living in Africa	67%, making AIDS the leading cause of death in Africa
Percentage of HIV infections worldwide that affect women	50%

KEY FIGURES ABOUT HIV AND AIDS IN

CAMEROUN

Country population	18,500,000
Percentage of population aged between 0-4 years	42.8%
HIV prevalence rate among the general population (2004)	5.5%
Infection ratio between men and women	1:7
Number of people tested for HIV in 2008	590,325 or 39% of set objective
Of 590,325 tested persons, total number infected with HIV	64,930 or 11.5%
Percentage of pregnant women with HIV	6.51%
Number of HIV pregnant women receiving antiretroviral therapy to reduce transmission of disease from mother to child	10,114 (against 6214 en 2007)
Number of HIV children born from HIV mothers and that are receiving antiretroviral therapy	17,975

Estimated number of people living with HIV across the globe	33 million
Number of individuals who died of AIDS in 2007	2 million
Daily number of new cases of HIV infection	Nearly 7,500
Number of people who receive antiretroviral treatment in low- and middle-income countries	Almost 3 million
Leading cause of death for persons living with HIV in low- and middle-income countries	Tuberculosis
Number of people in Western and Central Europe infected with HIV	Nearly 800,000
Of all people with HIV in the world, percentage living in Africa	67%, making AIDS the leading cause of death in Africa
Percentage of HIV infections worldwide that affect women	50%