

## REFERENCIAS

---

### Capítulo 1 | EL DESAFÍO MUNDIAL DEL VIH

- Comisión sobre Sida en Asia (2008). *Redefining AIDS in Asia – crafting an effective response*. Oxford University Press, Nueva Delhi.
- May RM, Anderson RM (1979). Population biology of infectious diseases – Part II. *Nature*, 280:455-461.
- McNeil DG (2007). *A time to rethink AIDS's grip*. New York Times, 25 de noviembre.
- ONUSIDA (2006). *Setting national targets for moving towards universal access*. Ginebra, ONUSIDA.
- ONUSIDA (2007). *Seguimiento de la Declaración de compromiso sobre el VIH/SIDA. Directrices para el desarrollo de indicadores básicos, informe 2008*. Ginebra, ONUSIDA.
- ONUSIDA et al. (2004). *National spending for HIV/AIDS*. Ginebra, ONUSIDA.
- PNUD (2005). *Human development report*. Nueva York, NY, PNUD.
- UNICEF, ONUSIDA, OMS (2008). *Children and AIDS: second stocktaking report*. Nueva York, NY, UNICEF.
- Asamblea General de las Naciones Unidas (2006). *Declaración política sobre VIH/SIDA*. N.º A/60/262, adoptada el 2 de junio de 2006.
- OMS (2005). *Major causes of death worldwide among children under 5 years of age and neonates in the world, 2000–2003*. [http://libdoc.who.int/publications/2005/9241562986\\_part4.pdf](http://libdoc.who.int/publications/2005/9241562986_part4.pdf)

---

### Capítulo 2 | SITUACIÓN DE LA EPIDEMIA MUNDIAL DE VIH

- Actuarial Society of South Africa (2005). *ASSA 2003 AIDS and demographic model*. Actuarial Society of South Africa, Ciudad del Cabo.
- Adimora AA et al. (2003). Concurrent partnerships among rural African Americans with recently reported heterosexually transmitted HIV infection. *Journal of Acquired Immune Deficiency Syndromes*, 34(4):423-439.
- Adimora AA et al. (2004). Concurrent sexual partnerships among African Americans in the rural south. *Annals of Epidemiology*, 14(3):155-160.
- Allen CF et al. (2006). Sexually transmitted infection use and risk factors for HIV infection among female sex workers in Georgetown, Guyana. *Journal of Acquired Immune Deficiency Syndromes*, 43(1):96-101.
- Anderson BA y Phillips HE (2006). *Adult mortality (age 15-64) based on death notification data in South Africa: 1997-2004*. Pretoria, Estadísticas de Sudáfrica (Informe n.º 03-09-05).
- Anónimo. (2006). India in the spotlight (editorial). *Lancet*, 367:1876. 10 de junio.
- Asamoah-Odei E, Garcia-Calleja JM, Boerma T (2004). HIV prevalence and trends in sub-Saharan: no decline and large subregional differences. *Lancet*, 364:35-40.
- Balthasar H, Jeannin A y Dubois-Arber F. (2005). *VIH/SIDA: augmentation des expositions au risque d'infection par le VIH chez les homes ayant des rapports sexuels avec des hommes: premiers résultats de Gay Survey 04*. Bull BAG (Informe n.º 48:891-895).
- Bautista CT et al. (2006). Seroprevalence of and risk factors for HIV-1 infection among female commercial sex workers in South America. *Sexually Transmitted Infections*, 82(4):311-316.
- Benotsch EG et al. (2004). Drug use and sexual risk behaviors among female Russian IDUs who exchange sex for money or drugs. *International Journal of STD and AIDS*, 15(5):343-347.
- Boulos D et al. (2006). Estimates of HIV prevalence and incidence in Canada, 2005. *Canadian Communicable Disease Report*, 32:165-174.

- Bradshaw D et al. (2004). Unabated rise in number of adult deaths in South Africa. *South African Medical Journal*, 94(4):278-279.
- Brahmbhatt H et al. (2006). Mortality in HIV-infected and uninfected children of HIV-infected and uninfected mothers in rural Uganda. *Journal of Acquired Immune Deficiency Syndrome*, 41(4):504-508.
- Bravo-García E, Magis-Rodriguez C y Saavedra J (2006). *New estimates in Mexico: more than 180.000 people living with HIV*. Decimosexta Conferencia Internacional sobre el Sida. 13-18 de agosto. Toronto, Ontario (Resumen CDC0411).
- Brucková M et al. (2007). HIV/AIDS in the Czech Republic, 2006. *Eurosurveillance Weekly Release*, 12(4).
- Carael M et al. (2004). Sexual networks and HIV in four African populations: the use of a standardised behavioural survey with biological markers. En: Morris M, ed. *Network Epidemiology: a handbook for network survey design and data collection*. Oxford, Oxford University Press.
- Comisión Caribeña de Salud y Desarrollo (2005). *Report of the Caribbean Commission on Health and Development for the 26th Meeting of the CARICOM Heads of Government: Overview*. 3-6 de julio, Santa Lucía
- Centro Caribeño de Epidemiología, OPS, OMS (2004). *Status and trends, analysis of the Caribbean HIV/AIDS epidemic, 1982–2002*. Trinidad y Tobago. Centro Caribeño de Epidemiología, OPS, OMS.
- Cayemittes M et al. (2006). *Enquête mortalité, morbidité et utilisation des services EMMUS-IV: Haïti 2005–2006*. Juillet. Pétiyon ville et Calverton, Institut Haïtien de l'Enfance et ORC Macro.
- Oficina Central de Estadística [de Kenya], Ministerio de Salud [de Kenya] y ORC Macro (2004). *Kenya Demographic and Health Survey 2003*. Calverton. Oficina Central de Estadística [de Kenya], Ministerio de Salud [de Kenya] y ORC Macro.
- Oficina Central de Estadística [de Swazilandia], Macro International Inc. (2007). *Swaziland Demographic and Health Survey 2006 -2007: preliminary report*. Calverton (junio).
- Centro de Evaluación y de Investigación Aplicada (CERA) y Family Health International (2006). *Résultats préliminaires*. Encuestas de Vigilancia y Comportamientos. Haïti 2006, FHI BSS III.
- Centro de Estudios Sociales y Demográficos et al. (2007). *Republica Dominicana Encuesta Demografica y de Salud 2007 Informe Preliminar*. Noviembre. Santo Domingo y Calverton.
- Chandrasekaran P et al. (2006). Containing HIV/AIDS in India: the unfinished agenda. *Lancet Infectious Diseases*, 6(8):508-521.
- Chen L et al. (2007). Sexual Risk Factors for HIV Infection in Early and Advanced HIV Epidemics in Sub-Saharan Africa: Systematic Overview of 68 Epidemiological Studies. *PLoS ONE*, 2(10):e1001.
- Choi SYP, Cheung YW, Chen K (2006). Gender and HIV risk behaviour among intravenous drug users in Sichuan province, China. *Social Science and Medicine*, 62(7):1672-1684.
- Coffee M, Lurie MN, Garnett GP (2007). Modelling the impact of migration on the HIV epidemic in South Africa. *AIDS*, 21(3):343-350.
- Cohen J (2006). Up in smoke: epidemic changes course. *Science*, 313:487-488.
- Comisión sobre Sida en Asia (2008). *Redefining AIDS in Asia: crafting an effective response*. Nueva Delhi, Oxford University Press.
- Consejo Nacional de Combate contra el VIH/SIDA de Mozambique (2006). *Relatório de actividades por 2005*. Maputo, Ministerio de Salud.
- de Walque D (2007). Sero-discordant couples in five African countries: implications for prevention strategies. *Population and Development Review*, 33(3):501-523.
- Departamento de Salud [de Sudáfrica] (2007). *National HIV and syphilis antenatal prevalence survey, South Africa 2006*. Pretoria. Departamento de Salud [de Sudáfrica].
- Dodds JP et al. (2004). Increasing risk behaviour and high levels of undiagnosed HIV infection in a community sample of homosexual men. *Sexually Transmitted Infections*, 80:236–240.

- Dorrington R et al. (2001). *The impact of HIV/AIDS on adult mortality in South Africa*. Consejo de Investigación Médica (septiembre) (<http://www.mrc.ac.za/bod/>, consultado el 8 de mayo 2008).
- Dourado I et al. (2007). HIV-1 seroprevalence in the general population of Salvador, Bahia State, Northeast Brazil. *Cadernos de Saúde Pública*, 23(1):25-32.
- Elrashied S (2006). *Prevalence, knowledge and related risky sexual behaviours of HIV/AIDS among receptive men who have sex with men (MSM) in Khartoum State, Sudan, 2005*. Decimosexta Conferencia Internacional sobre el Sida. 13-18 de agosto. Toronto, Ontario (Resumen TUPE0509).
- EuroHIV (2006a). *HIV/AIDS surveillance in Europe: end-year report 2005*. Saint-Maurice, Institut de Veille Sanitaire (No 73).
- EuroHIV (2006b). *HIV/AIDS surveillance in Europe: mid-year report 2005*. Saint-Maurice, Institut de Veille Sanitaire (No 72).
- EuroHIV (2007a). *HIV/AIDS surveillance in Europe: mid-year report 2007*, No 76. Institut de Veille Sanitaire. Saint-Maurice (No 76) (<http://www.eurohiv.org>, consultado el 8 de mayo de 2008).
- EuroHIV (2007b). *HIV/AIDS surveillance in Europe: end-year report 2006*, No 75. Institut de Veille Sanitaire. Saint-Maurice (No 75) (<http://www.eurohiv.org>, consultado el 8 de mayo de 2008).
- Ministerio Federal de Salud [de Nigeria] (2006). *The 2005 national HIV seroprevalence sentinel survey among pregnant women attending antenatal clinics in Nigeria: summary position paper*. Abuja (abril). Ministerio Federal de Salud [de Nigeria].
- Fonseca ME et al. (2006). Os programas de reducao de danos ao uso de drogas no Brasil: caacterizacao preliminar de 45 programas. *Caderna de Saude Publica*, 2(4):761-770.
- Gaillard EM et al. (2006). Understanding the reasons for decline of HIV prevalence in Haiti. *Sexually Transmitted Infections*, Supplement 82(1):14-20. Abril.
- Garnett GP and Johnson AM (1997). Coining a new term in epidemiology: concurrency and HIV. *AIDS*, 11(5):681-683.
- Gebre Y et al. (2006). *Tracking the course of the HIV epidemic through second generation surveillance in Jamaica: Survey of female sex workers*. Decimosexta Conferencia Internacional sobre el Sida. 13-18 de agosto. Toronto, Ontario (Resumen CDC0313).
- Girault P et al. (2004). HIV, STIs and sexual behaviors among men who have sex with men in Phnom Penh, Cambodia. *AIDS Education and Prevention*, 6(1):31-44.
- Gomes do Espirito Santo ME y Etheredge GD (2005). Male clients of brothel prostitutes as a bridge for HIV infection between high risk and low risk groups of women in Senegal. *Sexually Transmitted Infections*, 81:342-344.
- Gorbach PM et al. (2006). Changing behaviors and patterns among Cambodian sex workers: 1997–2003. *Journal of Acquired Immune Deficiency Syndromes*, 42(2):242-247.
- Gouws E et al. (2006). Short term estimates of adult HIV incidence by mode of transmission: Kenya and Thailand as examples. *Sexually Transmitted Infections*, 82(Suppl. 3):iii5I–iii5.
- Gouws E et al. (en imprenta). Comparison of adult HIV prevalence from national population-based surveys and antenatal clinic surveillance in countries with generalized epidemics: implications for calibrating surveillance data. *Sexually Transmitted Diseases*. Suplemento en imprenta.
- Gregson S et al. (2007). Critique of early models of the demographic impact of HIV/AIDS in sub-Saharan Africa based on contemporary empirical data from Zimbabwe. *Proceedings of the National Academy of Science*, Aug 30; 1776-1795.
- Gupta A et al. (2006). Same-sex behavior and high rates of HIV among men attending sexually transmitted infection clinics in Pune, India, (1993–2002). *Journal of Acquired Immune Deficiency Syndromes*, 43(4):483-490.
- Hallett TB et al. (2006). Declines in HIV prevalence can be associated with changing sexual behaviour in Uganda, urban Kenya, Zimbabwe and urban Haiti. *Sexually Transmitted Infections*, 82(Suppl. 1):i1-i8.

- Halperin DT, Epstein H (2007). Why is HIV prevalence so severe in Southern Africa? The role of multiple concurrent partnerships and lack of male circumcision: implications for AIDS prevention. *Southern African Journal of HIV Medicine*, March:19-25.
- Hamers FF et al (2006). HIV/AIDS in Europe: trends in EU-wide priorities. *Eurosurveillance*, 11(47).
- Hamouda O et al. (2007). Epidemiology of HIV infections in Germany. *Bundesgesundheitsblatt*, 50(4):399-411.
- Hauri AM, Armstrong GL, Hutin YJF (2004). The global burden of disease attributable to contaminated injections given in health care settings. *International Journal of STD and AIDS*, 15:7-16.
- Heaton L, Fowler T, Palamuleni M (2006). *The HIV/AIDS epidemic in Malawi – putting the epidemic in context*. Decimosexta Conferencia Internacional sobre el Sida. 13-18 de agosto. Toronto, Ontario (Resumen CDC0062).
- Helleringer S, Kohler HP (2007). Sexual network structure and the spread of HIV in Africa: evidence from Likoma Island, Malawi. *AIDS*, 21(17):2323-2332.
- Hesketh T et al. (2006). *Risk behaviours in injecting drug users in Yunnan province, China: lessons for policy*. Decimosexta Conferencia Internacional sobre el Sida. 13-18 de agosto. Toronto, Ontario (Resumen CDC0591).
- Hosegood V et al. (2007). The effects of high HIV prevalence on orphanhood and living arrangements of children in Malawi, Tanzania, and South Africa. *Population Studies* (Cambridge), 61(3):327-336.
- IDES et al. (2005). *HIV, HBV, HCV prevalence related to sexual behavior and drug use in 200 injecting drug users in Montevideo*, Uruguay. Ministerio de Salud, Montevideo.
- Inciardi JA, Syvertsen JL y Surratt HL (2005). HIV/AIDS in the Caribbean Basin. *AIDS Care*, 17(Suppl. 1):S9-S25.
- Instituto de Investigación Médica (2007). *"It's in Every Corner Now": A nationwide study of HIV, AIDS and STIs*. Gorokoa, Instituto de Investigación Médica de Papua Nueva Guinea, Unidad de Investigaciones Operativas.
- Kengeya-Kayondo JF et al. (1995). Human immunodeficiency virus (HIV-1) seropositivity among children in a rural population of south-west Uganda: probable routes of exposure. *Annals of Tropical Paediatrics*, 15:115-120.
- Kerrigan D et al. (2006). Environmental-structural interventions to reduce HIV/STI risk among female sex workers in the Dominican Republic. *American Journal of Public Health*, 96(1):120-125.
- Kilani B et al. (2003). *Sero-epidemiology of HCV-HIV co-infection in Tunisia*. Conferencia de la Sociedad Internacional del Sida sobre Patogénesis y Tratamiento del VIH. 13-16 de julio. Antiviral Therapy, 8(Suppl. 1): S452-S453 (Resumen n.º 952) (<http://www.aegis.org/conferences/IASHIVPT/2003/952.html>, consultado el 8 de mayo de 2008).
- Kintin FD et al. (2004). *Enquete de prevalence des IST/VIH et des comportements sexuels chez les travailleuses due sexe et leurs partenaires masculins a Ouagadougou, Burkina Faso*. Ouagadougou, Consejo Nacional de Lucha contra el Sida y las ITS, CIDA, CCSID (noviembre).
- Kirungi WL et al. (2006). Trends in antenatal HIV prevalence in urban Uganda associated with uptake of preventive sexual behaviour. *Sexually Transmitted Infections*, 82(Suppl. 1):136-141.
- Kiwanuka N et al. (2004). The incidence of HIV-1 associated with injections and transfusions in a prospective cohort, Rakai, Uganda. *AIDS*, 18(2):342-344.
- Ladnaya NN (2007). The national HIV and AIDS epidemic and HIV surveillance in the Russian Federation. Presentación en la reunión "Mapping the AIDS Pandemic". 30 de junio. Moscú.
- Lagarde E et al. (2001). Concurrent sexual partnerships and HIV prevalence in five urban communities of sub-Saharan Africa. *AIDS*, 15(7):877-884.
- Lee RK et al. (2006). *Risk behaviours for HIV among men who have sex with men in Trinidad and Tobago*. Decimosexta Conferencia Internacional sobre el Sida. 13-18 de agosto. Toronto, Ontario (Resumen CDC0366).
- Liu H et al. (2006). Drug users: Potentially important bridge population in the transmission of sexually transmitted diseases, including AIDS, in China. *Sexually Transmitted Diseases*, 33(2):111-117.
- Lu F et al. (2006). *HIV/AIDS epidemic in China: Increasing or decreasing?* Decimosexta Conferencia Internacional sobre el Sida. 13-18 de agosto. Toronto, Ontario (Resumen MOPE0462).

- Lurie MN et al. (2003). Who infects whom? HIV-1 concordance and discordance among migrant and non-migrant couples in South Africa. *AIDS*, 17:2245-2252.
- Magis C et al. (2006). *HIV prevalence and factors associated with the possession of condoms among male sex workers in two cities: Guadalajara and Mexico city, Mexico*. Decimosexta Conferencia Internacional sobre el Sida. 13-18 de agosto. Toronto, Ontario (Resumen CDC0336).
- Maibani-Michie G y Yeka W (2005). *A Baseline Research for Poro Sapot Project: A Program for Prevention of HIV/AIDS among MSM in Port Moresby and FSW in Goroka and Port Moresby Papua New Guinea*. Papua Nueva Guinea (Informe de investigación de IMR/FHI al USAID).
- Malamba SS et al. (1994). Risk factors for HIV-1 infection in adults in a rural Ugandan community: a case-control study. *AIDS*, 8(2):253-257.
- Marston M et al. (2007). Estimating 'net' HIV-related mortality and the importance of background mortality rates. *AIDS*, November 21(Suppl. 6):S65-S71.
- Martínez GP, Elea NA, Chiu AM (2006). Epidemiology of HIV infection and acquired immune deficiency disease syndrome in Chile. *Revista Chilena Infectología*, 23(4):321-329.
- Mason E (2006). Positioning paediatric HIV in the child survival agenda. Presentación en la consulta UNICEF-OMS. 11-13 de enero, Nueva York, NY, UNICEF.
- McFarland W, Mvere D, Katzenstein D (1997). Risk factors for prevalent and incident HIV infection in a cohort of volunteer blood donors in Harare, Zimbabwe: implications for blood safety. *AIDS*, 11(Suppl. 1):S97-S102.
- Consejo de Investigaciones Médicas de Sudáfrica (2005). *South African national burden of disease study 2000*. Ciudad del Cabo (disponible en <http://www.mrc.ac.za/bod/reports.htm>, consultado el 8 de mayo de 2008).
- Mejía A et al. (2006). *HIV seroprevalence and associated risk factors in men who have sex with men in the Villavicencio city, Colombia, 2005*. Decimosexta Conferencia Internacional sobre el Sida. Toronto, Ontario (Resumen CDC0734).
- Michelo C et al. (2006). Steep HIV prevalence declines among young people in selected Zambian communities: population-based observations (1995–2003). *BMC Public Health*, 10 de noviembre (<http://www.biomedcentral.com/1471-2458/6/279>, consultado el 8 de mayo de 2008).
- Mimouni B, Remaoun N (2006). *Etude du Lien Potentiel entre l'Usage Problématique de Drogues et le VIH/SIDA en Algérie 2004–2005*. Argel, Ministerio de Educación.
- Ministerio de Salud [de Marruecos] (2007). *Surveillance sentinelle du VIH: Resultats 2006 et tendances de la séroprévalence du VIH*. Janvier. Rabat.
- Ministerio de Salud de Malí (2006). *Résumé des résultats de l'enquête ISBS 2006*. Bamakó.
- Ministerio de Salud e Higiene Pública de Côte d'Ivoire, CDC/RETRO-CI/MEASURE Evaluation, (2007). *Enquête de surveillance sentinelle du VIH de 2005*. Abidjan.
- Ministerio de Salud Pública y de la Población (2007). *Etude de serosurveillance par methode sentinelle de la prevalence du VIH, de la syphilis, de l'hépatite B et de l'hépatite C chez les femmes enceintes en Haïti, 2006/2007*. Julio. Puerto Príncipe.
- Ministerio de la Protección Social de Colombia y Grupo Temático del ONUSIDA (2006). *Infección por VIH y SIDA en Colombia. Estado del arte. 2000–2005*. Mayo. Bogotá, Ministerio de la Protección Social de Colombia y Grupo Temático del ONUSIDA.
- Ministerio de Salud del Perú (2005). *Sentinel surveillance report*. Lima, Dirección General de Epidemiología, Ministerio de Salud.
- Ministerio de Salud del Perú (2006). *Análisis de la situación epidemiológica del VIH/SIDA en el Perú – Bases Epidemiológicas para la Prevención y el Control*. Lima (noviembre).
- Ministerio de Salud [de Botswana] (2006). *2006 Botswana Second-Generation HIV/AIDS Surveillance Technical Report*. Gabarone.
- Ministerio de Salud [de Camboya] (2006). *Report on HIV sentinel surveillance in Cambodia, 2003*. Phnom Penh (julio). Ministerio de Salud [de Camboya] (2006).

- Ministerio de Salud [de China] (2006). *2005 update on the HIV/AIDS epidemic and response in China*. Ministerio de Salud, ONUSIDA y OMS, Beijing.
- Ministerio de Salud [de Egipto], USAID, Impact y FHI (2006). *HIV/AIDS Biological and Behavioral Surveillance Survey; Summary Report; Egypt 2006*. El Cairo, Programa Nacional del Sida.
- Ministerio de Salud [de Guyana], 2005. *Behavioural surveillance survey, Round I: 2003/2004 – Executive Summary*. Georgetown. Ministerio de Salud [de Guyana].
- Ministerio de Salud [de Indonesia] y Estadística de Indonesia (2007). *Risk behavior and HIV prevalence in Tanah Papua, 2006*. Yakarta. Ministerio de Salud [de Indonesia] y Estadística de Indonesia.
- Ministerio de Salud [de Kazajstán] et al. (2005). Results of investigation of the real situation with drug abuse in Kazakhstan. Almaty (en ruso).
- Ministerio de Salud [de Kenia] (2005). *AIDS in Kenya, 7th edition*. Nairobi, Programa Nacional de Control del Sida e ITS (NASCOPE).
- Ministerio de Salud [de Nueva Zelanda] (2007). *AIDS – New Zealand*. Febrero. Auckland (Número 59) (<http://www.moh.govt.nz/moh.nsf/indexmh/aids-nz-issue59>, consultado el 8 de mayo de 2008).
- Ministerio de Salud [de Pakistán] (2006). *Integrated biological and behavioural surveillance: A pilot study in Karachi and Rawalpindi, 2004–2005*. Islamabad, Ministerio de Salud.
- Ministerio de Salud [de Siria], ONUDD, ONUSIDA (2007). *Assessment on Drug Use and HIV in Syria*. Damasco (Informe preliminar, julio). Ministerio de Salud [de Siria], ONUDD, ONUSIDA.
- Ministerio de Salud [de Uganda] y ORC Macro (2006). *Uganda HIV/AIDS Sero-behavioural Survey 2004/2005*. Kampala y Calverton (marzo). Ministerio de Salud [de Uganda] y ORC Macro.
- Ministerio de Salud [de Ucrania] (2007). *HIV infection in Ukraine: Information bulletin no. 27*. Kyiv, Ucrania. Ministerio de Salud [de Ucrania].
- Ministerio de Salud [de Ucrania] (2008). *Ukraine: National Report on Monitoring Progress Towards the UNGASS Declaration of Commitment on HIV/AIDS (Reporting Period: January 2006 - December 2007)*. Kyiv, Ucrania. Ministerio de Salud [de Ucrania].
- Ministerio de Salud [de Uzbekistán] (2007). *Strategic Programme of Response to HIV in the Republic of Uzbekistan for 2007–2011*. Tashkent. Ministerio de Salud [de Uzbekistán].
- Ministerio de Salud [de Viet Nam] (2005). *HIV/AIDS estimates and projections 2005–2010*. Hanoi, Departamento General de Medicina Preventiva y Control del VIH/Sida, Ministerio de Salud.
- Ministerio de Salud [de Viet Nam] (2006). *Results from the HIV/STI integrated biological and behavioural surveillance (IBBS) in Viet Nam, 2005–2006*. Hanoi. Ministerio de Salud [de Viet Nam].
- Ministerio de Salud [de Zambia] (2005). *Zambia Antenatal Clinic Sentinel Surveillance Report, 1994–2004*. Noviembre. Ministerio de Salud [de Zambia]. Lusaka. Ministerio de Salud [de Zambia].
- Ministerio de Salud y Bienestar Infantil [de Zimbabue] (2007). *2006 ANC preliminary report*. Harare. Ministerio de Salud y Bienestar Infantil [de Zimbabue].
- Ministerio de Salud y Educación Médica [de Irán] (2005). *AIDS/HIV Surveillance Report*. Septiembre. Teherán, Centro para el Control de Enfermedades.
- Ministerio de Salud y Población [de Malawi] (2005). *HIV and syphilis sero survey and national HIV prevalence estimates report*. Lilongwe, Ministerio de Salud y Población de Malawi.
- Ministerio de Salud y Seguridad Social [de Dominica] (2007). *HIV/AIDS epidemiology and information in Dominica*. Roseau. Ministerio de Salud y Seguridad Social [de Dominica].
- Mishra V et al. (2007). HIV infection does not disproportionately affect the poorer in sub-Saharan Africa. *AIDS*, November 21(Suppl. 7):S17-S28.
- Montano SM et al. (2005). Prevalences, genotypes and risk factors for HIV transmission in South America. *Journal of Acquired Immune Deficiency Syndromes*, 40(1):57–64.

- Moreau-Gruet F, Dubois-Arber F, Jeannin A (2006). Long-term HIV/AIDS-related prevention behaviours among men having sex with men: Switzerland 1992–2000. *AIDS Care*, 18:35-43.
- Morris M, Kretzschmar M (1997). Concurrent partnerships and the spread of HIV. *AIDS*, 11(5):641-648.
- Mulder DW et al. (1996). Post-natal incidence of HIV-I infection among children in a rural Ugandan population: no evidence for transmission other than mother to child. *Tropical Medicine and International Health*, 1:81–85.
- Comisión Nacional del Sida [de Indonesia] (2006). *Country report on the follow up to the Declaration of Commitment on HIV/AIDS (UNGASS) 2004–2005*. Yakarta. Comisión Nacional del Sida [de Indonesia].
- Comisión Nacional del Sida [de Malawi] (2007). *Report of the Malawi Triangulation Project: Synthesis of data on trends in the national and local HIV epidemic and the reach and intensity of prevention efforts*. Lilongwe, Comisión Nacional del Sida, OMS, Universidad de California San Francisco, ONUSIDA, Centros Estadounidenses para el Control y la Prevención de Enfermedades (enero).
- Consejo Nacional de Control del Sida [de Kenya] (2007). *National HIV prevalence in Kenya*. Nairobi (julio). Consejo Nacional de Control del Sida [de Kenya].
- Secretaría del Consejo Nacional del Sida [de Papua Nueva Guinea] (2007). *The 2007 consensus report on the HIV epidemic in Papua New Guinea*. Port Moresby. Secretaría del Consejo Nacional del Sida [de Papua Nueva Guinea].
- Secretaría del Consejo Nacional del Sida [de Papua Nueva Guinea] y Proyecto Nacional de Apoyo al VIH/Sida (2007). *HIV/AIDS Behavioural Surveillance Survey Within High Risk Settings Papua New Guinea: BSS Round 1, 2006*. Port Moresby. Secretaría del Consejo Nacional del Sida [de Papua Nueva Guinea] y Proyecto Nacional de Apoyo al VIH/Sida.
- Programa Nacional del Sida [de Argentina] (2005). *Epidemiological surveillance report*. Buenos Aires (diciembre). Programa Nacional del Sida [de Argentina].
- Programa Nacional del Sida [de Paraguay] (2006). *HIV/STI sentinel prevalence and behavioral study on clients of female sex workers and injecting drug users*. Programa Nacional del Sida Paraguay, PRONASIDA (2007). Asunción.
- Centro Nacional del VIH/Sida, Dermatología e ITS de Camboya (2004). *HIV Sentinel Surveillance (HSS) 2003: trends results, and estimates*. Phnom Penh. Centro Nacional del VIH/Sida, Dermatología e ITS de Camboya.
- Centro Nacional del VIH/Sida, Dermatología e ITS de Camboya (2007). *HIV sentinel surveillance (HSS) 2006/2007: results, trends and estimates*. Phnom Penh. Centro Nacional del VIH/Sida, Dermatología e ITS de Camboya.
- Centro Nacional Australiano de Epidemiología e Investigación Clínica del VIH (2007a). *Australian HIV Surveillance Report*, 23(1) Enero.
- Centro Nacional Australiano de Epidemiología e Investigación Clínica del VIH (2007b). *HIV/AIDS, viral hepatitis and sexually transmissible infections in Australia Annual Surveillance Report 2007*. Sydney, NSW, Centro Nacional Australiano de Epidemiología e Investigación Clínica del VIH, Universidad de New South Wales. Canberra, ACT, Instituto Australiano de Salud y Bienestar.
- Consejo Nacional de Población y Desarrollo, Oficina Central de Estadística, Macro Internacional Inc. (1999). *Kenya Demographic and Health Survey 1998*. Calverton, MD. Consejo Nacional de Población y Desarrollo, Oficina Central de Estadística, Macro Internacional Inc.
- Instituto Nacional de Salud y Bienestar Familiar, Organización Nacional de Control del Sida (2007). *Annual HIV Sentinel Surveillance Country Report 2006*. Nueva Delhi. Instituto Nacional de Salud y Bienestar Familiar, Organización Nacional de Control del Sida.
- Ndetei D (2004). *Study on the assessment of the linkages between drug abuse, injecting drug abuse and HIV/AIDS in Kenya: a rapid situation assessment 2004*. Nairobi, Oficina de las Naciones Unidas contra la Droga y el Delito.
- Newell ML et al. (2004). Mortality of infected and uninfected infants born to HIV-infected mothers in Africa: a pooled analysis. *Lancet*, 364(9441):1236-1243.

- Nguyen TA et al. (en imprenta). Prevalence and risk factors associated with HIV infection among men having sex with men in Ho Chi Minh City, Vietnam. *AIDS and Behavior*, en imprenta (27 de junio).
- Notkola V, Timaeus IM, Siiskonen H (2004). Impact on mortality of the AIDS epidemics in northern Namibia assessed using parish registers. *AIDS*, 18:1061-1065.
- Obermeyer CM (2006). HIV in the Middle East. *British Medical Journal*, 333:851-854.
- Odek-Ogunde M (2004). *World Health Organization phase II drug injecting study: behavioural and seroprevalence (HIV, HBV, HCV) survey among injecting drug users in Nairobi*. OMS, Nairobi.
- Okie S (2006). Fighting HIV—lessons from Brazil. *New England Journal of Medicine*, 354(19):1977-1981.
- Over M et al. (2007). The economics of effective AIDS treatment in Thailand. *AIDS*, 21(Suppl. 4):S105-S116.
- Organización Panamericana de la Salud (2007) *AIDS in the Americas: The evolving epidemic, response and challenges ahead*. Washington, DC. Organización Panamericana de la Salud.
- Pando MA et al. (2006). Epidemiology of human immunodeficiency virus, viral hepatitis (B and C), *Treponema pallidum*, and human T-cell lymphotropic I/II virus among men who have sex with men in Buenos Aires, Argentina. *Sexually Transmitted Diseases*, 33(5):307-313.
- Instituto Científico y de Investigación Epidemiológica Pasteur (2005). *Epidemiological surveillance and monitoring of HIV in risk behaviour groups in Volgogradskaya Oblast*. San Petersburgo. Instituto Científico y de Investigación Epidemiológica Pasteur.
- Pisani E et al. (2004). HIV, syphilis infection, and sexual practices among transgenders, male sex workers, and other men who have sex with men in Jakarta, Indonesia. *Sexually Transmitted Infections*, 80(6):536-540.
- División de Población del Departamento de Asuntos Económicos y Sociales de la Secretaría de las Naciones Unidas (2008). *World Population Prospects: The 2006 Revision and World Urbanization Prospects: The 2005 Revision* (<http://esa.un.org/unpp>, consultado el 10 de marzo de 2008).
- Servicios Internacionales de Población (2007). *Assessment of key health behaviors, their determinants and exposure to preventive interventions among street-based sex workers in Samara and Saratov, Russian Federation*. Moscú, Servicios Internacionales de Población.
- Prestage G, et al. (2006). *Trends in unprotected anal intercourse among Sydney gay men*. Decimosexta Conferencia Internacional sobre el Sida. 13-18 de agosto. Toronto, Ontario (Resumen WEPE0721).
- Programa Nacional de Prevención y Control de las ITS/VIH/Sida (2006). *Actualización de la situación nacional hasta el 31 de Dic 2006*. Diciembre. Dirección Nacional de Epidemiología, MINSAP. La Habana.
- Organismo Canadiense de Salud Pública (2006). *HIV and AIDS in Canada: surveillance report to June 30, 2006*. Ottawa (<http://www.phac-aspc.gc.ca/aids-sida/publication/index.html#surveillance>, consultado el 8 de mayo de 2008).
- Organismo Canadiense de Salud Pública (2007). *HIV and AIDS in Canada. Selected surveillance tables to June 30, 2007*. Ottawa, División de Vigilancia y Evaluación de Riesgos, Centro para la Prevención y el Control de Enfermedades Infecciosas, Organismo Canadiense de Salud Pública (<http://www.phac-aspc.gc.ca/aids-sida/publication/index.html#surveillance>, consultado el 8 de mayo de 2008).
- Ramesh B et al. (2006). *Sex work typology and risk for HIV in female sex workers: findings from an integrated biological and behavioural assessment in the southern Indian state of Karnataka*. Decimosexta Conferencia Internacional sobre el Sida. 13-18 de agosto. Toronto, Ontario (Resumen WEAC0305).
- Reid G, Kamarulzaman A, Sran SK (2007). Malaysia and harm reduction: the challenges and responses. *International Journal of Drug Policy*, 18(2):136-140.
- Rhodes T et al. (2004). HIV transmission and HIV prevention associated with injecting drug use in the Russian Federation. *International Journal of Drug Policy*, 15(1):1-16.
- Instituto Robert Koch (2007). *Epidemiologisches Bulletin*. Berlín (5 de octubre).
- Rosinska M (2006). Current trends in HIV/AIDS epidemiology in Poland, 1999–2004. *Eurosurveillance*, 11(4-6):94-97.

- Rossi D et al. (2006). The HIV/AIDS epidemic and changes in injecting drug use in Buenos Aires, Argentina. *Cadernos de Saúde Pública*, 22(4):741-750.
- Sánchez JL et al. (2007). HIV-1, sexually transmitted infections, and sexual behavior trends among men who have sex with men in Lima, Peru. *Journal of Acquired Immune Deficiency Syndromes*, 44(5):578-585.
- Sánchez JL et al. (2006). High HIV prevalence and risk factors among injection drug users in Tashkent, Uzbekistan, 2003–2004. *Drug and Alcohol Dependency*, 82(Suppl. 1):S15–S22.
- Sanders EJ et al. (2007). HIV-1 infection in high risk men who have sex with men in Mombassa, Kenya. *AIDS*, 21:2513-2520.
- Sandoy IF et al. (2007). Associations between sexual behaviour change in young people and decline in HIV prevalence in Zambia. *BMC Public Health*, 23 de abril (<http://www.biomedcentral.com/content/pdf/1471-2458-7-60.pdf>, consultado el 8 de mayo de 2008).
- Scherbinska A (2006). *HIV infection in Ukraine: a review of epidemiological data*. Decimosexta Conferencia Internacional sobre el Sida. 13-18 de agosto. Toronto, Ontario (Resumen CDC0398).
- Schmid GP et al. (2004). Transmission of HIV-1 infection in sub-Saharan Africa and effect of elimination of unsafe injections. *Lancet*, 363:482-488
- Secretaría de Estado de Salud Pública y Asistencia Social de la República Dominicana (2005). *Encuestas de vigilancia del comportamiento sobre VIH/SIDA/ITS en RSX y HSH del Área V de Salud*. Enero. Santo Domingo.
- Secretaría de Salud de Honduras et al. (2007a). *Estudio Centroamericano de vigilancia de comportamiento sexual y prevalencia de VIH/ITS en poblaciones vulnerables: Trabajadoras Sexuales*. Agosto. Tegucigalpa.
- Secretaría de Salud de Honduras et al. (2007b). *Estudio Centroamericano de vigilancia de comportamiento sexual y prevalencia de VIH/ITS en poblaciones vulnerables: Hombres que tienen sexo con hombres (HSH)*. Julio. Tegucigalpa.
- Silva ACM, Barone AA (2006). Risk factors for HIV infection among patients infected with hepatitis C virus. *Revista de Saúde Pública*, 40(3):482-488.
- Silverman JG et al. (2006). HIV prevalence and predictors among rescued sex-trafficked women and girls in Mumbai, India. *Journal of Acquired Immune Deficiency Syndrome*, 43(5):588–93.
- Silverman JG et al. (2007). HIV prevalence and predictors of infection in sex-trafficked Nepalese girls and women. *Journal of the American Medical Association*, 298(5):536-342.
- Smolskaya TT (2006). *Studying HIV prevalence and risks among men having sex with men in Moscow and Saint Petersburg*. San Petersburgo, Instituto Científico y de Investigación Epidemiológica Pasteur de San Petersburgo, Organización Mundial de la Salud.
- Smolskaya TT et al. (2004). Sentinel HIV surveillance among risk groups in Azerbaijan, Moldova and Russian Federation. Oficina Regional de la OMS para Europa.
- Soto RJ et al. (2007). Sentinel surveillance of sexually transmitted infection/HIV and risk behaviours in vulnerable populations in five Central American countries. *Journal of Acquired Immune Deficiency Syndromes*, 46(1):101-111.
- Estadística de Indonesia y Ministerio de Salud [de Indonesia] (2006). Situation of risk behaviour for HIV in Indonesia. Results of BSS 2004–2005. Yakarta. Estadística de Indonesia y Ministerio de Salud.
- Estadística de Sudáfrica (2005). *Mortality and causes of death in South Africa, 1997 and -2003: Findings from death notification*. Pretoria (<http://www.statssa.gov.za/publications/P03093/P03093.pdf>, consultado el 8 de mayo de 2008).
- Estadística de Sudáfrica (2006). *Mortality and causes of death in South Africa, 2003 and 2004: Findings from death notification*. Pretoria, Estadística de Sudáfrica.
- Estadística de Sudáfrica (2007). *Mid-year population estimates 2007*. Pretoria, Estadística de Sudáfrica (julio, publicación estadística P0302).

- Stover J et al. (2006). Projecting the demographic impact of AIDS and the number of people in need of treatment: updates to the Spectrum projection package. *Sexually Transmitted Infections*, 82(Suppl. 3): 45-50 June.
- Stover J et al. (en imprenta). The Spectrum projection package: improvements in estimating mortality, ART needs, PMTCT impact and uncertainty bounds. *Sexually Transmitted Infections*. Suplemento en imprenta.
- Sulliman FT, Ameerberg SAG, Dhannoo MI (2004). *Report of the rapid situation assessment and responses on drug use in Mauritius and Rodrigues*. Mauricio, Ministerio de Salud.
- Taha TE et al. (2000). Association of HIV-1 load and CD4 lymphocyte count with mortality among untreated African children over one year of age. *AIDS*, 14(4):453-459 March.
- Todd CS et al. (2007). HIV, Hepatitis C, and Hepatitis B infections and associated risk behavior in injection drug users in Kabul, Afghanistan. *Emerging Infectious Diseases*, 13(9):1327--1331.
- Toro-Alfonso J y Varas-Díaz N (2008). *Identificación y descripción de conocimiento, actitudes, creencias y comportamientos de riesgo para la transmisión del VIH en población de homosexuales y hombres que tienen sexo con hombres en la República Dominicana*. USAID y Proyecto Conecta. Santo Domingo.
- Tuang NA et al. (2007). Human immunodeficiency virus (HIV) infection patterns and risk behaviours in different population groups and provinces in Viet Nam. *Bulletin of the World Health Organization*, 85(1):35-41.
- Ofina de Estadísticas de Uganda y Macro International Inc. (2007). *Uganda Demographic and Health Survey 2006*. Calverton, MD. Oficina de Estadísticas de Uganda, Macro International Inc.
- Grupo de Colaboración del Reino Unido de Vigilancia del VIH y las ITS (2007). *Testing Times: HIV and other Sexually Transmitted Infections in the United Kingdom: 2007*. Londres, Organismo de Protección de la Salud, Centro de Infecciones.
- ONUSIDA (2005). *Evidence for HIV decline in Zimbabwe: a comprehensive review of the epidemiological data*. Ginebra (noviembre). ONUSIDA.
- ONUSIDA (2006). *Informe sobre la epidemia mundial de SIDA*. Ginebra, ONUSIDA.
- Grupo de Referencia del ONUSIDA sobre Estimaciones, Elaboración de Modelos y Proyecciones (2002). *Improving estimates and projections of HIV/AIDS* (<http://www.epidem.org/Publications/Madrid%20report.pdf>, consultado el 24 de abril de 2008).
- Grupo de Referencia del ONUSIDA sobre Estimaciones, Elaboración de Modelos y Proyecciones (2006). *Improving parameter estimation, projection methods, uncertainty estimation, and epidemic classification* (<http://www.epidem.org/Publications/Prague2006report.pdf>, consultado el 24 de abril de 2008).
- ONUDD (2005). *Afghanistan drug use survey 2005*. Kabul. ONUDD.
- Centros de Control y Prevención de Enfermedades de los Estados Unidos (2007). *HIV/AIDS surveillance report: Cases of HIV infection and AIDS in the United States and Dependent Areas, 2005*. Atlanta, Georgia, Centros para el Control y la Prevención de Enfermedades (revisado en junio de 2007, Vol. 17).
- Van Griensven F et al. (2006). HIV prevalence among populations of men who have sex with men – Thailand, 2003 and 2005. *Morbidity and Mortality Weekly Report*, 55:844–848.
- Wade AS et al. (2005). HIV infection and sexually transmitted infections among men who have sex with men in Senegal. *AIDS*, 19(18):2133–2140.
- Wawer MJ et al. (1994). Incidence of HIV-1 infection in a rural region of Uganda. *British Medical Journal*, 308(6922):171-173.
- Wawer MJ et al. (2005). Rates of HIV-1 transmission per coital act by stage of HIV-1 infection, in Rakai, Uganda. *Journal of Infectious Diseases*, 191:1403-1409.
- OMS (2006). *The World Health Report 2006 – working together for health*. Ginebra (<http://www.who.int/whr/2006/en/>, consultado el 8 de mayo de 2008). OMS.
- OMS (2007). *HIV/AIDS in the South-East Asia region*. Nueva Delhi, Oficina Regional de la OMS para Asia Sudoriental (marzo) (<http://www.searo.who.int/hiv-aids>, consultado el 8 de mayo de 2008).

Zamani S et al. (2005). Prevalence of and factors associated with HIV-1 infection among drug users visiting treatment centers in Tehran, Iran. *AIDS*, 19:709-716.

Zamani S et al. (2006). High prevalence of HIV infection associated with incarceration among community-based injecting drug users in Tehran, Iran. *Journal of Acquired Immune Deficiency Syndromes*, 42(3):342-346.

Zulu KP, Bulawo ND, Zulu W (2006). *Understanding HIV risk behaviour among men who have sex with men in Zambia*. Decimosexta Conferencia Internacional sobre el Sida. 13-18 de agosto. Toronto, Ontario (Resumen WEPE0719).

---

### Capítulo 3 | ABORDAR LAS CAUSAS SOCIALES DEL RIESGO Y LA VULNERABILIDAD AL VIH

Barker G, Ricardo C, Nascimento M (2007). *Engaging men and boys in changing gender-based inequity in health: evidence from programme interventions*. Ginebra, Organización Mundial de la Salud.

Bärnighausen T et al. (2007). The socioeconomic determinants of HIV incidence: evidence from a longitudinal, population-based study in rural South Africa. *AIDS*, 21(Suppl. 7):S29-S38.

Blumenthal SJ (2008). *Women, HIV/AIDS and stigma: results from a national survey*. ([http://www.amfar.org/binary-data/AMFAR\\_PDF/pdf/000/000/181-1.pdf](http://www.amfar.org/binary-data/AMFAR_PDF/pdf/000/000/181-1.pdf), consultado el 10 de abril de 2008).

Bott S, Morrison A, Ellsberg M (2005). *Preventing and responding to gender-based violence in middle and low-income countries: a global review and analysis*. Washington DC, Banco Mundial (World Bank Policy Research Working Paper, N.º 3618).

Burns B, Mingat A, Rakotomalala R (2003). *Achieving universal primary education by 2015: a chance for every child*. Washington DC, Banco Mundial.

Burriss S, et al (2007). *Do Criminal Laws Influence HIV Risk Behavior? An Empirical Trial*. Temple University Legal Studies Research Paper No. 2007-03. Filadelfia. Arizona State Law Journal.

Red Jurídica Canadiense sobre el VIH/Sida, Open Society Institute, Alianza Internacional contra el VIH/Sida (2008). *"Nothing about us without us": Greater, meaningful involvement of people who use illegal drugs: A public health, ethical and human rights imperative*. Red Jurídica Canadiense sobre el VIH/Sida, Open Society Institute, Alianza Internacional contra el VIH/Sida, Toronto.

Carpano C, Izumi K, Mathieson K (2007). *Gender, property rights and livelihoods in the era of AIDS*. Consulta Técnica de la FAO, Roma. Organización de las Naciones Unidas para la Alimentación y la Agricultura. 28-30 de noviembre.

CEDPA (2001). *Adolescent girls in India choose a better future: an impact assessment*. Washington DC, Centro de Actividades para la Población y el Desarrollo.

Chan J (2006). Criminal law and HIV transmission or exposure: 10 new cases. *HIV/AIDS Policy and Law Review*, 11:45-47.

Chen S, Ravallion M (2004). *How Have the World's Poorest Fared Since the Early 1980s?* Policy Research Working Paper No. WPS 3341. Washington DC, Banco Mundial.

Comisión sobre Determinantes Sociales de la Salud (2007b). *Achieving health equity: from root causes to fair outcomes: interim statement*. Ginebra, Comisión sobre Determinantes Sociales de la Salud.

Deininger K (2003). Does cost of schooling affect enrollment by the poor? Universal primary education in Uganda. *Economics of Education Review*, 22(3):291-305.

Duvvury N, Knoess J (2005). *Gender based violence and HIV/AIDS in Cambodia: links, opportunities and potential responses*. Eschborn, Deutsche Gesellschaft für Technische Zusammenarbeit.

Ford K et al. (2004). Voluntary HIV testing, disclosure, and stigma among injection drug users in Bali, Indonesia. *AIDS Education and Prevention*, 16(6):487-498.

Funders for Lesbian and Gay Issues (2007). *Lesbian, gay, bisexual, transgender and intersex grantmaking in the global South and East*. Nueva York, Funders for Lesbian and Gay Issues.

- Gable L et al. (2007). *Legal aspects of HIV/AIDS: a guide for law and policy reform*. Washington DC, Banco Mundial.
- García-Moreno C et al (2005). *WHO multi-country study on women's health and domestic violence against women: initial results on prevalence, health outcomes and women's responses*. Ginebra, Organización Mundial de la Salud.
- Gillespie S, Kadiyala S, Greener R (2007). Is poverty or wealth driving HIV transmission? *AIDS*, 21(Suppl. 7):S5–S16.
- Coalición Mundial sobre la Mujer y el Sida (2006a). *Keeping the promise: an agenda for action on women and AIDS*. Ginebra, ONUSIDA.
- Coalición Mundial sobre la Mujer y el Sida (2006b). *Economic security for women, fight AIDS*. Ginebra, ONUSIDA (Issue Brief 3).
- GNP+, THT (2005). *Criminalisation of HIV transmission in Europe: a rapid scan of the laws and rates of prosecution for HIV transmission within signatory States of the European Convention of Human Rights*. Red Mundial de Personas que Viven con el VIH/Sida y Terrence Higgins Trust (<http://www.gnpplus.net/criminalisation/rapidscan.pdf>, consultado el 25 de abril de 2008).
- Gupta, GR (2005). *Luncheon remarks on women and AIDS*. InterAction Forum. Washington DC, InterAction.
- Hallman K (2004). *Socioeconomic disadvantage and unsafe sexual behaviours among young women and men in South Africa*. Nueva York, Consejo de Población (Policy Research Division Working Paper, N.º 190).
- Hallman K (2005). Gendered socioeconomic conditions and HIV risk behaviors among young people in South Africa. *African Journal of AIDS Research*, 4(1):37–50.
- Hargreaves JR, Boler T (2006). *Girl power: girls' education, sexual behaviour and AIDS in Africa*. Johannesburgo, ActionAid International.
- Hargreaves JR et al. (2008). Systematic review exploring time trends in the association between educational attainment and risk of HIV infection in sub-Saharan Africa. *AIDS*, 22:403-414.
- Heywood MJ (2002). *Litigating AIDS: background, strategies and outcomes of the Treatment Action Campaign's (TAC) case to prevent mother to child HIV transmission in South Africa*. Decimocuarta Conferencia Internacional sobre el Sida, 7–12 de julio, Ginebra, Sociedad Internacional del Sida.
- Human Rights Watch (2006). *Rhetoric and risk: human rights abuses impeding Ukraine's fight against HIV/AIDS*. Nueva York, Human Rights Watch.
- Human Rights Watch (2007). *Hidden in the mealie meal: gender-based abuses and women's HIV treatment in Zambia*. Nueva York, Human Rights Watch.
- Instituto de Medicina (2008). *Violence Prevention in Low- and Middle-Income Countries: Finding a Place on the Global Agenda*. Workshop Summary. National Academies Press, Washington DC.
- CIIM (2006a). *HIV/AIDS stigma: finding solutions to strengthen HIV/AIDS programs*. August. Washington DC, Centro Internacional de Investigaciones sobre la Mujer.
- CIIM (2006b). *Information bulletin: reducing women's and girls' vulnerability to HIV/AIDS by strengthening their property and inheritance rights*. Mayo. Washington DC, Centro Internacional de Investigaciones sobre la Mujer.
- CIIM e Instituto Promundo (2007). *Engaging men and boys to achieve gender equality: how can we build on what we have learned?* Washington DC, Centro Internacional de Investigaciones sobre la Mujer.
- FIFP et al (2008a). *The people living with HIV stigma index: user guide*. Londres, Federación Internacional de Planificación de la Familia.
- FIFP et al (2008b). *The people living with HIV stigma index: questionnaire*. Londres, Federación Internacional de Planificación de la Familia.
- Jenkins C, Sarkar S (2007). *Interventions for HIV prevention and support for vulnerable populations: focus on Asia and the Pacific*. Bangkok, Alternate Visions.
- Jewkes R et al (2007). *Evaluation of Stepping Stones: a gender transformative HIV prevention intervention*. Pretoria, Consejo de Investigación Médica de Sudáfrica.

- Jones P (2005). "A Test of Governance": rights-based struggles and the politics of HIV/AIDS policy in South Africa. *Political Geography*, 24(4):419–447.
- Kaai S et al (2007). *Changes in stigma among a cohort of people on antiretroviral therapy: findings from Mombasa, Kenya*. Nairobi, Consejo de Población (Resumen de la investigación de Horizons).
- Kruger V (2003). *MAP evaluation report*. Johannesburgo, EngenderHealth.
- Liu H et al. (2006). Understanding interrelationships among HIV-related stigma, concern about HIV infection, and intent to disclose HIV serostatus: a pretest-posttest study in a rural area of eastern China. *AIDS Patient Care and STDs*, 20(2):133–142.
- Lopman B et al. (2007). HIV incidence and poverty in Manicaland, Zimbabwe: is HIV becoming a disease of the poor? *AIDS*, 21(Suppl. 7):S57–S66.
- Ma W et al. (2007). Acceptance of and barriers to voluntary HIV counselling and testing among adults in Guizhou province, China. *AIDS*, 21(Suppl. 8):S129–135.
- Mahendra VS et al (2006). *Reducing AIDS-related stigma and discrimination in Indian hospitals*. Nueva Delhi, Consejo de Población (Informe final de Horizons).
- Mahendra VS et al. (2007). Understanding and measuring HIV related stigma in healthcare settings: a developing country perspective. *Journal of Social Aspects of HIV/AIDS*, 4(2): 616–625.
- Mann J y Tarantola D eds (1996). *AIDS in the world II: global dimensions, social roots and response*. Nueva York, Oxford University Press.
- Marmot MG (2006). Status syndrome: a challenge to medicine. *Journal of the American Medical Association*, 295:1304–1307.
- McCrummen S (2007). Prevalence of rape in E. Congo described as worst in world. *Washington Post*, 9 de septiembre.
- Medley A et al. (2004). Rates, barriers and outcomes of HIV sero-disclosure among women in developing countries: implications for prevention of mother-to-child transmission programmes. *Bulletin of the World Health Organization*, 82(4):299–307.
- Mercy JA et al. (2008) Preventing Violence in Developing Countries: A Framework for Action, in Institute of Medicine, *Violence Prevention in Low- and Middle-Income Countries: Finding a Place on the Global Agenda, Workshop Summary*. National Academies Press, Washington DC.
- Merson MH e al. (en imprenta). The History and Challenge of HIV Prevention. *Lancet*.
- Mills EA (2006). From the physical self to the social body: expressions and effects of HIV-related stigma in South Africa. *Journal of Community & Applied Social Psychology*, 16:498–503.
- Mishra V et al. (2007). HIV infection does not disproportionately affect the poorer in sub-Saharan Africa. *AIDS*, 21(Suppl.7):S17–S28.
- Nyblade L et al. (2003). *Disentangling HIV and AIDS stigma in Ethiopia, Tanzania and Zambia*. Washington DC, Centro Internacional de Investigaciones sobre la Mujer.
- Oanh KTH et al. (2008). *Improving hospital-based quality of care in Vietnam by reducing HIV-related stigma and discrimination*. Nueva York, Consejo de Población.
- Open Society Institute (2006a). *Fostering enabling legal and policy environments to protect the health and human rights of sex workers*. Informe de una reunión copatrocinada por el Proyecto Salud Sexual y Derechos y la Iniciativa de Ley y Salud. Johannesburgo, Sudáfrica. 22–24 de junio de 2006. Nueva York, Open Society Institute.
- Open Society Institute (2006b). *Sex worker health and rights: where is the funding? Sexual health and rights project*. Nueva York, Open Society Institute.
- Ottosson D (2007). *State-sponsored homophobia: a world survey of laws prohibiting same sex activity between consenting adults*. Bruselas, Asociación Internacional de Lesbianas y Gays.
- Pardasani MP (2005). HIV Prevention and sex workers: an international lesson in empowerment. *International Journal of Social Welfare*, 14:116–126.

- Peacock D, Levack A (2004). The men as partners program in South Africa: reaching men to end gender-based violence and promote sexual and reproductive health. *International Journal of Men's Health*, Fall: 173-188.
- Pearhouse R (2007). Legislation contagion: the spread of problematic new HIV laws in Western Africa. *HIV/AIDS Policy and Law Review*, 12:1-11.
- Physicians for Human Rights (2007). *Epidemic of Inequality: Women's Rights and HIV/AIDS in Botswana & Swaziland*. Physicians for Human Rights, Cambridge (EE. UU.).
- Piot P, Greener R, Russell S (2007). Squaring the Circle: AIDS, poverty, and human development. *PLoS Medicine*, 4(10):e314.
- Consejo de Población (2006). *Reducing stigma and discrimination in hospitals: positive findings from India*. Washington DC, Consejo de Población.
- Oficina de Referencia de Población (2007). *World population data sheet*. (<http://www.prb.org/Datafinder.aspx>, consultado el 28 de marzo de 2008).
- Pronyk J et al. (2006). Effect of a structural intervention for the prevention of intimate-partner violence and HIV in rural South Africa: a cluster randomised trial. *The Lancet*, 368:1973-1983.
- Pulerwitz J et al. (2006). *Promoting more gender-equitable norms and behaviours among young men as an HIV/AIDS prevention strategy*. Washington DC, Consejo de Población (Informe final de Horizontos).
- Pulerwitz J, Barker G (2008). Measuring attitudes toward gender norms among young men in Brazil. *Men and Masculinities*, 10:322-338.
- Raise Initiative (Reproductive Health Access, Information and Services in Emergencies) (2007). *Fact sheet: gender based violence* ([http://www.raiseinitiative.org/library/pdf/fs\\_gbv.pdf](http://www.raiseinitiative.org/library/pdf/fs_gbv.pdf), consultado el 8 de mayo de 2008).
- Reis C et al. (2005). Discriminatory attitudes and practices by health workers toward patients with HIV/AIDS in Nigeria. *PLoS Medicine*, 2(8): e246 (doi:10.1371/journal.pmed.0020246).
- SADC (2006). Expert Think Tank Meeting on HIV Prevention in High Prevalence Countries in Southern Africa Report, Maseru, Lesotho, 10-12 de mayo de 2006. Comunidad de Desarrollo de África Meridional, Gaborone.
- Shilts R (1987). *And the band played on: people, politics and the AIDS epidemic*. Nueva York, St. Martin's Press.
- Strickland R (2004). *To have and to hold: women's property and inheritance rights in the context of HIV/AIDS in sub-Saharan Africa*. Washington DC, Centro Internacional de Investigaciones sobre la Mujer (ICRW Working Paper).
- ONUSIDA (2002). *Criminal law, public health and HIV transmission: a policy options paper*. Ginebra, ONUSIDA (Colección Prácticas Óptimas del ONUSIDA).
- ONUSIDA (2003). *Fact sheet on stigma and discrimination*. Ginebra, ONUSIDA.
- ONUSIDA (2007a). *Directrices prácticas para intensificar la prevención del VIH, hacia el acceso universal*. Marzo. Ginebra, ONUSIDA.
- ONUSIDA (2007b). Presentación de directrices de política para abordar las cuestiones de género en la XX reunión de la Junta Coordinadora del Programa del ONUSIDA. 25-27 de junio de 2007. Ginebra. ([http://data.unaids.org/pub/Presentation/2007/policy\\_guidance\\_address\\_gender\\_issues\\_item4\\_2\\_en.pdf](http://data.unaids.org/pub/Presentation/2007/policy_guidance_address_gender_issues_item4_2_en.pdf), consultado el 8 de mayo de 2008).
- ONUSIDA (2007c). *Report of the UNAIDS technical consultation on social change communication*. 2-3 de agosto de 2007. Ginebra.
- ONUSIDA (2007d). *Situación de la epidemia de sida 2007*. Diciembre. Ginebra, ONUSIDA.
- ONUSIDA (2008). *Reducing HIV Stigma and Discrimination: a critical part of national AIDS programmes, A resource for national stakeholders in the HIV response*. Ginebra.
- ONUSIDA et al. (2008). *Eliminating female genital mutilation: an interagency statement*. Ginebra, Organización Mundial de la Salud.
- UNESCO (2007) *Education for All for 2015: Will We Make It?* UNESCO, París.
- UNICEF (2005). *Progress for children: a report card on gender parity and primary education (No.2)*. UNICEF.

- PNUD (2007). *Human development report 2007/2008*. Nueva York, Programa de las Naciones Unidas para el Desarrollo.
- Oficina de las Naciones Unidas de Coordinación de Asuntos Humanitarios (2005) *Broken bodies, broken dreams: violence against women exposed*. Nueva York, Oficina de las Naciones Unidas de Coordinación de Asuntos Humanitarios.
- Verma R et al (2006). *Challenging and Changing Gender Attitudes among Young Men in Mumbai, India*. *Reproductive Health Matters* 2006;14(28):135–143
- Weiser S et al. (2007). Food insufficiency is associated with high-risk sexual behavior among women in Botswana and Swaziland. *PLoS Medicine*, 4(10): e260.
- Welbourn A (1995). *Stepping Stones: A training package on HIV/AIDS, gender issues, communication and relationship skills*. Strategies for Hope Trust, Oxford, Reino Unido.
- White RC, Carr R (2005). Homosexuality and HIV/AIDS stigma in Jamaica. *Culture, Health & Sexuality*, 7(4):347–359.
- OMS (2007). *Engaging men and boys in changing gender-based inequity in health: evidence from programme interventions*. Ginebra, Organización Mundial de la Salud.
- Wolfe W et al. (2006). Effects of HIV-related stigma among an early sample of patients receiving antiretroviral therapy in Botswana. *AIDS Care*, 18(8):931–933.
- World Vision (2008). Protecting women from HIV/AIDS via microenterprise development (MED). ([http://www.worldvision.org/worldvision/appeals.nsf/stable/im\\_MED\\_Prod\\_Desc\\_v7](http://www.worldvision.org/worldvision/appeals.nsf/stable/im_MED_Prod_Desc_v7), consultado el 26 de marzo de 2008).

---

## Capítulo 4 | PREVENIR NUEVAS INFECCIONES POR EL VIH

- Aceijas C et al. (2004). Global coverage of injecting drug use and HIV infection among injecting drug users. *AIDS*, 18:1295-2203.
- Akhmedov K et al. (2007). *Introduction of youth friendly services for most at risk adolescents in Uzbekistan: an emergency response to the fastest growing HIV epidemic in Central Asia*. Reunión de Ejecutores 2007: Scaling Up Through Partnerships. 16-19 de junio. Kigali, Rwanda.
- Allen S et al. (2003). Sexual behavior of HIV discordant couples after HIV counseling and testing. *AIDS*, 17:733-740.
- Auerbach JD, Hayes RJ, Kandathil SM. Overview of effective and promising interventions to prevent HIV infection. En: Ross DA, Dick B, Ferguson J, eds. (2006). *Preventing HIV/AIDS in young people: a systematic review of evidence from developing countries*. Equipo de Trabajo Interinstitucional del ONUSIDA sobre los Jóvenes. Ginebra, Organización Mundial de la Salud.
- Auert B et al. (2005). Randomized, controlled intervention trial of male circumcision for reduction of HIV infection risk: the ANRS 1265 trial. *PLoS Medicine*, 2:e298.
- Bailey RC et al. (2007). Male circumcision for HIV prevention in young men in Kisumu, Kenya: a randomised controlled trial. *Lancet*, 369:643-656.
- Basu I et al. (2004). HIV prevention among sex workers in India. *Journal of Acquired Immune Deficiency Syndromes*, 36:845-852.
- Bearinger LH et al. (2007). Global perspectives on the sexual and reproductive health of adolescents: patterns, prevention and potential. *Lancet*, 369:1220-1231.
- Becquet R et al. (2005). Infant Feeding Practices before Implementing Alternatives to Prolonged Breastfeeding to Reduce HIV Transmission Through Breastmilk in Abidjan, Côte d'Ivoire. *J Trop Pediatr* 51:351-355.
- Biddlecom AE et al. (2007). *Protecting the next generation in sub-Saharan Africa: learning from adolescents to prevent HIV and unintended pregnancy*. Nueva York, Guttmacher Institute.
- Buchbinder SP et al. (2005). Sexual risk, nitrite inhalant use, and lack of circumcision associated with HIV seroconversion in men who have sex with men in the United States. *Journal of Acquired Immune Deficiency Syndromes*, 39:82–89.

- CADRE (2007). *Concurrent sexual partnerships amongst young adults in South Africa: challenges for HIV prevention communication*. Johannesburg, Centro para el Desarrollo, la Investigación y la Evaluación sobre Sida."
- Cassels S, Clark SJ, Morris M (2008). Mathematical models for HIV transmission dynamics: tools for social and behavioral science research. *Journal of Acquired Immune Deficiency Syndromes*, 47:S34–S39.
- Castilla J et al. (2005). Effectiveness of highly active antiretroviral therapy in reducing heterosexual transmission of HIV. *Journal of Acquired Immune Deficiency Syndromes*, 40:96–101.
- Centros para el Control y la Prevención de Enfermedades (2005). HIV prevalence, unrecognized HIV infection, and HIV testing among men who have sex with men – five U.S. Cities, June 2004–April 2005. *Morbidity and Mortality Weekly Report*, 54:597–601.
- Centros para el Control y la Prevención de Enfermedades (2006a). Youth risk behaviour surveillance – United States, 2005. *Morbidity and Mortality Weekly Report*, 55(SS-5):1–108.
- Centros para el Control y la Prevención de Enfermedades (2006b). HIV prevalence among populations of men who have sex with men – Thailand, 2003 and 2005. *Morbidity and Mortality Weekly Report*, 55:844–848.
- CADRE (2007). *Concurrent sexual partnerships amongst young adults in South Africa: challenges for HIV prevention communication*. Johannesburg, Centro para el Desarrollo, la Investigación y la Evaluación sobre Sida.
- Chinaglia M et al. (2007). *Reaching truckers in Brazil with non-stigmatizing and effective HIV/STI services*. Washington DC, Consejo de Población.
- Iniciativa Global Clinton (2007). *Latest news for AIDS prevention education with migrant construction workers*. (<http://commitments.clintonglobalinitiative.org/projects.htm?mode=progressreport&rid=43084&op=ViewArticle&articleId=227&blogId=232>, consultado el 23 de marzo de 2008).
- Coates TJ et al. (2008). Behavioural science contributions to HIV prevention: insights from the past and directions for the future, *Lancet en imprenta*.
- Crepaz N et al. (2006). Do prevention interventions reduce HIV risk behaviours among people living with HIV? A meta-analytic review of controlled trials. *AIDS*, 20:143–157.
- Darabi L et al. (2008). *Protecting the next generation in Uganda: new evidence on adolescent sexual and reproductive health needs*. Nueva York, Guttmacher Institute.
- De Cock K et al. (2000). Prevention of mother-to-child HIV transmission in resource-poor countries: translating research into policy and practice. *Journal of the American Medical Association*, 283:1175–1182.
- de Walque D (2007). Sero-discordant couples in five African countries: implications for prevention strategies. *Population and Development Review*, 33:501–523.
- Doherty T et al. (2007). Effectiveness of the WHO/UNICEF guidelines on infant feeding for HIV-positive women: results from a prospective cohort study in South Africa. *AIDS* 21:1791–1797.
- Dolan K et al. (2007). HIV in prisons in low- and middle-income countries. *Lancet Infectious Diseases*, 7:32–41.
- Donegan E et al. (1994). Transfusion transmission of retroviruses: human T-lymphotropic viruses types 1 and 2 compared with human immunodeficiency virus type 1. *Transfusion*, 34:478–483.
- Donnelly J (2007). Saving the babies: a victory for Africa. *Boston Globe*, 27 de agosto.
- Dupas P (2006). *Relative risk and the market for sex: teenagers, sugar daddies and HIV in Kenya*. (<http://ipc.umich.edu/edts/pdfs/DupasRelativeRisks.pdf>, consultado el 3 de enero de 2008).
- Emmanuel F, Archibald C, Altaf F (2006). *What drives the HIV epidemic among injecting drug users in Pakistan: a risk factor analysis*. Decimosexta Conferencia Internacional sobre el Sida. 13–18 de agosto. Toronto. (Resumen n.º MOPE0524).
- EuroHIV (2007). *HIV/AIDS surveillance in Europe, end-year report, 2006, No. 76*. Sant-Maurice, Institute de Veille Sanitaire (<http://www.eurohiv.org>, consultado el 8 de mayo de 2008).

- Fiellin DA, Green TC, Heimer R (2007). *Combating the twin epidemics of HIV/AIDS and addiction: opportunities for progress and gaps in scale. A report of the CSIS Task Force on HIV/AIDS*. Washington, Center for Strategic and International Studies.
- Comisión Mundial sobre Migraciones Internacionales (2005). *Migration in an interconnected world: new directions for action*. Ginebra, Comisión Mundial sobre Migraciones Internacionales.
- Grupo Mundial de Trabajo sobre Prevención del VIH (2004). *HIV prevention in the era of expanded treatment access*. Nueva York, Fundación Bill y Melinda Gates, Fundación de la Familia Henry J. Kaiser.
- Grupo Mundial de Trabajo sobre Prevención del VIH (2006). *New approaches to HIV prevention: accelerating research and ensuring future access*. Nueva York, Fundación Bill y Melinda Gates, Fundación de la Familia Henry J. Kaiser.
- Gray RH et al. (2007). Male circumcision for HIV prevention in men in Rakai, Uganda: a randomized trial. *Lancet*, 369:657-666.
- Gray RH, Wawer MJ (2007). Randomised trials of HIV prevention. *Lancet*, 370:200-201.
- Gregson S et al. (2002). Sexual mixing patterns and sex differentials in teenage exposure to HIV infection in rural Zimbabwe. *Lancet*, 359:1896-1903.
- Guay LA et al. (1999). Intrapartum and neonatal single-dose nevirapine compared with zidovudine for prevention of mother-to-child transmission of HIV-1 in Kampala, Uganda: HIVNET 012 randomised trial. *Lancet*, 354:795-802.
- Hallett T et al. (2008). Understanding the impact of male circumcision interventions on the spread of HIV in southern Africa. *PLoS ONE* (en imprenta)
- Hankins C (2008). Sex, drugs and gender? High time for lived experience to inform action. Editorial. *International Journal of Drug Policy*, 19:95-96.
- Hendriksen ES et al. (2007). Predictors of condom use among young adults in South Africa: the Reproductive Health and HIV Research Unit National Youth Survey. *American Journal of Public Health*, 97:1241-1248.
- Fundación de la Familia Henry J Kaiser (2006). *AIDS at 25: An overview of major trends in the US epidemic*. Menlo Park, California, Fundación de la Familia Henry J Kaiser (<http://www.kff.org/hiv/aids/upload/7525.pdf>, consultado el 13 de marzo de 2008).
- HIV Vaccines and Microbicides Resource Tracking Working Group (2007). *Building a Comprehensive Response: Funding for HIV Vaccines, Microbicides and Other New Prevention Options: 2000-2006*. Grupo de Trabajo sobre Seguimiento de Recursos para Microbicidas y Vacunas contra el VIH. Consultado el 8 de mayo de en [http://www.hivresourcetracking.org/content/RT\\_Report\\_Nov2007.pdf](http://www.hivresourcetracking.org/content/RT_Report_Nov2007.pdf).
- CIIM, Instituto Promundo (2007). *Engaging men and boys to achieve gender equality: how can we build on what we have learned?* Washington, Centro Internacional de Investigaciones sobre la Mujer.
- Instituto de Medicina (2006). *Preventing HIV infection among injection drug users in high risk countries: an assessment of the evidence*. Washington, Instituto de Medicina.
- International Harm Reduction Development Program (2007). *Women, harm reduction and HIV*. Nueva York, Open Society Institute.
- OIT (2006). *HIV/AIDS and work: impact on children and youth, and response*. Ginebra, Organización Internacional del Trabajo.
- Kahn JG, Marseille E, Auvert B. (2006). Cost-effectiveness of male circumcision for HIV prevention in a South African setting. *PLoS Medicine*, 3:e517.
- Kerrigan D et al. (2006). Environmental/structural interventions to reduce HIV/STI risk among female sex workers in the Dominican Republic. *American Journal of Public Health* 96:120-125.
- Khan MR et al. (2007). Mobility and HIV-related sexual behavior in Burkina Faso. *AIDS & Behavior*, 12:202-212.

- Kissin DM et al. (2008). Rapid HIV testing and prevention of perinatal HIV transmission in high-risk maternity hospitals in St. Petersburg, Russia. *American Journal of Obstetrics & Gynecology*, 198(2):183.e1–7.
- Kuhn L et al. (2007). High uptake of exclusive breastfeeding and reduced early post-natal HIV transmission. *PLoS Medicine*, 2:e1363.
- Lines R et al. (2006). *Needle exchange: lessons from a comprehensive review of international evidence and experience*. Toronto, Red Jurídica Canadiense sobre el VIH/Sida.
- Manzi M et al. (2005). High acceptability of voluntary counselling and HIV-testing but unacceptable loss to follow up in a prevention of mother-to-child HIV transmission programme in rural Malawi: scaling-up requires a different way of acting. *Tropical Medicine and International Health* 10:1242-1250.
- Marston C, King E (2006). Factors that shape young people's sexual behaviour: a systematic review. *Lancet*, 368:1581-1586.
- Maticka-Tyndale E, Brouillard-Coyle C. The effectiveness of community interventions targeting HIV and AIDS prevention at young people in developing countries. En: Ross DA, Dick B, Ferguson J, eds. (2006). *Preventing HIV/AIDS in young people: a systematic review of evidence from developing countries*. Equipo de Trabajo Interinstitucional del ONUSIDA sobre los Jóvenes. Ginebra, Organización Mundial de la Salud.
- MEASURE DHS, 2008, Macro International, Inc. Calverton MD, EE. UU.
- Millett GA, Peterson JL(2007). The Known Hidden Epidemic: HIV/AIDS Among Black Men Who Have Sex with Men in the United States. *American Journal of Preventive Medicine* S31-S37.
- Montefiori D et al. (2007). Antibody-based HIV-1 vaccines: recent developments and future directions. *PLoS Medicine*, 4:e348.
- Morris CN, Ferguson AG (2006). Estimation of the sexual transmission of HIV in Kenya and Uganda on the trans-Africa highway: the continuing role for prevention in high risk groups. *Sexually Transmitted Infections* 82:368-371.
- Nashkoev M, Sergeyev B (2007). *AIDS in the Commonwealth of Independent States*. Monitoring the AIDS Pandemic Network. Washington, Oficina de Censos de los EE. UU.
- Consejo Nacional de Investigaciones, Instituto de Medicina, Panel on Transitions to Adulthood in Developing Countries (2005). *Growing Up Global: The Changing Transitions to Adulthood in Developing Countries*. Washington, National Academies Press.
- Nelson R (2007). Female-initiated prevention strategies key to tackling HIV. *Lancet Infectious Diseases*, 7:183.
- Oanh KTH (2007). *HIV/AIDS policy in Vietnam: a civil society perspective*. Nueva York, Open Society Institute.
- Osmond DH et al. (2007). Changes in prevalence of HIV infection and sexual risk behavior in men who have sex with men in San Francisco: 1997–2002. *American Journal of Public Health*, 97:1677–1683.
- Padian NS et al. (2007). Diaphragm and lubricant gel for prevention of HIV acquisition in southern African women: a randomised controlled trial. *Lancet*, 370:251-261.
- Pardasani M (2005). HIV Prevention and sex workers: An international lesson in empowerment. *International Journal of Social Welfare* 14:16-126.
- Peltzer CI et al. (2007). Male circumcision, gender and HIV prevention in sub-Saharan Africa: a (social science) research agenda. *Journal of Social Aspects of HIV/AIDS*, 4(3): 658-667.
- Physicians for Human Rights (2007). *Success stories from the field: curbing the spread of HIV/AIDS among drug injectors. Innovative and effective programs in Brazil, India, Russia, and the China-Vietnam border*. Cambridge (USA), Physicians for Human Rights.
- Piot P et al. (en imprenta) Coming to terms with complexity: A call to action for HIV prevention. *Lancet*.
- Consejo de Población (2003). *Expanding workplace HIV/AIDS prevention activities for a highly mobile population: construction workers in Ho Chi Minh City* ([http://www.popcouncil.org/horizons/ressum/wrkplc/vtnmcnstrwrkr/vtnmcnstrwrkr\\_intro.html](http://www.popcouncil.org/horizons/ressum/wrkplc/vtnmcnstrwrkr/vtnmcnstrwrkr_intro.html), consultado el 23 de marzo de 2008).

- Consejo de Población, USAID (2007). *Implementing STI/HIV prevention and care interventions for men who have sex with men in Dakar, Senegal*. Washington DC, Consejo de Población, Proyecto Horizontos.
- Robertson M et al. (2008). Efficacy Results from the STEP Study (Merck V520 Protocol 023/HVTN 502): A Phase II, Test-of-Concept Trial of the MRKAd5 HIV-1 Gag/Pol/Nef Trivalent Vaccine. Decimoquinta Conferencia sobre Retrovirus e Infecciones Oportunistas, Boston. EE. UU.
- SADC (2006). Expert Think Tank Meeting on HIV Prevention in High Prevalence Countries in Southern Africa Report, Maseru, Lesotho, 10-12 de mayo de 2006. Comunidad de Desarrollo de África Meridional, Gaborone.
- Say L, Raine R (2007). A systematic review of inequalities in the use of maternal health care in developing countries: examining the scale of the problem and the importance of context. *Bulletin of the World Health Organization*, 85:733–820.
- Schoofs M (2007). Challenge for AIDS fighters: circumcising Africans safely. *Wall Street Journal*, 7 de septiembre.
- Southern African Migration Project (2005). *HIV/AIDS Population Mobility and Migration in Southern Africa: Towards a Research and Policy Agenda*. Ginebra, Organización Internacional para las Migraciones.
- Steen R et al. (2006). Pursuing scale and quality in STI interventions with sex workers: initial results from Avahan India AIDS Initiative. *Sexually Transmitted Infections* 82:381–385.
- Stover J et al. (2006). The global impact of scaling up HIV/AIDS prevention programs in low- and middle-income countries. *Science*, 311:1474–1476.
- Stripipatana T et al. (2007). Site-specific interventions to improve prevention of mother-to-child transmission of human immunodeficiency virus programs in less developed settings. *American Journal of Obstetrics and Gynecology* 197:S107-S112.
- Suarez et al. (2001). Influence of a partner's HIV Serostatus, use of highly active antiretroviral therapy, and viral load on the perceptions of sexual risk behavior in a community sample of men who have sex with men. *Journal of Acquired Immune Deficiency Syndromes*, 28:471-477.
- Swartz L, Nkai DP (2004). *The impact of HIV/AIDS on the mining sector, with special emphasis on Southern African male migrant workers*. Bangkok, PNUD, Programa del VIH y el Desarrollo para Asia sudoriental, Comité para la Cooperación Internacional en Investigación Nacional sobre Demografía.
- Teeraratkul A et al. (2005). Evaluating programs to prevent mother-to-child HIV transmission in two large Bangkok hospitals, 1999-2001. *Journal of Acquired Immune Deficiency Syndromes* 38:208-212.
- Templeton D, Hogben M (2007). *Circumcision not protective against HIV seroconversion in homosexual men*. Decimoséptimo Encuentro de la Sociedad Internacional para Enfermedades de Transmisión Sexual. Seattle. 30 de julio de 2007. (Resumen N.º 215).
- Grupo de Acción Tailandés para el Tratamiento del Sida, Human Rights Watch (2007). *Deadly denial: barriers to HIV/AIDS treatment for people who use drugs*. Nueva York. Bangkok, November 19:17(C).
- Tonwe-Gold B et al. (2007). Antiretroviral Treatment and Prevention of Peripartum and Postnatal HIV Transmission in West Africa: Evaluation of a Two-Tiered Approach. *PloS Medicine* 4:e257.
- TRC (2008). *International coordination and information service for drug substitution patients seeking to travel abroad*. Travel Resource Center ([www.indro-online.de/niia.htm](http://www.indro-online.de/niia.htm), consultado el 14 de abril de 2008).
- ONUSIDA (2001). *Working with men for HIV prevention and care*. Ginebra, ONUSIDA (Colección Prácticas Óptimas del ONUSIDA).
- ONUSIDA (2005). *Intensifying HIV prevention: Documento de posición política del ONUSIDA*. Ginebra, ONUSIDA.
- ONUSIDA (2006a). *Evidence for HIV decline in Zimbabwe: a comprehensive review of the epidemiological data*. ONUSIDA, Ginebra.
- ONUSIDA (2006b). *Informe sobre la epidemia mundial de SIDA*. ONUSIDA, Ginebra.

- ONUSIDA (2006c). *High Coverage Sites: HIV Prevention among Injecting Drug Users in Transitional and Developing Countries, Case Studies*. Colección Prácticas Óptimas del ONUSIDA.
- ONUSIDA (2007a). *Directrices prácticas para intensificar la prevención del VIH: hacia el acceso universal*. Ginebra, ONUSIDA.
- ONUSIDA (2007b). *Situación de la epidemia de sida*. Ginebra, ONUSIDA.
- ONUSIDA (2007c). *Financial resources required to achieve universal access to HIV prevention, treatment, care and support*. Ginebra, ONUSIDA.
- ONUSIDA (2007d). *Cuestiones éticas en los ensayos biomédicos de prevención del VIH: Documento de orientación de ONUSIDA/OMS*. Ginebra, ONUSIDA.
- ONUSIDA, AVAC (2007). *Directrices de buena práctica participativa para ensayos biomédicos de prevención del VIH*. Ginebra, ONUSIDA.
- ONUSIDA/OMS (2007). *New data on male circumcision and HIV prevention: policy and programme implications*. UNAIDS/WHO Technical Consultation, Male Circumcision and HIV Prevention: Research Implications for Policy and Programming. 6–8 marzo de 2007. Montroux, Suiza.
- Comisión de Estupefacientes de las Naciones Unidas (2008). *World situation with regard to drug abuse: report of the Secretariat*. Consejo Económico y Social de las Naciones Unidas, 51.º sesión. 10–14 de marzo de 2008. Viena.
- PNUD (2007). *Human development report*. Nueva York, Programa de las Naciones Unidas para el Desarrollo.
- Underhill K, Montgomery P, Operario D (2007). Sexual abstinence only programmes to prevent HIV infection in high income countries: systematic review. *BMJ* 335:248–252.
- UNFPA (2003). *The state of the world population, 2003. Making one billion count: investing in adolescents' health rights*. Nueva York, Fondo de Población de las Naciones Unidas.
- UNICEF, ONUSIDA, OMS (2008). *Children and AIDS: Second stocktaking report*. Nueva York, UNICEF.
- UNICEF (2008). *State of the world's children 2008*. Nueva York, UNICEF.
- ONUDD (2007). *World drug report 2007*. ONUDD, Viena.
- Naciones Unidas (2006). *International migration and development* <http://www.un.org/esa/population/migration/hld/index.html>, consultado el 29 de 2008
- Vernazza P et al. (2008). Les personnes séropositives ne souffrant d'aucune autre MST et suivant un traitement antiretroviral efficace ne transmettent pas le VIH par voie sexuelle []. *Bulletin des médecins Suisse* 89:165–169.
- Vu BN et al. (2008). Male sexuality in Vietnam: the case of male-to-male sex. *Sexual Health*, 5:83–88.
- Watson-Jones D et al. (2008). Effect of herpes simplex suppression on incidence of HIV among women in Tanzania. *New England Journal of Medicine*, 358:1560–1571.
- Wawer MJ et al. (2005). Rates of HIV-1 transmission per coital act by stage of HIV-1 infection, in Rakai, Uganda. *Journal of Infectious Diseases*, 191:1403–1409.
- Wegbreit J et al. (2006). Effectiveness of HIV prevention strategies in resource-poor countries: tailoring the intervention to the context. *AIDS*, 20:1217-1235.
- Wellings K et al. (2006). Sexual behaviour in context: a global perspective. *Lancet*, 368:1706-1728.
- Were WA et al. (2006). Undiagnosed HIV infection and couple HIV discordance among household members of HIV-Infected people receiving antiretroviral therapy in Uganda. *Journal of Acquired Immune Deficiency Syndromes*, 43:91-95.
- White RG (2003). Commentary: What can we make of an association between human immunodeficiency virus prevalence and population mobility? *International Journal of Epidemiology*, 32:753–754.
- OMS (2006a). Demand for male circumcision rises in a bid to prevent HIV. *Bulletin of the World Health Organization* 84:505-508.

- OMS et al. (2006b). *Preventing HIV/AIDS in young people: a systematic review of the evidence from developing countries*, Serie de Informes Técnicos de la OMS, n.º 938. Agosto. Organización Mundial de la Salud, Ginebra.
- OMS (2006c). *HIV and Infant Feeding Technical Consultation Held on behalf of the Inter-Agency Task Team (IATT) on Prevention of HIV Infections in Pregnant Women, Mothers and their Infants*. Declaración de consenso, 25-27 de octubre. Organización Mundial de la Salud, Ginebra.
- OMS (2006d). *Antiretroviral Drugs for Treating Pregnant Women and Preventing HIV Infection in Infant: Towards Universal Access, Recommendations for a Public Health Approach*. Organización Mundial de la Salud, Ginebra.
- OMS (2007). *HIV/AIDS in the South-East Asia region*. Martch. Nueva Delhi, Oficina Regional de la OMS para Asia Sudoriental (<http://www.searo.who.int/hiv-aids>, consultado el 8 de mayo de 2008).
- Williams BG et al. (2006). The potential impact of male circumcision on HIV in sub-Saharan Africa. *PLoS Medicine*, 3(7):e262.
- Asociación Mundial para la Salud Sexual (2008). *Sexual health for the millennium: a declaration and technical document*. Minneapolis (EE. UU.), Asociación Mundial para la Salud Sexual.
- Zaba B et al. (2004). Age at first sex: understanding recent trends in African demographic surveys. *Sexually Transmitted Infections*, 80(Sup. II):ii28-ii35.

---

## Capítulo 5 | TRATAMIENTO Y ATENCIÓN

- Abgrail S et al. (2006). Switch from a first virologically effective protease inhibitor-containing regimen to a regimen containing efavirenz, nevirapine or abacavir. *AIDS* 20:2099-2106.
- Agence France Press (2008). 'Unacceptable' Delay in Detecting Brazil AIDS Cases: Oficial. 14 de febrero.
- Oficina de la Comunión Anglicana en las Naciones Unidas (2007). *Working Together: The Anglican Response to HIV & AIDS in Africa*. Oficina de la Comunión Anglicana en las Naciones Unidas, Ginebra.
- Antiretroviral Therapy in Lower Income Countries Collaboration, ART Cohort Collaboration Groups (2006). Mortality of HIV-1-infected patients in the first year of antiretroviral therapy: comparison between low-income and high-income countries. *Lancet* 367:817-824.
- Arah OA, Ogbu UC, Okeke CE (2008). Too Poor to Leave, Too Rich to Stay: Developmental and Global Health Correlates of Physician Migration to the United States, Canada, Australia, and the United Kingdom. *Am J Pub Health* 98:148-154.
- Aspeling HE, van Wyk NC (2008). Factors associated with adherence to antiretroviral therapy for the treatment of HIV-infected women attending an urban care facility. *Int J Nurs Pract* 14:3-10.
- Barreto CC et al. (2006). Trends in antiretroviral drug resistance and clade distribution among HIV-1 infected blood donors in Sao Paulo, Brazil. *J Acquir Immune Defic Syndr* 41:338-341.
- Badri M et al. (2006). Cost-effectiveness of Highly Active Antiretroviral Therapy in South Africa. *Plos Medicine* January 3: e4
- Basu S et al. (2007). Prevention of nosocomial transmission of extensively drug-resistant tuberculosis in rural South Africa district hospitals: an epidemiological modeling study. *Lancet* 370:1500-1507.
- Beck E et al. (2006). National adult antiretroviral therapy guidelines in resource-limited countries: concordance with 2003 WHO guidelines? *AIDS* 2006;20:1497-1502.
- Beck E et al. (2008a). Treatment Outcome and Cost-effectiveness of different HAART regimens in the UK 1996-2002. *Int J STD & AIDS* (en imprenta).
- Beck E, Walensky RP (2008b). The Outcome and Impact of Ten Years of HAART, in *A Decade of HAART* (Zuniga JM et al., eds.). Oxford University Press, Oxford, Reino Unido, en imprenta.

- Becquet R et al. (2006). Complementary feeding adequacy in relation to nutritional status among early weaned breastfed children who are born to HIV-infected mothers: ANRS 1201/1202 Ditrane Plus, Abidjan, Cote d'Ivoire. *Pediatrics* 117:e701-e710.
- Bolton-Moore C et al (2007). Clinical outcomes and CD4 cell response in children receiving antiretroviral therapy at primary health care facilities in Zambia. *Journal of the American Medical Association* 298:1888-1899.
- Bong C et al (2007). Risk factors for early mortality in children on adult fixed-dose combination antiretroviral treatment in a central hospital in Malawi. *AIDS* 21:1805-1810.
- Bryce J et al. (2008). Maternal and child undernutrition: effective action at national level. *Lancet* DOI:10.1016/S0140-6736(07)61694-8 (publicación en línea prematura).
- Burman WJ et al. (2008). The Impact of Episodic CD4 Cell Count-Guided Antiretroviral Therapy on Quality of Life. *J Acquir Immune Defic Syndr* 47:185-193.
- Catalan J et al. (2005). *Mental Health and HIV/AIDS: Psychotherapeutic Interventions in Antiretroviral (ARV) Therapy (for second level care)*. Organización Mundial de la Salud, Ginebra.
- Cazanave C et al. (2008). Reduced bone mineral density in HIV-infected patients: prevalence and associated factors. *AIDS* 22:395-402.
- Centros para el Control y la Prevención de Enfermedades (2002). Number of Persons Tested for HIV – United States, 2002. *MMWR* 53:1110-1113.
- Centros para el Control y la Prevención de Enfermedades (2005). *Coinfection with HIV and Hepatitis C: Fact Sheet*. Consultado el 9 de febrero de 2008 en <http://www.cdc.gov/hiv/resources/factsheets/coinfection.htm>.
- Chaisson RE, Martinson NA (2008). Tuberculosis in Africa – Combating an HIV-Driven Crisis. *New Eng J Med* 358;1089-1092.
- Clotet B et al. (2007). Efficacy and safety of darunavir-ritonavir at week 48 in treatment-experienced patients with HIV-1 infection in POWER 1 and 2: a pooled subgroup analysis of data from two randomized trials. *Lancet* 369:1169-1178.
- Dalal RP et al. (2008). Characteristics and Outcomes of Adult Patients Lost to Follow-Up at an Antiretroviral Treatment Clinic in Johannesburg, South Africa. *J Acquir Immune Defic Syndr* 47:101-107.
- DeBaets AJ et al. (2005). Pediatric Human Immunodeficiency Virus Screening in an African District Hospital. *Clin Diagn Lab Immunol* 12:86-92.
- Delfraissy JF et al. (2008). Lopinavir/ritonavir monotherapy or plus zidovudine and lamivudine in antiretroviral/naïve HIV-infected patients. *AIDS* 22:385-393.
- Dhir AA et al. (2008). Spectrum of HIV/AIDS related cancers in India. *Cancer Causes Control* 19:147-153.
- Dippenaar H, Marston J (2008). *The status of palliative care for children in the Motheo District of the Free State*. Sin publicar.
- Dowdy DW et al. (2006). The potential impact of enhanced diagnostic techniques for tuberculosis driven by HIV: a mathematical model. *AIDS* 20:751-762.
- Egger M (2007). Outcome of antiretroviral therapy in resource-limited and industrialized countries. Conferencia sobre Retrovirus e Infecciones Oportunistas, Los Ángeles, EE. UU.
- Eron J et al. (2006). The KLEAN study of fosamprenavir-ritonavir versus lopinavir-ritonavir, each in combination with abacavir-lamivudine, for initial treatment of HIV infection over 48 weeks: a randomized non-inferiority trial. *Lancet* 368:476-482.
- Este JA, Telenti A (2007). HIV entry inhibitors. *Lancet* 370:81-88.
- Ministerio Federal de Salud de Etiopía (2007). *Millennium AIDS Campaign Ethiopia, November 2006-August 2007*.
- EuroHIV (2007). *HIV/AIDS surveillance in Europe: end-year report 2006, No 75*. Institut de Veille Sanitaire. Saint-Maurice. Disponible en <http://www.eurohiv.org>.

- Family Health International (2007). *Primary health care services increased with integration of basic HIV care*. Consultado el 23 de marzo de 2008 en [www.fhi.org/en/HIVAIDS/country/Rwanda](http://www.fhi.org/en/HIVAIDS/country/Rwanda).
- Fassinou P et al (2004). Highly active antiretroviral therapies among HIV-1-infected children in Abidjan, Côte d'Ivoire. *AIDS* 18:1905-1913.
- Fellay J et al. (2001). Prevalence of adverse events associated with potent antiretroviral treatment: Swiss HIV Cohort Study. *Lancet* 358:1322-1327.
- Fidler S et al. (2008). Primary HIV infection: to treat or not to treat? *Curr Opin Infect Dis* 21:4-10.
- Food and Nutrition Technical Assistance (2004a). *HIV/AIDS: A Guide for Nutritional Care and Support*. Academy for Educational Development, Washington DC.
- Food and Nutrition Technical Assistance (2004b). *Food and Nutrition Implications of Antiretroviral Therapy in Resource Limited Settings*. Technical Note No. 7. Academy for Educational Development, Washington DC.
- Freeman MC et al. (2005). Integrating mental health in global initiatives for HIV/AIDS. *Brit J Psychiatry* 187:1-3.
- Friis H (2005). *Miconutrients and HIV infection: a review of current evidence, Consultation on Nutrition and HIV/AIDS in Africa*. Organización Mundial de la Salud, Ginebra, 10-13 de abril.
- Gandhi NR et al. (2006). Extensively drug-resistant tuberculosis as a cause of death in patients co-infected with tuberculosis and HIV in a rural area of South Africa. *Lancet* 368:1575-1580.
- George E et al (2007). Antiretroviral Therapy for HIV-1-Infected Children in Haiti. *Journal of Infectious Diseases* 195:1411-1418.
- Gillespie S, Kadiyala S (2005). *HIV/AIDS and Food and Nutrition Security: From Evidence to Action*. International Food Policy Research Institute, Washington DC.
- Gimbel S et al. (2007). *Rolling out ART in Mozambique 2003-2006: Task Shifting and Decentralization*. Reunión de Ejecutores 2007 sobre VIH/Sida, Kigali, Rwanda, junio. Resumen N.º 90.
- Girardi E, Sabin CA, Monforte AD (2007). Late Diagnosis of HIV Infection: Epidemiologic Features, Consequences and Strategies to Encourage Earlier Testing *J Acquir Immune Defic Syndr* 46(Supp. 1):S3-S8.
- Coalición Empresarial Mundial sobre el VIH/SIDA (2007). *Case Study – Anglo Coal South Africa*. 23 de febrero. Consultado el 8 de febrero de 2008 en <http://www.businessfightsaids.org/live/cases/cases.php?id=40>.
- Fondo Mundial para la Lucha contra el Sida, la Tuberculosis y la Malaria (2007a). *Global Fund Investments Deliver AIDS Treatment to 1.4 Million People*. Fondo Mundial para la Lucha contra el Sida, la Tuberculosis y la Malaria, Ginebra. Comunicado de prensa, 30 de noviembre.
- Fondo Mundial para la Lucha contra el Sida, la Tuberculosis y la Malaria (2007b). *Press release*. 12 de noviembre.
- Fondo Mundial para la Lucha contra el Sida, la Tuberculosis y la Malaria (2008). *Monthly Progress Update – 31 January 2008*. Consultado el 23 de marzo de 2008 en [http://www.theglobalfund.org/en/files/publications/basics/progress\\_update/progressupdate.pdf](http://www.theglobalfund.org/en/files/publications/basics/progress_update/progressupdate.pdf).
- Gray A (2004). *Access to Medicines and Drug Regulation in Developing Countries: A Resource Guide for DFID*. Departamento Británico para el Desarrollo Internacional, Londres.
- Grinsztejn B et al. (2007). Safety and efficacy of the HIV-1 integrase inhibitor raltegravir (MK-0518) in treatment-experienced patients with multidrug-resistant virus: a phase II randomized controlled trial. *Lancet* 369:1261-1269.
- Grulich AE et al. (2007). Incidence of cancers in people with HIV/AIDS compared with immunosuppressed transplant recipients: a meta-analysis. *Lancet* 370:59-67.
- Harling G, Wood R, Beck EJ (2005). Efficiency of Intervention in HIV Infection, 1994-2004. *Disease Management and Health Outcomes* 13: 371-394
- Hegarty AM, Chaudhry SI, Hodgson TA (2008). Oral healthcare for HIV-infected patients: an international perspective. *Expert Opin Pharmacother* 9:387-404.

- Heiden D et al. (2007). Cytomegalovirus Retinitis: The Neglected Disease of the AIDS Pandemic. *PLoS Med* 4:e334.
- Hicks PL et al. (2007). The impact of illicit drug use and substance abuse treatment on adherence to HAART. *AIDS Care* 19:1134-1140.
- Hoffman CJ, Thio CL (2007). Clinical implications of HIV and hepatitis B co-infection in Asia and Africa (2007) *Lancet Infectious Diseases* 7:402-409.
- Hopewell PC et al. (2006). International standards for tuberculosis care. *Lancet Infect Dis* 6:710-725.
- Human Rights Watch, Grupo de Acción Tailandés para el Tratamiento del Sida (2007a). *Barriers to HIV/AIDS Treatment for People Who Use Drugs in Thailand*.
- Human Rights Watch (2007b). *Hidden in the Mealie Meal: Gender-Based Abuses and Women's HIV Treatment in Zambia*. Human Rights Watch, Nueva York.
- Junta Internacional de Fiscalización de Estupefacientes (1989). *Report of the International Narcotics Control Board for 1989: demand for and supply of opiates for medical and scientific needs*. Naciones Unidas, Viena.
- Coalición Internacional de Preparación para el Tratamiento (2007). *Missing the Target #5: Improving AIDS Drug Access and Advancing Health Care for All*. Diciembre.
- Unión Internacional de Superiores Generales (2008). *In Loving Service: Catholic Religious Institutes of men and women addressing HIV and AIDS through communities of care and prevention, findings of a global survey*. Borrador sin publicar, febrero.
- Isaac R et al. (2008). Declines in dietary macronutrient intake in persons with HIV infection who develop depression. *Public Health Nutr* 11:124-131.
- Janssens B et al (2007). Effectiveness of Highly Active Antiretroviral Therapy in HIV-Positive Children: Evaluation at 12 Months in a Routine Program in Cambodia. *Pediatrics* 120:e1134-e1140.
- Johnson M et al. (2006). 96-week comparison of once-daily atazanavir/ritonavir and twice-daily lopinavir/ritonavir in patients with multiple virologic failures. *AIDS* 20:711-718.
- Jones CY et al. (2006). Micronutrient levels and HIV disease status in HIV-infected patients on highly active antiretroviral therapy in the Nutrition for Healthy Living cohort. *J Acquir Immune Defic Syndr* 43:475-482.
- Lange JMA (2006). Antiretroviral treatment and care of HIV, in *The HIV Pandemic: local and global implications* (Beck E et al., eds.). Oxford University Press, Oxford, Reino Unido.
- Lazzarin A et al. (2007). Efficacy and safety of TMC125 (etravirine) in treatment-experienced HIV-1-infected patients in DUET-2: 24-week results from a randomized, double-blind, placebo-controlled trial. *Lancet* 370:39-48.
- Lohse N et al. (2007). Survival of Persons with and without HIV Infection in Denmark, 1995-2005. *Ann Intern Med* 146:87-95.
- MacArthur RD et al. (2006). A comparison of three highly active antiretroviral treatment strategies consisting of non-nucleoside reverse transcriptase inhibitors, protease inhibitors, or both in the presence of nucleoside reverse transcriptase inhibitors as initial therapy (CPCRA 058 FIRST Study): a long-term randomized trial. *Lancet* 368:2125-2135.
- Makombe SD et al. (2007). A national survey of the impact of rapid scale-up of antiretroviral therapy on health-care workers in Malawi: effects on human resources and survival. *Bull World Health Organ* 85:851-857.
- Comisión Nacional del Sida de Malawi (2007). *InfoBrief 2: 200 HTC Week*.
- Marston M et al. (2005). Estimating the net effect of HIV on child mortality in African populations affected by generalized HIV epidemics. *J Acquir Immune Defic Syndr* 38:219-227.
- Marston B, DeCock KM (2004). Multivitamins, Nutrition and Antiretroviral Therapy for HIV Disease in Africa. *New England Journal of Medicine* 351:78-80.
- MEASURE DHS, 2008, Macro International, Inc., Calverton MD.
- Miller G (2006). The Unseen: Mental Illness's Global Toll. *Science* 311:458-461.

- Mills EJ et al. (2006). Adherence to antiretroviral therapy in sub-Saharan Africa and North America: A meta-analysis. *JAMA* 296:679-690.
- Moore A, Morrison SJ (2007). *Health Worker Shortages Challenge PEPFAR Options for Strengthening Health Systems*. Task Force on HIV/AIDS. Center for Strategic and International Studies, Washington D.C. Septiembre.
- Newell ML et al. (2004). Mortality of infected and uninfected infants born to HIV-infected mothers in Africa: a pooled analysis. *Lancet* 364:1236-1243.
- Departamento de Salud e Higiene Mental de la Ciudad de Nueva York (2005). *HIV/AIDS Epidemiology Program Fourth Quarter Report*. 3:1-4. Octubre.
- Departamento de Salud e Higiene Mental de la Ciudad de Nueva York (2007). *HIV Epidemiology & Field Services Semi-Annual Report*. Octubre.
- Niel Malan DR et al. (2008). Efficacy and Safety of Atazanavir, With or Without Ritonavir, as Part of Once-Daily Highly Active Antiretroviral Therapy Regimens in Antiretroviral-Naïve Patients. *J Acquir Immune Defic Syndr* 47:161-167.
- Nunn AS et al. (2007). Evolution of Antiretroviral Drug Costs in Brazil in the Context of Free and Universal Access to AIDS Treatment. *PLoS Med* 4:e305.
- Nyirenda M et al. (2007). Mortality levels and trends by HIV serostatus in rural South Africa. *AIDS* 21 (Supp. 6): S73-S79.
- Obermeyer CM, Osborn M (2007). The Utilization of Testing and Counseling for HIV: A Review of the Social and Behavioral Evidence. *Am J Pub Health* 97:1762-1774.
- O'Brien DP et al (2006). In resource-limited settings good early outcomes can be achieved in children using adult fixed-dose combination antiretroviral therapy. *AIDS* 20:1955-1960.
- Ormassen V et al. (2007). HIV related and non-HIV related mortality before and after the introduction of highly active antiretroviral therapy (HAART) in Norway compared to the general population. *Scand J Infect Dis* 39:51-57.
- Palmer S et al. (2008). Low-level viremia persists for at least 7 years in patients on suppressive antiretroviral therapy. *PNAS* 105:3879-3884.
- Panel on Antiretroviral Guidelines for Adults and Adolescents (2008). *Guidelines for the use of antiretroviral agents in HIV-1-infected adults and adolescents*. Departamento de Salud y Servicios Humanos de los Estados Unidos, Washington.
- Patel K et al. (2008). Long-term effectiveness of highly active antiretroviral therapy on the survival of children and adolescents with HIV infection: a 10-year follow-up study. *Clin Infect Dis* 46:507-515.
- Patel V (2007). Mental health in low- and middle-income countries. *Brit Med Bull* doi:10.1093/bmb/ldm010 (publicación en línea preliminar).
- Pence BW et al. (2007). Psychiatric illness and virologic response in patients initiating highly active antiretroviral therapy. *J Acquir Immune Defic Syndr* 44:159-166.
- Phillips AN et al. (2007). Risk of extensive virologic failure to the three original antiretroviral drug classes over long-term follow-up from the start of therapy in patients with HIV infection: an observational cohort study. *Lancet* 370:1923-1928.
- Phillips EJ, Malial SA (2008). Pharmacogenetics and the potential for the individualization of antiretroviral therapy. *Curr Opin Infect Dis* 21:16-24.
- Prendergast A et al. (2007). International perspectives, progress, and future challenges of paediatric HIV infection. *Lancet* 370:68-80.
- Plan de Emergencia del Presidente de los Estados Unidos para el Alivio del Sida (2008). *The Power of Partnerships: Fourth Annual Report to Congress on PEPFAR*.
- Puthankit T et al. (2007). Hospitalization and Mortality among HIV-Infected Children after Receiving Highly Active Antiretroviral Therapy. *Clin Infect Dis* 44:599-604.

- Reddi A et al. (2007). Preliminary outcomes of a paediatric highly active antiretroviral therapy cohort from KwaZulu-Natal, South Africa. *BMC Paediatrics* 7:13.
- Rouet F et al. (2008). Frequent occurrence of chronic hepatitis B virus infection among West African HIV type-1-infected children. *Clin Infect Dis* 46:361-366.
- Sanders E (2008). New life for African patients: Thanks to US funding, antiviral drugs are available to those too poor to afford them. *Los Angeles Times*. 15 de febrero.
- Samb B et al. (2007). Rapid Expansion of the Health Workforce in Response to the HIV Epidemic. *New Eng J Med* 2007;357:2510-2514.
- Sherman GG, Matsebula TC, Jones SA (2005). Is early HIV testing of infants in poorly resourced prevention of mother to child transmission programmes affordable? *Trop Med & Int Health* 10:1108-1113.
- Smit C et al. (2006). Effective therapy has altered the spectrum of cause-specific mortality following HIV seroconversion. *AIDS* 20:741-749.
- Smit C et al. (2008). Risk of Hepatitis-Related Mortality Increased Among Hepatitis C Virus/HIV-Coinfected Drug Users Compared with Drug Users Infected Only With Hepatitis C Virus: A 20-Year Prospective Study. *J Acquir Immune Defic Syndr* 47:221-225.
- Srithanaviboonchai K et al. (2008). Novel low-cost assay for the monitoring of CD4 counts in HIV-infected individuals. *J Acquir Immun Defic Syndr* 47:135-139.
- Steen TW et al. (2007). Two and a Half Years of Routine HIV Testing in Botswana. *J Acquir Immune Defic Syndr* 44:484-488.
- Strategies for Management of Antiretroviral Therapy (SMART) Study Group et al. (2006). CD4+ count-guided interruption of antiretroviral treatment. *New Eng J Med* 355:2283-2296.
- Steinbrook R (2007). Closing the Affordability Gap for Drugs in Low-Income Countries. *New Eng J Med* 357:1996-1999.
- Sulkowski MS, Benhamou Y (2007). Therapeutic issues in HIV/HCV-co-infected patients. *J Viral Hep* 14:371-386.
- Tegger MK et al. (2008). The Effect of Mental Illness, Substance Use and Treatment for Depression on the Initiation of Highly Active Antiretroviral Therapy among HIV-Infected Individuals. *AIDS Patient Care and STDs* 22:233-243.
- Thomas CF, Limper AH (2004). Pneumocystic pneumonia. *New Eng J Med* 350:2487-2498.
- UK Collaborative HIV Cohort Study (2008). Are previous treatment interruptions associated with higher viral rebound rates in patients with viral suppression? *AIDS* 22:349-356.
- ONUSIDA (2007a). *Financing Resources Required to Achieve Universal Access to HIV Prevention, Treatment, Care and Support*. ONUSIDA, Ginebra.
- ONUSIDA (2007b). *Report on the progress on follow-up support to countries in their national target setting towards universal access*. XX Reunión de la Junta Coordinadora del Programa del ONUSIDA, Ginebra, 25-27 de junio. Punto del orden del día provisional 4.1. ONUSIDA, Ginebra.
- ONUSIDA (2007c). *Situación de la epidemia de sida*. ONUSIDA, Ginebra.
- ONUSIDA/OMS (2007). *Guidance on Provider-Initiated HIV Testing and Counseling in Health Facilities*. Organización Mundial de la Salud, Ginebra.
- UNITAID (2008). *Fact Sheet*. Consultado el 8 de marzo de 2008 en <http://www.unitaid.eu/images/action/factsheet.pdf>.
- PNUD (2007). *Human Development Report 2007/2008*. Programa de las Naciones Unidas para el Desarrollo, Nueva York.
- Walensky RP et al. (2006). The survival benefits of AIDS treatment in the United States. *J Infect Dis* 194:11-19.
- Walzer A et al. (2006). Determinants of survival without antiretroviral therapy after infancy in HIV-1-infected Zambian children in the CHAP Trial. *J Acquir Immune Def Syndr* 42:637-645.

- Wang H et al. (2007). Self-Reported Adherence to Antiretroviral Treatment among HIV-Infected People in Central China. *AIDS Patient Care STDS* (Publicación electrónica antes de la impresión).
- Wang X, Wu Z (2007). Factors associated with adherence to antiretroviral therapy among HIV/AIDS patients in rural China. *AIDS* 21 (Supp. 8):S149-S155.
- Weinstock HS et al. (2004). The Epidemiology of Antiretroviral Drug Resistance among Drug-Naïve HIV-1-Infected Persons in 10 US Cities. *JID* 189:2174-2180.
- Weiser SD et al. (2006). Routine HIV Testing in Botswana: A Population-Based Study on Attitudes, Practices and Human Rights Concerns. *PLoS Med* 3:e261.
- Whalen C et al. (1995). Accelerated course of human immunodeficiency virus infection after tuberculosis. *Am J Respir Crit Care Med* 151:129-135.
- Wiedle PJ et al. (2006). Adherence to antiretroviral therapy in a home-based AIDS care programme in rural Uganda. *Lancet* 368:1587-1594.
- OMS (2008a). *Global Tuberculosis Control 2008: Surveillance, Planning, Financing*. Organización Mundial de la Salud, Ginebra.
- OMS (2008b). The methadone fix. *Bulletin of the World Health Organization* 86:164-165.
- OMS (2008c). *Anti-tuberculosis drug resistance in the world – Report No. 4, The WHO/IUATLD global project on anti-tuberculosis drug resistance surveillance*. Organización Mundial de la Salud, Ginebra.
- OMS (2007a). *Prioritizing second-line antiretroviral drugs for adults and adolescents: a public health approach, Report of a WHO Working Group meeting*. Organización Mundial de la Salud, Ginebra, 21-22 de mayo.
- OMS (2007b). *Tuberculosis Care and TB-HIV Co-management: Integrated Management of Adolescent and Adult Illness (IMA)*. Organización Mundial de la Salud, Ginebra.
- OMS (2007c). *TB/HIV Facts at a Glance*. Organización Mundial de la Salud, Ginebra. Consultado el 9 de febrero de 2008 en <http://www.who.int/tb/challenges/hiv/facts/en/index.html>.
- OMS (2007d). *Global Tuberculosis Control: Surveillance, Planning, Financing*. Organización Mundial de la Salud, Ginebra.
- OMS (2007e). *Task Shifting to Tackle Health Workers Shortages*. Organización Mundial de la Salud, Ginebra.
- OMS (2007f). *Appreciating assets: mapping, understanding, translating and engaging religious health assets in Zambia and Lesotho*. Organización Mundial de la Salud, Ginebra.
- OMS (2006a). *Antiretroviral Therapy for HIV Infection in Adults and Adolescents: Recommendations for a Public Health Approach*. Organización Mundial de la Salud, Ginebra.
- OMS (2006b). *Report on the WHO/UNAIDS meeting on forecasting ARV needs up to 2010*. Organización Mundial de la Salud, Ginebra.
- OMS (2006c). *Antiretroviral Therapy for HIV Infection in Infants and Children: Towards Universal Access, Recommendations for a public health approach*. Organización Mundial de la Salud, Ginebra.
- OMS (2006d). *Working together for health*. Organización Mundial de la Salud, Ginebra.
- OMS (2004). *Interim policy on collaborative TB/HIV activities*. Organización Mundial de la Salud, Ginebra.
- OMS (2003). *Nutrient requirements for people living with HIV/AIDS : Report of a technical consultation*. Organización Mundial de la Salud, Ginebra.
- OMS, ONUSIDA, PEPFAR (2008). *Task shifting. Global recommendations and guidelines*. Organización Mundial de la Salud, Ginebra.
- OMS, UNICEF, ONUSIDA (2007). *Towards universal access: scaling up priority HIV/AIDS interventions in the health sector, Progress report, April 2007*. Organización Mundial de la Salud.
- Wilson I et al. (2005). Quality of HIVcare provided by nurse practitioners, physician assistances, and physicians. *Ann Intern Med* 143:729-737.

## Capítulo 6 | MITIGAR EL IMPACTO DE LA EPIDEMIA

- Banco Asiático de Desarrollo, ONUSIDA (2004). *Asia-Pacific's Opportunity: Investing to Avert an HIV/AIDS Crisis*. ADB/UNAIDS Study Series.
- Barnett T (2004). *HIV/AIDS, Nutrition and Food Security: Looking to Future Challenges*, EN *The Macroeconomics of HIV/AIDS*. Fondo Monetario Internacional, Washington DC.
- Beegle K (2003). *Labor effects of adult mortality in Tanzanian households*. Policy Research Working Paper No. 3062. Banco Mundial.
- Bell C, Devarajan S, Gersbach H (2004). Thinking About the Long-Run Economic Costs of AIDS, en *The Macroeconomics of HIV/AIDS*. Fondo Monetario Internacional, Washington DC.
- Bhorat H, Kanbur R (2005). *Poverty and Well-Being in Post-Apartheid South Africa*. DPRU Working Paper No. 05/101. Consultado el 3 de marzo de 2008 en [http://papers.ssrn.com/sol3/papers.cfm?abstract\\_id=982805](http://papers.ssrn.com/sol3/papers.cfm?abstract_id=982805).
- Birdsall N, Hamoudi A (2004). AIDS and the Accumulation and Utilization of Human Capital in Africa, en *The Macroeconomics of HIV/AIDS*. Fondo Monetario Internacional, Washington DC.
- Bollinger L, Stover J, Riwa P (1999). *The economic impact of AIDS in Tanzania*. Policy Working Paper. Proyecto POLICY.
- Chapoto A, Jayne TS, Mason N (2007). Security of widows' access to land in the era of HIV/AIDS: Panel survey evidence from Zambia. Food Security Research Project – Zambia, Ministerio de Agricultura y Cooperativas, Foro Consultivo de Agricultura, Universidad del Estado de Michigan.
- Chapoto A, Jayne TS (2005). *Socio-economic characteristics of Individuals affected by AIDS-related Prime-age Mortality in Zambia*. Lusaka, Zambia, Proyecto de Investigación sobre Seguridad Alimentaria.
- Chirambo K (2007). AIDS, Politics and Governance: Preliminary results on the impact of HIV/AIDS on the electoral process in Namibia, Malawi, Senegal, South Africa, Tanzania and Zambia. Presentado en la Conferencia de la Universidad de Warwick/PNUD sobre "Gobernanza de las respuestas al VIH/sida: Lograr que la participación y la rendición de cuentas importen".
- Collins DL, Leibbrandt M (2007). The financial impact of HIV/AIDS on poor households in South Africa. *AIDS* 21(Supp. 1):S75-S81.
- Comisión sobre Sida en Asia (2008). *Redefining AIDS in Asia – Crafting an effective response*.
- Connelly D et al (2007). Prevalence of HIV infection and median CD4 counts among health care workers in South Africa. *S Afr Med J* 97:115-120.
- Dinkelman T, Lam D, Leibbrandt M (2007). Household and community income, economic shocks and risky sexual behavior of young adults: evidence from the Cape Area Panel Study 2002 and 2005. *AIDS* 21(Supp. 1):S49-S56.
- Dorward AR, Mwale IM (2004). Labor Market and Wage Impacts of HIV/AIDS in Rural Malawi, en *The Macroeconomics of HIV/AIDS*. Fondo Monetario Internacional, Washington DC.
- Fourie I (2005). *The Impact of HIV/AIDS on the South African Mining Industry*. Conferencia de LBMA sobre Metales Preciosos, Johannesburgo. Consultado el 4 de marzo de 2008 en [http://www.lbma.org.uk/conf2005/2f.fourie\\_LBMA2005.pdf](http://www.lbma.org.uk/conf2005/2f.fourie_LBMA2005.pdf).
- Garrett L (2005). *HIV and National Security: Where Are the Links?* Consejo de Relaciones Exteriores, Nueva York.
- Gillespie S, Kadiyala S (2005). *HIV/AIDS and Food and Nutrition Security: From Evidence to Action*. International Food Policy Research Institute, Washington DC.
- Gillespie S et al (2007). Investigating the empirical evidence for understanding vulnerability and the associations between poverty, HIV infection and AIDS impact. *AIDS* 2007;21(Supp. 1):S1-S4.
- Coalición Mundial sobre la Mujer y el Sida (2006b). *Support Women Caregivers*. Issue Brief No. 5. ONUSIDA, Ginebra.

- Foro de Asociaciones del Fondo Mundial (2006). *Site visit, 30 June 2006 – Philanjalo Hospice*. Fondo Mundial para la Lucha contra el Sida, la Tuberculosis y la Malaria. Consultado el 24 de marzo de 2006 en <http://www.theglobalfund.org/en/about/forum/2006/philanjalo/>.
- Fondo Mundial para la Lucha contra el Sida, la Tuberculosis y la Malaria (2008). *Monthly Progress Update – 31 January 2008*. Consultado el 6 de marzo de 2008 en [http://www.theglobalfund.org/en/files/publications/basics/progress\\_update/progressupdate.pdf](http://www.theglobalfund.org/en/files/publications/basics/progress_update/progressupdate.pdf).
- Greener R (2004). The Impact of HIV/AIDS on Poverty and Inequality, en *The Macroeconomics of HIV/AIDS*. Fondo Monetario Internacional, Washington DC.
- Haacker M (2004a). HIV/AIDS: The Impact on the Social Fabric and the Economy, en *The Macroeconomics of HIV/AIDS*. Fondo Monetario Internacional, Washington DC.
- Haacker M (2004b). The Impact of HIV/AIDS: The Impact on Government Finance and Public Services, en *The Macroeconomics of HIV/AIDS*. Fondo Monetario Internacional, Washington DC.
- Centro Internacional de Investigaciones sobre la Mujer (2007). *Women's Property Rights as an AIDS Response: Lessons from Community Interventions in Africa*. Centro Internacional de Investigaciones sobre la Mujer, Washington DC.
- Coalición Internacional de Preparación para el Tratamiento (2007). *Missing the Target #5: Improving AIDS Drug Access and Advancing Health Care for All*. Treatment Monitoring and Advocacy Project, San Francisco, EE. UU.
- IRIN News (2006). *Swaziland: The vital but underestimated role of AIDS caregivers*. 9 de mayo. Consultado el 24 de marzo de 2008 en <http://www.irinnews.org/report.aspx?reportid=58966>.
- Jayne TS et al (2004). HIV/AIDS and the Agricultural Sector in Eastern and Southern Africa: Anticipating the Consequences, en *The Macroeconomics of HIV/AIDS*. Fondo Monetario Internacional, Washington DC.
- Karlan D, Ashraf N, Yin W (2007). *Female Empowerment: Impact of a Commitment Savings Product in the Philippines*. Working Paper No. 106. Centro para el Desarrollo Mundial, Washington DC.
- Kim JC et al (2007). Understanding the Impact of a Microfinance-Based Intervention on Women's Empowerment and the Reduction of Intimate Partner Violence in South Africa. *Am J Pub Health* 97:1794-1802.
- Mermin J et al. (2008). Mortality in HIV-infected Ugandan adults receiving antiretroviral treatment and survival of their HIV-uninfected children: a prospective cohort study. *Lancet* 371:752-759.
- Mishra V et al (2007). The socioeconomic determinants of HIV incidence: evidence from a longitudinal, population-based study in rural South Africa. *AIDS* 2007;21(Supp. 1):S29-S38.
- Pal K et al (2005). Can Low Income Countries Afford Basic Social Protection? First Results of a Modeling Exercise. Organización Internacional del Trabajo, Ginebra.
- Piot P, Greener R, Russell S (2007). Squaring the Circle: AIDS, Poverty and Human Development. *PLoS Med* 4:e314.
- Preston-Whyte et al (2007). Revealing the full extent of households' experiences of HIV and AIDS in rural South Africa. *Soc Sci & Med* 5(6):1249-1259.
- Pronyk PM et al (2007). *The role of structural factors in explaining variations in community HIV prevalence: a study in rural South Africa*. Acornhoek, Sudáfrica, Programa de Recursos de Acción para el Sida y el Desarrollo en Zonas Rurales, consultado el 12 de mayo de 2008 en [http://web.wits.ac.za/NR/rdonlyres/87874FDD-0C41-4945-A28B-9AEAFD027283/0/Pronyk\\_IMAGE\\_Structural\\_Factors\\_IMAGE\\_Working\\_Paper\\_1.pdf](http://web.wits.ac.za/NR/rdonlyres/87874FDD-0C41-4945-A28B-9AEAFD027283/0/Pronyk_IMAGE_Structural_Factors_IMAGE_Working_Paper_1.pdf).
- Pronyk PM et al (2006). Effect of a structural intervention for the prevention of intimate-partner violence and HIV in rural South Africa: a cluster randomised trial. *Lancet* 368:1973-1983.
- Reuters (2008). 'Malawi to Raise Pay of Civil Servants with HIV.' 7 de enero.
- Rosen S et al (2006). *The Impact of AIDS on Government Service Delivery: The Case of the Zambian Wildlife Authority*. Health and Development Discussion Paper No. 8. Center for International Health and Development, Facultad de Salud Pública de la Universidad de Boston, Boston.

Equipo Especial del Secretario General sobre Mujeres, Niñas y VIH/Sida en África Meridional (2004). *Facing the Future Together*.

Simon J et al (2007). Early effects of antiretroviral therapy on work performance: Results from a cohort study of Kenyan agricultural workers. Center for International Health and Development, Facultad de Salud Pública de la Universidad de Boston. Consultado el 26 de septiembre de 2007 en <http://www.hivimplement/agenda/pdf/E1/E1%20Simon%abstract%20811.ppt.pdf>.

Swaminathan H, Bhatla N, Chakraborty S (2007). *Women's Property Rights as an AIDS Response: Emerging Efforts in South Asia*. Centro Internacional de Investigaciones sobre la Mujer, Washington DC.

Thirumurthy H, Zivin JF, Goldstein M (2007). *AIDS Treatment and Intra-household Resource Allocations: Children's Nutrition and School in Kenya*. Working Paper No. 105. Centro para el Desarrollo Mundial, Washington DC.

ONUSIDA (2006). *AIDS, Security and Humanitarian Response*. Decimonovena Reunión de la Junta Coordinadora de Programas del ONUSIDA, Lusaka, Zambia, 6–8 de diciembre. ONUSIDA, Ginebra. Disponible en [http://data.unaids.org/pub/Report/2006/20061101\\_PCB\\_Security\\_and\\_Humanitarian\\_Response\\_en.pdf](http://data.unaids.org/pub/Report/2006/20061101_PCB_Security_and_Humanitarian_Response_en.pdf).

PNUD (2007). *Human Development Report 2007/2008*. Programa de las Naciones Unidas para el Desarrollo, Nueva York.

PNUD (2005). *Human Development Report*. PNUD, Nueva York.

UNESCO, ACNUR (2007). *Educational responses to HIV and AIDS for refugees and internally displaced persons: Discussion paper for decision-makers*. UNESCO, París.

ACNUR (2007). *Statistical year book 2006: Trends in Displacement, Protection and Solutions*. Alto Comisionado de las Naciones Unidas para los Refugiados, Ginebra.

UNICEF, ONUSIDA, OMS (2008). *Children and AIDS: Second Stocktaking Report*. Nueva York, UNICEF.

UNICEF (2007a). *The Impact of Social Cash Transfers on Children Affected by HIV and AIDS*. UNICEF, Nueva York.

UNICEF (2007b). *State of the World's Children*. UNICEF, Nueva York.

UNICEF, ONUSIDA, OMS (2008). *Children and AIDS: Second Stocktaking Report*. UNICEF, Nueva York.

Plan de Emergencia del Presidente de los Estados Unidos para el Alivio del Sida (2007). *Latest Results*. Consultado el 6 de marzo de 2008 en <http://www.pepfar.gov/about/c19785.htm>.

Webb D (2007). From the individual to the system: the coming of age of programmes for orphans and vulnerable children. *Exchange on HIV/AIDS, sexuality and gender* 2:1-4.

OMS/UNICEF/OMS (2006). *Epidemiological Fact Sheets on HIV/AIDS and Sexually Transmitted Infections: Uganda*. Organización Mundial de la Salud, Ginebra. Diciembre.

Oficina Central de Salud de Zambia, Center for International Health and Development (Facultad de Salud Pública de la Universidad de Boston) (2004). *The Costs of HIV/AIDS Among Professional Staff in the Zambian Public Health Sector*. Oficina Central de Salud Pública de Zambia, Lusaka.

---

## Capítulo 7 | ¿Y AHORA HACIA DÓNDE VAMOS?

Attawell K, Dickinson C (2007). An independent assessment of progress on the implementation of the global task team recommendations in support of national AIDS responses. XX Reunión de la Junta Coordinadora de Programa del ONUSIDA (Item UNAIDS/PCB(20)/CRP4).

Center for Global Development (2007). *Does the IMF constrain health spending in poor countries? Evidence and an agenda for action*. Washington DC, Center for Global Development (Informe del Grupo de Trabajo sobre el Gasto en Salud y los Programas del FMI).

Centro Nacional para la Prevención y Control del SIDA, Ministerio de Salud [de México] (2008). *Country Report 2008 to monitor progress in the implementation of the Declaration of Commitment (DoC): HIV spending indicator*

- Gouws E et al. (2006). Short term estimates of adult HIV incidence by mode of transmission: Kenya and Thailand as examples. *Sexually Transmitted Infections*, 82(Suppl. 3):iii51-iii55.
- Hayes S et al. (2007). *Decentralized funding in response to the AIDS Pandemic: An opportunity for promoting good governance in Africa* (Informe preparado para el Programa de las Naciones Unidas para el Desarrollo, Centro para el Estudio de la Regionalización de la Universidad de Warwick y Conferencia sobre Globalización: Gobernanza de las Respuestas al VIH y el Sida).
- McDougal JS et al. (2006). Comparison of HIV type 1 incidence observed during longitudinal follow-up with incidence estimated by cross-sectional analysis using the BED Capture enzyme immunoassay. *AIDS Research and Human Retroviruses*, 22:945–952.
- Oficina del Coordinador Mundial sobre Sida de los EE. UU. et al. (2008). *The Power of Partnerships: The US President's emergency plan for AIDS relief, 2008 annual report to Congress*. Washington DC, Departamento de Estado de los EE. UU.
- Ofori-Koentang B, Annan J (2005). *District Planning and Implementation Strategy Note and Guide*. PNUD, Nueva York.
- Organización para la Unidad Africana (2001). *Abuja declaration on HIV/AIDS, tuberculosis and other related diseases*. Cumbre Africana sobre VIH/Sida, Tuberculosis y Otras Enfermedades Relacionadas. 24-27 de abril. Abuja, Nigeria ([http://www.un.org/ga/aids/pdf/abuja\\_declaration.pdf](http://www.un.org/ga/aids/pdf/abuja_declaration.pdf), consultado el 17 de marzo de 2008).
- Samb B et al. (2007). Rapid expansion of the health workforce in response to the HIV epidemic. *New England Journal of Medicine*, 357:2510-2514.
- Stover J et al. (2006). The global impact of scaling up HIV/AIDS prevention programs in low- and middle-income countries. *Science*, 311:1474–1476.
- ONUSIDA (2006). *Informe sobre la epidemia mundial de SIDA*. ONUSIDA, Ginebra.
- ONUSIDA (2007a). *Le Maroc: une réponse nationale à VIH*. Ginebra, ONUSIDA (Colección Prácticas Óptimas del ONUSIDA).
- ONUSIDA (2007b). *Towards universal access to prevention, treatment and care: experiences and challenges from the Mbeya region in Tanzania—a case study*. Ginebra, ONUSIDA (Colección Prácticas Óptimas del ONUSIDA).
- ONUSIDA (2007c). *Financial resources required to achieve universal access to HIV prevention, treatment, care and support*. Ginebra, ONUSIDA ([http://data.unaids.org/pub/Report/2007/20070925\\_advocacy\\_grne2\\_en.pdf](http://data.unaids.org/pub/Report/2007/20070925_advocacy_grne2_en.pdf)).
- ONUSIDA (2008). *The socioeconomic impact of the HIV/AIDS epidemic*. Geneva (AIDS Financing and Economics Division working paper), ONUSIDA, Ginebra
- ONUSIDA Zambia (2006). *Joint United Nations programme on support on AIDS 2007–2010*, ONUSIDA, Lusaka, Zambia.
- PNUD (2007). *Human Development Report*. Nueva York, Programa de las Naciones Unidas para el Desarrollo.
- Oficina de Políticas de Desarrollo del PNUD, Grupo de VIH/Sida, Grupo de Gobernanza Democrática (2007). *Decentralized responses to HIV/AIDS: An analysis of local government responses*. Nueva York, Programa de las Naciones Unidas para el Desarrollo.
- Banco Mundial (2007). *The Africa multi-country AIDS program 2000–2006: Results of the World Bank's response to a development crisis*. Washington DC, Banco Mundial.

# CRÉDITOS DE LAS FOTOGRAFÍAS

---

## Prólogo

Página 9 ONUSIDA/O.O'Hanlon

---

## Capítulo 1 | EL DESAFÍO MUNDIAL DEL VIH

Página 11 ONUSIDA/P.Virot (arriba, izq.),  
 ONUSIDA/P.Virot (abajo, der.)

Página 16 ONUSIDA

Página 26 ONUSIDA

---

## Capítulo 2 | SITUACIÓN DE LA EPIDEMIA MUNDIAL DE VIH

Página 29 ONUSIDA/A.Dutta (arriba, izq.),  
 ONUSIDA/O.O'Hanlon (abajo, der.)

Página 56 ONUSIDA/P.Virot

Página 40 ONUSIDA/P.Virot

---

## Capítulo 3 | ABORDAR LAS CAUSAS SOCIALES DEL RIESGO Y LA VULNERABILIDAD AL VIH

Página 63 ONUSIDA/S.Drakborg (arriba, izq.),  
 ONUSIDA/S.Drakborg (abajo, der.)

Página 82 ONUSIDA/P.Virot

Página 86 ONUSIDA

Página 73 ONUSIDA/A.Dutta

Página 93 ONUSIDA

---

## Capítulo 4 | PREVENIR NUEVAS INFECCIONES POR EL VIH

Página 95 ONUSIDA/P.Virot (arriba, izq.),  
 ONUSIDA/P.Virot (abajo, der.)

Página 109 ONUSIDA/Tango Photo/P.Carrera

Página 112 ONUSIDA

Página 101 ONUSIDA/O.O'Hanlon

Página 114 ONUSIDA/OIT/J.Maillard

Página 104 ONUSIDA

Página 116 ONUSIDA

---

## Capítulo 5 | TRATAMIENTO Y ATENCIÓN

Página 129 ONUSIDA/P.Virot (arriba, izq.),  
 ONUSIDA/P.Virot (abajo, der.)

Página 137 ONUSIDA/OMS/S.Torfin

Página 155 ONUSIDA/W.Phillips

Página 133 ONUSIDA

---

## Capítulo 6 | MITIGAR EL IMPACTO DE LA EPIDEMIA

Página 159 ONUSIDA/S.Montanari (arriba, izq.),  
 ONUSIDA/C.Sattlberger (abajo, der.)

Página 173 ONUSIDA

Página 174 ONUSIDA/A.Gutman

Página 164 ONUSIDA/A.Gutman

---

## Capítulo 7 | ¿Y AHORA HACIA DÓNDE VAMOS?

Página 187 ONUSIDA/P.Virot (arriba, izq.),

ONUSIDA/P.Virot (abajo, der.)

Página 195 ONUSIDA

Página 197 ONUSIDA

Página 204 ONUSIDA/P.Virot

Página 208 ONUSIDA/A.Dutta

---

## Anexo 1 | ESTIMACIONES Y DATOS SOBRE VIH Y SIDA, 2007 Y 2001

Página 211 ONUSIDA/L.Rahn (arriba, izq.),

ONUSIDA/P.Virot (abajo, der.)

---

## Anexo 2 | INDICADORES DE PROGRESO POR PAÍSES

Página 235 ONUSIDA/P.Virot (arriba, izq.),

ONUSIDA/S.Montanari (abajo, der.)

---

**Descargo:** Las fotografías incluidas en este informe no representan necesariamente la situación, las opiniones o las creencias de las personas retratadas y de ninguna manera aluden a su estado serológico respecto al VIH.



---

El Programa Conjunto de las Naciones Unidas sobre el VIH/sida (ONUSIDA) mancomuna los esfuerzos y recursos de diez organizaciones de las Naciones Unidas para la respuesta mundial al sida. Estos diez organismos copatrocinadores son los siguientes: ACNUR, UNICEF, PMA, PNUD, UNFPA, ONUDD, OIT, UNESCO, OMS y Banco Mundial. La Secretaría del ONUSIDA, con sede en Ginebra, trabaja sobre el terreno en más de 80 países de todo el mundo.

---



ONUSIDA  
20 AVENUE APPIA  
CH-1211 GINEBRA 27  
SUIZA

Teléfono: (+41) 22 791 36 66  
Fax: (+41) 22 791 48 35  
Dirección electrónica: [distribution@unaids.org](mailto:distribution@unaids.org)

[www.unaids.org](http://www.unaids.org)