

RÉFÉRENCES

Chapitre 1 | LE DÉFI MONDIAL DU VIH

Assemblée générale des Nations Unies (2006). *Déclaration politique sur le VIH/sida*. Résolution No A/RES/60/262, adoptée le 2 juin 2006.

Commission on AIDS in Asia (2008). *Redefining AIDS in Asia – crafting an effective response*. Oxford University Press, New Delhi.

May RM, Anderson RM (1979). Population biology of infectious diseases – Part II. *Nature*, 280:455–461.

McNeil DG (2007). A time to rethink AIDS's grip. *New York Times*, 25 novembre.

OMS (2008). *Major causes of death among children under 5 years of age and neonates in the world, 2000–2003*. Genève, OMS. Disponible sur: http://libdoc.who.int/publications/2005/9241562986_part4.pdf

ONUSIDA (2006). *Définir des objectifs nationaux en vue d'avancer vers l'accès universel*. Genève, ONUSIDA.

ONUSIDA (2007). *Suivi de la Déclaration d'engagement sur le VIH/sida: Directives pour l'élaboration d'indicateurs de base, établissement des rapports 2008*. Genève, ONUSIDA.

ONUSIDA et al. (2004). *National spending for HIV/AIDS*. Genève, ONUSIDA.

PNUD (2005). *Rapport sur le développement humain*. New York, NY, PNUD.

UNICEF, ONUSIDA, OMS (2008). *Enfants et sida: deuxième bilan de la situation*. New York, NY, UNICEF.

Chapitre 2 | SITUATION DE L'ÉPIDÉMIE MONDIALE DE VIH

Actuarial Society of South Africa (2005). *ASSA 2003 AIDS and demographic model*. Cape Town, Actuarial Society of South Africa.

Adimora AA et al. (2003). Concurrent partnerships among rural African Americans with recently reported heterosexually transmitted HIV infection. *Journal of Acquired Immune Deficiency Syndromes*, 34(4):423–439.

Adimora AA et al. (2004). Concurrent sexual partnerships among African Americans in the rural south. *Annals of Epidemiology*, 14(3):155–160.

Agence de la santé publique du Canada (2006). *Le VIH et le sida au Canada: Rapport de surveillance en date du 30 juin 2006*. Ottawa (http://www.phac-aspc.gc.ca/publicat/aids-sida/haic-vsac0606/index_f.html, consulté le 22 mai 2008).

Agence de la santé publique du Canada (2007). *Le VIH et le sida au Canada. Tableaux de surveillance sélectionnés en date du 30 juin 2007*. Ottawa, Division de la surveillance et de l'évaluation des risques, Centre de prévention et de contrôle des maladies infectieuses, Agence de la santé publique du Canada (<http://www.phac-aspc.gc.ca/aids-sida/publication/survreport/tables0607-fra.php>, consulté le 22 mai 2008).

Allen CF et al. (2006). Sexually transmitted infection use and risk factors for HIV infection among female sex workers in Georgetown, Guyana. *Journal of Acquired Immune Deficiency Syndromes*, 43(1):96–101.

Anderson BA, Phillips HE (2006). *Adult mortality (age 15–64) based on death notification data in South Africa: 1997–2004*. Pretoria, Statistics South Africa (Report No. 03-09-05).

Anonymous (2006). India in the spotlight (editorial). *Lancet*, 367:1876 June 10.

Asamoah-Odei E, Garcia-Celleja JM, Boerma T (2004). HIV prevalence and trends in sub-Saharan: no decline and large subregional differences. *Lancet*, 364:35–40.

Balthasar H, Jeannin A, Dubois-Arber F (2005). *VIH/SIDA: augmentation des expositions au risque d'infection par le VIH chez les hommes ayant des rapports sexuels avec des hommes: premiers résultats de Gay Survey 04*. Bull BAG (Report No. 48:891–895).

- Bautista CT et al. (2006). Seroprevalence of and risk factors for HIV-1 infection among female commercial sex workers in South America. *Sexually Transmitted Infections*, 82(4):311–316.
- Benotsch EG et al. (2004). Drug use and sexual risk behaviors among female Russian IDUs who exchange sex for money or drugs. *International Journal of STD and AIDS*, 15(5):343–347.
- Boulos D et al. (2006). Estimations de la prévalence et de l'incidence du VIH au Canada, 2005. *Relevé des maladies transmissibles au Canada*, 32:165–174.
- Bradshaw D et al. (2004). Unabated rise in number of adult deaths in South Africa. *South African Medical Journal*, 94(4):278–279.
- Brahmbhatt H et al. (2006). Mortality in HIV-infected and uninfected children of HIV-infected and uninfected mothers in rural Uganda. *Journal of Acquired Immune Deficiency Syndrome*, 41(4):504–508.
- Bravo-Garcia E, Magis-Rodriguez C, Saavedra J (2006). *New estimates in Mexico: more than 180,000 people living with HIV*. XVI^{ème} Conférence internationale sur le sida. 13-18 août. Toronto, Ontario (Abstract CDC0411).
- Brucková M et al. (2007). HIV/AIDS in the Czech Republic, 2006. *Eurosurveillance Weekly Release*, 12(4).
- Carael M et al. (2004). Sexual networks and HIV in four African populations: the use of a standardised behavioural survey with biological markers. In: Morris M, ed. *Network Epidemiology: a handbook for network survey design and data collection*. Oxford, Oxford University Press.
- Caribbean Commission on Health and Development (2005). *Report of the Caribbean Commission on Health and Development for the 26th Meeting of the CARICOM Heads of Government: Overview*. 3–6 juillet, Sainte-Lucie.
- Cayemittes M et al. (2006). *Enquête mortalité, morbidité et utilisation des services EMMUS-IV: Haïti 2005–2006*. Juillet. Pétienville et Calverton, Institut Haïtien de l'Enfance et ORC Macro.
- Central Bureau of Statistics [Kenya], Ministry of Health [Kenya] and ORC Macro (2004). *Kenya Demographic and Health Survey 2003*. Calverton. Central Bureau of Statistics [Kenya], Ministry of Health [Kenya] and ORC Macro.
- Central Statistical Office [Swaziland] and Macro International Inc (2007). *Swaziland Demographic and Health Survey 2006–2007: preliminary report*. Calverton (June).
- Centre d'Epidémiologie des Caraïbes, OPS, OMS (2004). *Status and trends, analysis of the Caribbean HIV/AIDS epidemic, 1982–2002*. Trinité-et-Tobago. Centre d'Epidémiologie des Caraïbes, OPS, OMS.
- Centre d'Évaluation et de Recherche Appliquée (CERA) et Family Health International (2006). *Résultats préliminaires*. Enquêtes de Surveillance des Comportements. Haïti 2006, FHI BSS III.
- Centro de Estudios Sociales y Demograficos et al. (2007). *Republica Dominicana Encuesta Demografica y de Salud 2007 Informe Preliminar*. Novembre. Saint-Domingue et Calverton.
- Chandrasekaran P et al. (2006). Containing HIV/AIDS in India: the unfinished agenda. *Lancet Infectious Diseases*, 6(8):508–521.
- Chen L et al. (2007). Sexual Risk Factors for HIV Infection in Early and Advanced HIV Epidemics in Sub-Saharan Africa: Systematic Overview of 68 Epidemiological Studies. *PLoS ONE*, 2(10):e1001.
- Choi SYP, Cheung YW, Chen K (2006). Gender and HIV risk behaviour among intravenous drug users in Sichuan province, China. *Social Science and Medicine*, 62(7):1672–1684.
- Coffee M, Lurie MN, Garnett GP (2007). Modelling the impact of migration on the HIV epidemic in South Africa. *AIDS*, 21(3):343–350.
- Cohen J (2006). Up in smoke: epidemic changes course. *Science*, 313:487–488.
- Commission on AIDS in Asia (2008). *Redefining AIDS in Asia: crafting an effective response*. New Delhi, Oxford University Press.
- Conselho Nacional de Combate ao HIV/SIDA (2006). *Relatório de actividades por 2005*. Maputo, Ministério de Saúde.
- de Walque D (2007). Sero-discordant couples in five African countries: implications for prevention strategies. *Population and Development Review*, 33(3):501–523.

Department of Health [South Africa] (2007). *National HIV and syphilis antenatal prevalence survey, South Africa 2006*. Pretoria. Department of Health [South Africa].

Dodds JP et al. (2004). Increasing risk behaviour and high levels of undiagnosed HIV infection in a community sample of homosexual men. *Sexually Transmitted Infections*, 80:236–240.

Dorrington R et al. (2001). *The impact of HIV/AIDS on adult mortality in South Africa*. Medical Research Council (September) (<http://www.mrc.ac.za/bod/>, consulté le 8 mai 2008).

Dourado I et al. (2007). HIV-1 seroprevalence in the general population of Salvador, Bahia State, Northeast Brazil. *Cadernos de Saúde Pública*, 23(1):25–32.

Elrashied S (2006). *Prevalence, knowledge and related risky sexual behaviours of HIV/AIDS among receptive men who have sex with men (MSM) in Khartoum State, Sudan, 2005*. XVI^{ème} Conférence internationale sur le sida. 13-18 août. Toronto, Ontario (Abstract TUPE0509).

EuroHIV (2006a). *HIV/AIDS surveillance in Europe: end-year report 2005*. Saint-Maurice, Institut de Veille Sanitaire (No 73).

EuroHIV (2006b). *HIV/AIDS surveillance in Europe: mid-year report 2005*. Saint-Maurice, Institut de Veille Sanitaire (No 72).

EuroHIV (2007a). *HIV/AIDS surveillance in Europe: mid-year report 2007, No 76*. Institut de Veille Sanitaire. Saint-Maurice (No 76) (<http://www.eurohiv.org>, consulté le 8 mai 2008).

EuroHIV (2007b). *HIV/AIDS surveillance in Europe: end-year report 2006, No 75*. Institut de Veille Sanitaire. Saint-Maurice (No 75) (<http://www.eurohiv.org>, consulté le 8 mai 2008).

Federal Ministry of Health [Nigeria] (2006). *The 2005 national HIV seroprevalence sentinel survey among pregnant women attending antenatal clinics in Nigeria: summary position paper*. Abuja (avril). Federal Ministry of Health [Nigeria].

Fonseca ME et al. (2006). Os programas de reducao de danos ao uso de drogas no Brasil: caacterizacao preliminar de 45 programas. *Caderna de Saude Publica*, 2(4):761–770.

Gaillard EM et al. (2006). Understanding the reasons for decline of HIV prevalence in Haiti. *Sexually Transmitted Infections*, Supplement 82(1):14–20. Avril.

Garnett GP and Johnson AM (1997). Coining a new term in epidemiology: concurrency and HIV. *AIDS*, 11(5):681–683.

Gebre Y et al. (2006). *Tracking the course of the HIV epidemic through second generation surveillance in Jamaica: Survey of female sex workers* XVI^{ème} Conférence internationale sur le sida. 13-18 août. Toronto, Ontario (Abstract CDC0313).

Girault P et al. (2004). HIV, STIs and sexual behaviors among men who have sex with men in Phnom Penh, Cambodia. *AIDS Education and Prevention*, 6(1):31–44.

Gomes do Espirito Santo ME and Etheredge GD (2005). Male clients of brothel prostitutes as a bridge for HIV infection between high risk and low risk groups of women in Senegal. *Sexually Transmitted Infections*, 81:342–344.

Gorbach PM et al. (2006). Changing behaviors and patterns among Cambodian sex workers: 1997–2003. *Journal of Acquired Immune Deficiency Syndromes*, 42(2):242–247.

Gouws E et al. (2006). Short-term estimates of adult HIV incidence by mode of transmission: Kenya and Thailand as examples. *Sexually Transmitted Infections*, 82(Suppl. 3):iii5I–iii5.

Gouws E et al. (sous presse). Comparison of adult HIV prevalence from national population-based surveys and antenatal clinic surveillance in countries with generalized epidemics: implications for calibrating surveillance data. *Sexually Transmitted Diseases*. Supplément sous presse.

Gregson S et al. (2007). Critique of early models of the demographic impact of HIV/AIDS in sub-Saharan Africa based on contemporary empirical data from Zimbabwe. *Proceedings of the National Academy of Science*, Aug 30; 1776–1795.

Gupta A et al. (2006). Same-sex behavior and high rates of HIV among men attending sexually transmitted infection clinics in Pune, India, (1993–2002). *Journal of Acquired Immune Deficiency Syndromes*, 43(4):483–490.

- Hallett TB et al. (2006). Declines in HIV prevalence can be associated with changing sexual behaviour in Uganda, urban Kenya, Zimbabwe and urban Haiti. *Sexually Transmitted Infections*, 82(Suppl. 1):i1-i8.
- Halperin DT, Epstein H (2007). Why is HIV prevalence so severe in Southern Africa? The role of multiple concurrent partnerships and lack of male circumcision: implications for AIDS prevention. *Southern African Journal of HIV Medicine*, March:19–25.
- Hamers FF et al. (2006). HIV/AIDS in Europe: trends in EU-wide priorities. *Eurosurveillance*, 11(47).
- Hamouda O et al. (2007). Epidemiology of HIV infections in Germany. *Bundesgesundheitsblatt*, 50(4):399–411.
- Hauri AM, Armstrong GL, Hutin YJF (2004). The global burden of disease attributable to contaminated injections given in health care settings. *International Journal of STD and AIDS*, 15:7–16.
- Heaton L, Fowler T, Palamuleni M (2006). *The HIV/AIDS epidemic in Malawi – putting the epidemic in context*. XVI^{ème} Conférence internationale sur le sida. 13-18 août. Toronto, Ontario (Abstract CDC0062).
- Helleringer S, Kohler HP (2007). Sexual network structure and the spread of HIV in Africa: evidence from Likoma Island, Malawi. *AIDS*, 21(17):2323–2332.
- Hesketh T et al. (2006). *Risk behaviours in injecting drug users in Yunnan province, China: lessons for policy*. XVI^{ème} Conférence internationale sur le sida. 13-18 août. Toronto, Ontario (Abstract CDD0591).
- Hosegood V et al. (2007). The effects of high HIV prevalence on orphanhood and living arrangements of children in Malawi, Tanzania, and South Africa. *Population Studies (Cambridge)*, 61(3):327–336.
- IDES et al. (2005). *HIV, HBV, HCV prevalence related to sexual behavior and drug use in 200 injecting drug users in Montevideo, Uruguay*. Montevideo, Ministry of Health.
- Inciardi JA, Syvertsen JL, and Surratt HL (2005). HIV/AIDS in the Caribbean Basin. *AIDS Care*, 17(Suppl. 1):S9–S25.
- Institute of Medical Research (2007). *“It’s in Every Corner Now”: A nationwide study of HIV, AIDS and STIs*. Gorokoa, Papua New Guinea Institute of Medical Research, Operational Research Unit.
- Kengeya-Kayondo JF et al. (1995). Human immunodeficiency virus (HIV-1) seropositivity among children in a rural population of south-west Uganda: probable routes of exposure. *Annals of Tropical Paediatrics*, 15:115–120.
- Kerrigan D et al. (2006). Environmental-structural interventions to reduce HIV/STI risk among female sex workers in the Dominican Republic. *American Journal of Public Health*, 96(1):120–125.
- Kilani B et al. (2003). *Sero-epidemiology of HCV-HIV co-infection in Tunisia*. IAS Conference on HIV Pathogenesis and Treatment. 13–16 July. *Antiviral Therapy*, 8(Suppl. 1):S452–S453 (Abstract No. 952) (<http://www.aegis.org/conferences/IASHIVPT/2003/952.html>, consulté le 8 mai 2008).
- Kintin FD et al. (2004). *Enquête de prévalence des IST/VIH et des comportements sexuels chez les travailleuses du sexe et leurs partenaires masculins à Ouagadougou, Burkina Faso*. Ouagadougou, Conseil national de lutte contre le sida et les IST, CIDA, CCSID (Novembre).
- Kirungi WL et al. (2006). Trends in antenatal HIV prevalence in urban Uganda associated with uptake of preventive sexual behaviour. *Sexually Transmitted Infections*, 82(Suppl. 1):136–141.
- Kiwanuka N et al. (2004). The incidence of HIV-1 associated with injections and transfusions in a prospective cohort, Rakai, Uganda. *AIDS*, 18(2):342–344.
- Ladnaya NN (2007). The national HIV and AIDS epidemic and HIV surveillance in the Russian Federation. Presentation to Mapping the AIDS Pandemic meeting. June 30. Moscow.
- Lagarde E et al. (2001). Concurrent sexual partnerships and HIV prevalence in five urban communities of sub-Saharan Africa. *AIDS*, 15(7):877–884.
- Lee RK et al. (2006). *Risk behaviours for HIV among men who have sex with men in Trinidad and Tobago*. XVI^{ème} Conférence internationale sur le sida. 13-18 août. Toronto, Ontario (Abstract CDD0366).
- Liu H et al. (2006). Drug users: Potentially important bridge population in the transmission of sexually transmitted diseases, including AIDS, in China. *Sexually Transmitted Diseases*, 33(2):111–117.

- Lu F et al. (2006). *HIV/AIDS epidemic in China: Increasing or decreasing?* XVI^{ème} Conférence internationale sur le sida. 13-18 août. Toronto, Ontario (Abstract MOPE0462).
- Lurie MN et al. (2003). Who infects whom? HIV-1 concordance and discordance among migrant and non-migrant couples in South Africa. *AIDS*, 17:2245–2252.
- Magis C et al. (2006). *HIV prevalence and factors associated with the possession of condoms among male sex workers in two cities: Guadalajara and Mexico City, Mexico*. XVI^{ème} Conférence internationale sur le sida. 13-18 août. Toronto, Ontario (Abstract CDC0336).
- Maibani-Michie G and Yeka W (2005). *A Baseline Research for Poro Sapot Project: A Program for Prevention of HIV/AIDS among MSM in Port Moresby and FSW in Goroka and Port Moresby Papua New Guinea*. Papua New Guinea (IMR/FHI Research Report to USAID).
- Malamba SS et al. (1994). Risk factors for HIV-1 infection in adults in a rural Ugandan community: a case-control study. *AIDS*, 8(2):253–257.
- Marston M et al. (2007). Estimating 'net' HIV-related mortality and the importance of background mortality rates. *AIDS*, November 21(Suppl. 6):S65–S71.
- Martínez GP, Elea NA, Chiu AM (2006). Epidemiology of HIV infection and acquired immune deficiency disease syndrome in Chile. *Revista Chilena Infectología*, 23(4):321–329.
- Mason E (2006). Positioning paediatric HIV in the child survival agenda. Présentation à une consultations UNICEF–OMS. 11-13 janvier. New York, NY, UNICEF.
- McFarland W, Mvere D, Katzenstein D (1997). Risk factors for prevalent and incident HIV infection in a cohort of volunteer blood donors in Harare, Zimbabwe: implications for blood safety. *AIDS*, 11(Suppl. 1):S97–S102.
- Medical Research Council (2005). *South African national burden of disease study 2000*. Cape Town, Medical Research Council (<http://www.mrc.ac.za/bod/reports.htm>, consulté le 8 mai 2008).
- Mejía A et al. (2006). *HIV seroprevalence and associated risk factors in men who have sex with men in the Villavicencio city, Colombia, 2005*. XVI^{ème} Conférence internationale sur le sida. 13-18 août. Toronto, Ontario (Abstract CDC0734).
- Michelo C et al. (2006). Steep HIV prevalence declines among young people in selected Zambian communities: population-based observations (1995–2003). *BMC Public Health*, 10 November (<http://www.biomedcentral.com/1471-2458/6/279>, consulté le 8 mai 2008).
- Mimouni B, Remaoun N (2006). *Etude du lien potentiel entre l'usage problématique de drogues et le VIH/sida en Algérie 2004–2005*. Alger, Ministère de l'Éducation.
- Ministère de la Santé [Maroc] (2007). *Surveillance sentinelle du VIH: Résultats 2006 et tendances de la séroprévalence du VIH*. Janvier. Rabat.
- Ministère de la Santé du Mali (2006). *Résumé des résultats de l'enquête ISBS 2006*. Bamako.
- Ministère de la Santé et de l'Hygiène Publique de la Côte d'Ivoire, CDC/RETRO–CI/MEASURE Evaluation (2007). *Enquête de surveillance sentinelle du VIH de 2005*. Abidjan.
- Ministère de la Santé Publique et de la Population (2007). *Etude de sérosurveillance par méthode sentinelle de la prévalence du VIH, de la syphilis, de l'hépatite B et de l'hépatite C chez les femmes enceintes en Haïti, 2006/2007*. Juillet. Port au Prince.
- Ministerio de la Protección Social de Colombia y ONUSIDA Grupo Tematico (2006). *Infección por VIH y SIDA en Colombia, Estado del arte. 2000–2005*. Mayo. Bogotá, Ministerio de la Protección Social de Colombia y ONUSIDA Grupo Tematico.
- Ministerio de Salud de Perú (2005). *Sentinel surveillance report*. Lima, Ministerio de Salud de Perú, Directorate of Epidemiology.
- Ministerio de Salud de Perú (2006). *Análisis de la situación epidemiológica del VIH/SIDA en el Perú – Bases Epidemiológicas para la Prevención y el Control*. Lima (Noviembre).

- Ministry of Health [Botswana] (2006). *2006 Botswana Second-Generation HIV/AIDS Surveillance Technical Report*. Gaborone.
- Ministry of Health [Cambodia] (2006). *Report on HIV sentinel surveillance in Cambodia, 2003*. Phnom Penh (July). Ministry of Health [Cambodia].
- Ministry of Health [China] (2006). *2005 update on the HIV/AIDS epidemic and response in China*. Beijing, Ministry of Health China, ONUSIDA, OMS.
- Ministry of Health [Egypt], USAID, Impact and FHI (2006). *HIV/AIDS Biological and Behavioral Surveillance Survey; Summary Report; Egypt 2006*. Cairo, National AIDS Programme.
- Ministry of Health [Guyana] (2005). *Behavioural surveillance survey, Round I: 2003/2004 – Executive Summary*. Georgetown. Ministry of Health [Guyana].
- Ministry of Health [Indonesia] and Statistics Indonesia (2007). *Risk behavior and HIV prevalence in Tanah Papua, 2006*. Jakarta. Ministry of Health [Indonesia] and Statistics Indonesia.
- Ministry of Health [Kazakhstan] et al. (2005). Results of investigation of the real situation with drug abuse in Kazakhstan. Almaty (en russe).
- Ministry of Health [Kenya] (2005). *AIDS in Kenya, 7th edition*. Nairobi, National AIDS and STI Control Programme (NASCOP).
- Ministry of Health [New Zealand] (2007). *AIDS – New Zealand*. February. Auckland (Issue 59) (<http://www.moh.govt.nz/moh.nsf/indexmh/aids-nz-issue59>, consulté le 8 mai 2008).
- Ministry of Health [Pakistan] (2006). *Integrated biological and behavioural surveillance: A pilot study in Karachi and Rawalpindi, 2004–2005*. Islamabad, Ministry of Health.
- Ministry of Health [Syria], UNODC, UNAIDS (2007). *Assessment on Drug Use and HIV in Syria*. Damascus (Draft Report, July). Ministry of Health [Syria], UNODC, ONUSIDA.
- Ministry of Health [Uganda], ORC Macro (2006). *Uganda HIV/AIDS Sero-behavioural Survey 2004/2005*. Kampala and Calverton (March). Ministry of Health [Uganda], ORC Macro.
- Ministry of Health [Ukraine] (2007). *HIV infection in Ukraine: Information bulletin no. 27*. Kyiv, Ukraine. Ministry of Health [Ukraine].
- Ministry of Health [Ukraine] (2008). *Ukraine: National Report on Monitoring Progress Towards the UNGASS Declaration of Commitment on HIV/AIDS (Reporting Period: January 2006 - December 2007)*. Kyiv, Ukraine. Ministry of Health [Ukraine].
- Ministry of Health [Uzbekistan] (2007). *Strategic Programme of Response to HIV in the Republic of Uzbekistan for 2007–2011*. Tashkent. Ministry of Health [Uzbekistan].
- Ministry of Health [Viet Nam] (2005). *HIV/AIDS estimates and projections 2005–2010*. Hanoi, General Department of Preventive Medicine and HIV/AIDS Control, Ministry of Health.
- Ministry of Health [Viet Nam] (2006). *Results from the HIV/STI integrated biological and behavioural surveillance (IBBS) in Viet Nam, 2005–2006*. Hanoi. Ministry of Health [Viet Nam].
- Ministry of Health [Zambia] (2005). *Zambia Antenatal Clinic Sentinel Surveillance Report, 1994–2004*. November. Ministry of Health [Zambia]. Lusaka. Ministry of Health [Zambia].
- Ministry of Health and Child Welfare [Zimbabwe] (2007). *2006 ANC preliminary report*. Harare. Ministry of Health and Child Welfare [Zimbabwe].
- Ministry of Health and Medical Education [Iran] (2005). *AIDS/HIV Surveillance Report*. September. Tehran, Centre for Disease Management.
- Ministry of Health and Population [Malawi] (2005). *HIV and syphilis sero survey and national HIV prevalence estimates report*. Lilongwe, Ministry of Health and Population Malawi.
- Ministry of Health and Social Security [Dominica] (2007). *HIV/AIDS epidemiology and information in Dominica*. Roseau. Ministry of Health and Social Security [Dominica].

- Mishra V et al. (2007). HIV infection does not disproportionately affect the poorer in sub-Saharan Africa. *AIDS*, November 21(Suppl. 7):S17–S28.
- Montano SM et al. (2005). Prevalences, genotypes and risk factors for HIV transmission in South America. *Journal of Acquired Immune Deficiency Syndromes*, 40(1):57–64.
- Moreau-Gruet F, Dubois-Arber F, Jeannin A (2006). Long-term HIV/AIDS-related prevention behaviours among men having sex with men: Switzerland 1992–2000. *AIDS Care*, 18:35–43.
- Morris M, Kretzschmar M (1997). Concurrent partnerships and the spread of HIV. *AIDS*, 11(5):641–648.
- Mulder DW et al. (1996). Post-natal incidence of HIV-1 infection among children in a rural Ugandan population: no evidence for transmission other than mother to child. *Tropical Medicine and International Health*, 1:81–85.
- National AIDS Commission [Indonesia] (2006). *Country report on the follow up to the Declaration of Commitment on HIV/AIDS (UNGASS) 2004–2005*. Jakarta. National AIDS Commission [Indonesia].
- National AIDS Commission [Malawi] (2007). *Report of the Malawi Triangulation Project: Synthesis of data on trends in the national and local HIV epidemic and the reach and intensity of prevention efforts*. Lilongwe, National AIDS Commission, OMS, University of California San Francisco, ONUSIDA, United States Centers for Disease Control and Prevention (January).
- National AIDS Control Council [Kenya] (2007). *National HIV prevalence in Kenya*. Nairobi (July). National AIDS Control Council [Kenya].
- National AIDS Council Secretariat [Papua New Guinea] (2007). *The 2007 consensus report on the HIV epidemic in Papua New Guinea*. Port Moresby. National AIDS Council Secretariat [Papua New Guinea].
- National AIDS Council Secretariat [Papua New Guinea] and National HIV/AIDS Support Project (2007). *HIV/AIDS Behavioural Surveillance Survey Within High Risk Settings Papua New Guinea: BSS Round 1, 2006*. Port Moresby. National AIDS Council Secretariat [Papua New Guinea] and National HIV/AIDS Support Project.
- National AIDS Program [Argentina] (2005). *Epidemiological surveillance report*. Buenos Aires (December). National AIDS Program [Argentina].
- National AIDS Program [Paraguay] (2006). *HIV/STI sentinel prevalence and behavioral study on clients of female sex workers and injecting drug users*. National AIDS Program Paraguay, PRONASIDA. Asunción.
- National Centre for HIV/AIDS, Dermatology and STIs (2004). *HIV Sentinel Surveillance (HSS) 2003: trends results, and estimates*. Phnom Penh. National Centre for HIV/AIDS, Dermatology and STIs.
- National Centre for HIV/AIDS, Dermatology and STIs (2007). *HIV sentinel surveillance (HSS) 2006/2007: results, trends and estimates*. Phnom Penh. National Centre for HIV/AIDS, Dermatology and STIs.
- National Centre in HIV Epidemiology and Clinical Research (2007a). *Australian HIV Surveillance Report*, 23(1) January.
- National Centre in HIV Epidemiology and Clinical Research (2007b). *HIV/AIDS, viral hepatitis and sexually transmissible infections in Australia Annual Surveillance Report 2007*. Sydney, NSW, National Centre in HIV Epidemiology and Clinical Research, The University of New South Wales. Canberra, ACT, Australian Institute of Health and Welfare.
- National Council for Population and Development, Central Bureau of Statistics, Macro International Inc (1999). *Kenya Demographic and Health Survey 1998*. Calverton, MD. National Council for Population and Development, Central Bureau of Statistics, Macro International Inc.
- National Institute of Health and Family Welfare, National AIDS Control Organisation (2007). *Annual HIV Sentinel Surveillance Country Report 2006*. New Delhi. National Institute of Health and Family Welfare, National AIDS Control Organisation.
- Ndetei D (2004). *Study on the assessment of the linkages between drug abuse, injecting drug abuse and HIV/AIDS in Kenya: a rapid situation assessment 2004*. Nairobi, Office des Nations Unies contre la drogue et le crime.
- Newell ML et al. (2004). Mortality of infected and uninfected infants born to HIV-infected mothers in Africa: a pooled analysis. *Lancet*, 364(9441):1236–1243.

- Nguyen TA et al. (sous presse). Prevalence and risk factors associated with HIV infection among men having sex with men in Ho Chi Minh City, Vietnam. *AIDS and Behavior*, sous presse (June 27).
- Notkola V, Timaeus IM, Siiskonen H (2004). Impact on mortality of the AIDS epidemics in northern Namibia assessed using parish registers. *AIDS*, 18:1061–1065.
- Obermeyer CM (2006). HIV in the Middle East. *British Medical Journal*, 333:851–854.
- Odek-Ogunde M (2004). *World Health Organization phase II drug injecting study: behavioural and seroprevalence (HIV, HBV, HCV) survey among injecting drug users in Nairobi*. Nairobi, OMS.
- Okie S (2006). Fighting HIV—lessons from Brazil. *New England Journal of Medicine*, 354(19):1977–1981.
- OMS (2006). *Rapport sur la santé dans le monde 2006 – travailler ensemble pour la santé*. Genève (<http://www.who.int/whr/2006/fr/index.html>, consulté le 22 mai 2008). OMS.
- OMS (2007). *HIV/AIDS in the South-East Asia region*. New Delhi, Bureau regional de l'OMS pour l'Asie du Sud-Est (mars) (<http://www.searo.who.int/hiv-aids>, consulté le 8 mai 2008).
- ONU DC (2005). *Afghanistan drug use survey 2005*. Kaboul. ONU DC.
- ONUSIDA (2005). *Evidence for HIV decline in Zimbabwe: a comprehensive review of the epidemiological data*. Genève (Novembre). UNUSIDA.
- ONUSIDA (2006). *Rapport sur l'épidémie mondiale de sida*. Genève. UNUSIDA.
- ONUSIDA Groupe de référence sur les estimations, modèles et projections (2002). *Improving estimates and projections of HIV/AIDS* (<http://www.epidem.org/Publications/Madrid%20report.pdf>, consulté le 24 avril 2008).
- ONUSIDA Groupe de référence sur les estimations, modèles et projections (2006). *Improving parameter estimation, projection methods, uncertainty estimation, and epidemic classification* (<http://www.epidem.org/Publications/Prague2006report.pdf>, consulté le 24 avril 2008).
- Organisation panaméricaine de la Santé (2007). *AIDS in the Americas: The evolving epidemic, response and challenges ahead*. Washington, DC. Organisation panaméricaine de la Santé.
- Over M et al. (2007). The economics of effective AIDS treatment in Thailand. *AIDS*, 21(Suppl. 4):S105–S116.
- Pando MA et al. (2006). Epidemiology of human immunodeficiency virus, viral hepatitis (B and C), *Treponema pallidum*, and human T-cell lymphotropic I/II virus among men who have sex with men in Buenos Aires, Argentina. *Sexually Transmitted Diseases*, 33(5):307–313.
- Pasteur Scientific and Research Institute of Epidemiology (2005). *Epidemiological surveillance and monitoring of HIV in risk behaviour groups in Volgogradskaya Oblast*. Saint Petersburg. Pasteur Scientific and Research Institute of Epidemiology.
- Pisani E et al. (2004). HIV, syphilis infection, and sexual practices among transgenders, male sex workers, and other men who have sex with men in Jakarta, Indonesia. *Sexually Transmitted Infections*, 80(6):536–540.
- Population Division of the Department of Economic and Social Affairs of the United Nations Secretariat (2008). *World Population Prospects: The 2006 Revision and World Urbanization Prospects: The 2005 Revision* (<http://esa.un.org/unpp>, consulté le 10 mars 2008).
- Population Services International (2007). *Assessment of key health behaviors, their determinants and exposure to preventive interventions among street-based sex workers in Samara and Saratov, Russian Federation*. Moscou, Population Services International.
- Prestage G, et al. (2006). *Trends in unprotected anal intercourse among Sydney gay men*. XVI^{ème} Conférence internationale sur le sida. 13-18 août. Toronto, Ontario (Abstract WEPE0721).
- Programa Nacional de Prevención y control de las ITS/VIH/Sida (2006). *Actualización de la situación nacional hasta el 31 de Dic 2006*. Diciembre. Dirección Nacional de Epidemiología, MINSAP. La Habana.
- Ramesh B et al. (2006). *Sex work typology and risk for HIV in female sex workers: findings from an integrated biological and behavioural assessment in the southern Indian state of Karnataka*. XVI^{ème} Conférence internationale sur le sida. 13-18 août. Toronto, Ontario (Abstract WEAC0305).
- Reid G, Kamarulzaman A, Sran SK (2007). Malaysia and harm reduction: the challenges and responses. *International Journal of Drug Policy*, 18(2):136–140.

- Rhodes T et al. (2004). HIV transmission and HIV prevention associated with injecting drug use in the Russian Federation. *International Journal of Drug Policy*, 15(1):1–16.
- Robert Koch Institut (2007). *Epidemiologisches Bulletin*. Berlin (5 octobre).
- Rosinska M (2006). Current trends in HIV/AIDS epidemiology in Poland, 1999–2004. *Eurosurveillance*, 11(4–6):94–97.
- Rossi D et al. (2006). The HIV/AIDS epidemic and changes in injecting drug use in Buenos Aires, Argentina. *Cadernos de Saúde Pública*, 22(4):741–750.
- Sanchez J et al. (2007). HIV-1, sexually transmitted infections, and sexual behavior trends among men who have sex with men in Lima, Peru. *Journal of Acquired Immune Deficiency Syndromes*, 44(5):578–585.
- Sanchez JL et al. (2006). High HIV prevalence and risk factors among injection drug users in Tashkent, Uzbekistan, 2003–2004. *Drug and Alcohol Dependency*, 82(Suppl. 1):S15–S22.
- Sanders EJ et al. (2007). HIV-1 infection in high risk men who have sex with men in Mombassa, Kenya. *AIDS*, 21:2513–2520.
- Sandoy IF et al. (2007). Associations between sexual behaviour change in young people and decline in HIV prevalence in Zambia. *BMC Public Health*, 23 April (<http://www.biomedcentral.com/content/pdf/1471-2458-7-60.pdf>, consulté le 8 mai 2008).
- Scherbinska A (2006). *HIV infection in Ukraine: a review of epidemiological data*. XVI^{ème} Conférence internationale sur le sida. 13-18 août. Toronto, Ontario (Abstract CDC0398).
- Schmid GP et al. (2004). Transmission of HIV-1 infection in sub-Saharan Africa and effect of elimination of unsafe injections. *Lancet*, 363:482–488.
- Secretaría de Estado de Salud Pública y Asistencia Social de Republica Dominicana (2005). *Encuestas de vigilancia del comportamiento sobre VIH/ SIDA/ ITS en RSX y HSH del Área V de Salud*. Enero. Santo Domingo.
- Secretaría de Salud de Honduras et al. (2007a). *Estudio Centroamericano de vigilancia de comportamiento sexual y prevalencia de VIH/ITS en poblaciones vulnerables: Trabajadoras Sexuales*. Agosto. Tegucigalpa.
- Secretaría de Salud de Honduras et al. (2007b). *Estudio Centroamericano de vigilancia de comportamiento sexual y prevalencia de VIH/ITS en poblaciones vulnerables: Hombres que tienen sexo con hombres (HSH)*. Julio. Tegucigalpa.
- Silva ACM, Barone AA (2006). Risk factors for HIV infection among patients infected with hepatitis C virus. *Revista de Saúde Pública*, 40(3):482–488.
- Silverman JG et al. (2006). HIV prevalence and predictors among rescued sex-trafficked women and girls in Mumbai, India. *Journal of Acquired Immune Deficiency Syndrome*, 43(5):588–93.
- Silverman JG et al. (2007). HIV prevalence and predictors of infection in sex-trafficked Nepalese girls and women. *Journal of the American Medical Association*, 298(5):536–342.
- Smolskaya TT (2006). *Studying HIV prevalence and risks among men having sex with men in Moscow and Saint Petersburg*. Saint Petersburg, Saint Petersburg Scientific and Research Institute of Epidemiology and Microbiology named after Pasteur, Organisation mondiale de la santé.
- Smolskaya TT et al. (2004). Sentinel HIV surveillance among risk groups in Azerbaijan, Moldova and Russian Federation. Bureau regional de l’OMS pour l’Europe.
- Soto RJ et al. (2007). Sentinel surveillance of sexually transmitted infection/HIV and risk behaviours in vulnerable populations in 5 Central American countries. *Journal of Acquired Immune Deficiency Syndromes* 46(1):101–111.
- Statistics Indonesia and Ministry of Health [Indonesia] (2006). *Situation of risk behaviour for HIV in Indonesia. Results of BSS 2004–2005*. Jakarta. Statistics Indonesia and Ministry of Health.
- Statistics South Africa (2005). Mortality and causes of death in South Africa, 1997–2003: Findings from death notification. Pretoria (<http://www.statssa.gov.za/publications/P03093/P03093.pdf>, consulté le 8 mai 2008).
- Statistics South Africa (2006). *Mortality and causes of death in South Africa, 2003 and 2004: Findings from death notification*. Pretoria, Statistics South Africa.

- Statistics South Africa (2007). *Mid-year population estimates 2007*. Pretoria, Statistics South Africa (July, statistical release P0302).
- Stover J et al. (2006). Projecting the demographic impact of AIDS and the number of people in need of treatment: updates to the Spectrum projection package. *Sexually Transmitted Infections*, 82(Suppl. 3):45-50 June.
- Stover J et al. (sous presse). The Spectrum projection package: improvements in estimating mortality, ART needs, PMTCT impact and uncertainty bounds. *Sexually Transmitted Infections*. Supplément sous presse.
- Sulliman FT, Ameerberg SAG, Dhannoo MI (2004). *Report of the rapid situation assessment and responses on drug use in Mauritius and Rodrigues*. Mauritius, Ministry of Health.
- Taha TE et al. (2000). Association of HIV-1 load and CD4 lymphocyte count with mortality among untreated African children over one year of age. *AIDS*, 14(4):453–459 March.
- Todd CS et al. (2007). HIV, Hepatitis C, and Hepatitis B infections and associated risk behavior in injection drug users in Kabul, Afghanistan. *Emerging Infectious Diseases*, 13(9):1327–1331.
- Toro-Alfonso J and Varas-Díaz N (2008). *Identificación y descripción de conocimiento, actitudes, creencias y comportamientos de riesgo para la transmisión del VIH en población de homosexuales y hombres que tienen sexo con hombres en la República Dominicana*. USAID and Proyecto Conecta. Santo Domingo.
- Tuang NA et al. (2007). Human immunodeficiency virus (HIV) infection patterns and risk behaviours in different population groups and provinces in Viet Nam. *Bulletin de l'Organisation mondiale de la Santé*, 85(1):35–41.
- Uganda Bureau of Statistics, Macro International Inc (2007). *Uganda Demographic and Health Survey 2006*. Calverton, MD. Uganda Bureau of Statistics, Macro International Inc.
- UK Collaborative Group for HIV and STI Surveillance (2007). *Testing Times: HIV and other Sexually Transmitted Infections in the United Kingdom: 2007*. London, Health Protection Agency, Centre for Infections.
- US Centers for Disease Control and Prevention (2007). *HIV/AIDS surveillance report: Cases of HIV infection and AIDS in the United States and Dependent Areas, 2005*. Atlanta, Georgia, Centers for Disease Control and Prevention (Revised June 2007, Vol 17).
- Van Griensven F et al. (2006). HIV prevalence among populations of men who have sex with men—Thailand, 2003 and 2005. *Morbidity and Mortality Weekly Report*, 55(31):844–848.
- Wade AS et al. (2005). HIV infection and sexually transmitted infections among men who have sex with men in Senegal. *AIDS*, 19(18):2133–2140.
- Wawer MJ et al. (1994). Incidence of HIV-1 infection in a rural region of Uganda. *British Medical Journal*, 308(6922):171–173.
- Wawer MJ et al. (2005). Rates of HIV-1 transmission per coital act, by stage of HIV-1 infection, in Rakai, Uganda. *Journal of Infectious Diseases*, 191:1403–1409.
- Zamani S et al. (2005). Prevalence of and factors associated with HIV-1 infection among drug users visiting treatment centers in Tehran, Iran. *AIDS*, 19:709–716.
- Zamani S et al. (2006). High prevalence of HIV infection associated with incarceration among community-based drug users in Tehran, Iran. *Journal of Acquired Immune Deficiency Syndromes*, 42(3):342–346.
- Zulu KP, Bulawo ND, Zulu W (2006). *Understanding HIV risk behaviour among men who have sex with men in Zambia*. XVI^{ème} Conférence internationale sur le sida. 13-18 août. Toronto, Ontario (Abstract WEPE0719).

Chapitre 3 | GESTION DES CAUSES SOCIÉTALES DU RISQUE ET DE LA VULNÉRABILITÉ PAR RAPPORT AU VIH

- Barker G, Ricardo C, Nascimento M (2007). *Engaging men and boys in changing gender-based inequity in health: evidence from programme interventions*. Genève, Organisation mondiale de la Santé.
- Bärnighausen T et al. (2007). The socioeconomic determinants of HIV incidence: evidence from a longitudinal, population-based study in rural South Africa. *AIDS*, 21(Suppl. 7):S29–S38.
- Blumenthal SJ (2008). *Women, HIV/AIDS and stigma: results from a national survey*. (http://www.amfar.org/binary-data/AMFAR_PDF/pdf/000/000/181-1.pdf, consulté le 10 avril 2008).

- Bott S, Morrison A, Ellsberg M (2005). *Preventing and responding to gender-based violence in middle and low-income countries: a global review and analysis*. Washington DC, Banque mondiale (World Bank Policy Research Working Paper, No. 3618).
- Bureau des Nations Unies pour la coordination des affaires humanitaires (2005). *Broken bodies, broken dreams: violence against women exposed*. New York, Bureau des Nations Unies pour la coordination des Affaires humanitaires.
- Burns B, Mingat A, Rakotomalala R (2003). *Achieving universal primary education by 2015: a chance for every child*. Washington DC, Banque mondiale.
- Burris S et al. (2007). *Do criminal laws affect HIV risk behavior? An empirical trial*. 1st Annual Conference on Empirical Legal Studies. (http://papers.ssrn.com/sol3/papers.cfm?abstract_id=913323, consulté le 25 avril 2008).
- Carpano C, Izumi K, Mathieson K (2007). *Gender, property rights and livelihoods in the era of AIDS*. Consultation technique, Organisation des Nations Unies pour l'Alimentation et l'Agriculture. 28–30 novembre.
- CEDPA (2001). *Adolescent girls in India choose a better future: an impact assessment*. Washington DC, Centre for Development and Population Activities.
- Chan J (2006). Criminal law and HIV transmission or exposure: 10 new cases. *HIV/AIDS Policy and Law Review*, 11:45–47.
- Chen S, Ravallion M (2004). *How have the world's poorest fared since the early 1980s?* Washington DC, Banque mondiale.
- CIRF (2006b). *Information bulletin: reducing women's and girls' vulnerability to HIV/AIDS by strengthening their property and inheritance rights*. Mai. Washington DC, Centre international de recherches sur les femmes.
- CIRF (2006a). *HIV/AIDS stigma: finding solutions to strengthen HIV/AIDS programs*. August. Washington DC, Centre international de recherches sur les femmes.
- CIRF et Instituto Promundo (2007). *Engaging men and boys to achieve gender equality: how can we build on what we have learned?* Washington DC, Centre international de recherches sur les femmes.
- Coalition mondiale sur les femmes et le sida (2006a). *Tenir les promesses: un programme d'action sur les femmes et le sida*. Genève, ONUSIDA.
- Coalition mondiale sur les femmes et le sida (2006b). *La sécurité matérielle des femmes - Echec au sida*. Genève, ONUSIDA (Dossier thématique n° 3).
- Commission des déterminants sociaux de la santé (2007). *Achieving health equity: from root causes to fair outcomes: interim statement*. Genève, Commission des déterminants sociaux de la santé.
- Deininger K (2003). Does cost of schooling affect enrollment by the poor? Universal primary education in Uganda. *Economics of Education Review*, 22(3):291–305.
- Duvvury N, Knoess J (2005). *Gender based violence and HIV/AIDS in Cambodia: links, opportunities and potential responses*. Eschborn, Deutsche Gesellschaft für Technische Zusammenarbeit.
- FIPF et al. (2008a). *The people living with HIV stigma index: user guide*. Londres, Fédération internationale pour la Planification familiale
- FIPF et al. (2008b). *The people living with HIV stigma index: questionnaire*. Londres, Fédération internationale pour la Planification familiale.
- Ford K et al. (2004). Voluntary HIV testing, disclosure, and stigma among injection drug users in Bali, Indonesia. *AIDS Education and Prevention*, 16(6):487–498.
- Funders for Lesbian and Gay Issues (2007). *Lesbian, gay, bisexual, transgender and intersex grantmaking in the global South and East*. New York, Funders for Lesbian and Gay Issues.
- Gable L et al. (2007). *Legal aspects of HIV/AIDS: a guide for law and policy reform*. Washington DC, Banque mondiale.
- García-Moreno C et al. (2005). *WHO multi-country study on women's health and domestic violence against women: initial results on prevalence, health outcomes and women's responses*. Genève, Organisation mondiale de la Santé.

- Gillespie S, Kadiyala S, Greener R (2007). Is poverty or wealth driving HIV transmission? *AIDS*, 21(Suppl. 7):S5–S16.
- GNP+, THT (2005). *Criminalisation of HIV transmission in Europe: a rapid scan of the laws and rates of prosecution for HIV transmission within signatory States of the European Convention of Human Rights*. The Global Network of people living with HIV/AIDS and Terrence Higgins Trust (<http://www.gnpplus.net/criminalisation/rapidscan.pdf>, consulté le 25 avril 2008).
- Gupta, GR (2005). *Luncheon remarks on women and AIDS*. InterAction Forum. Washington DC, InterAction.
- Hallman K (2004). *Socioeconomic disadvantage and unsafe sexual behaviours among young women and men in South Africa*. New York, Population Council (Policy Research Division Working Paper, No.190).
- Hallman K (2005). Gendered socioeconomic conditions and HIV risk behaviors among young people in South Africa. *African Journal of AIDS Research*, 4(1):37–50.
- Hargreaves JR, Boler T (2006). *Girl power: girls' education, sexual behaviour and AIDS in Africa*. Johannesburg, ActionAid International.
- Hargreaves JR et al. (2008). Systematic review exploring time trends in the association between educational attainment and risk of HIV infection in sub-Saharan Africa. *AIDS*, 22:403–414.
- Heywood MJ (2002). *Litigating AIDS: background, strategies and outcomes of the Treatment Action Campaign's (TAC) case to prevent mother to child HIV transmission in South Africa*. 14^{ème} Conférence internationale sur le Sida, 7–12 juillet, Genève, International AIDS Society.
- Human Rights Watch (2006). *Rhetoric and risk: human rights abuses impeding Ukraine's fight against HIV/AIDS*. New York, Human Rights Watch.
- Human Rights Watch (2007). *Hidden in the mealie meal: gender-based abuses and women's HIV treatment in Zambia*. New York, Human Rights Watch.
- Institute of Medicine (2008). *Violence Prevention in Low- and Middle-Income Countries: Finding a Place on the Global Agenda. Workshop Summary*. National Academies Press, Washington DC.
- Jenkins C, Sarkar S (2007). *Interventions for HIV prevention and support for vulnerable populations: focus on Asia and the Pacific*. Bangkok, Alternate Visions.
- Jewkes R et al. (2007). *Evaluation of Stepping Stones: a gender transformative HIV prevention intervention*. Pretoria, South African Medical Research Council.
- Jones P (2005). «A Test of Governance»: rights-based struggles and the politics of HIV/AIDS policy in South Africa. *Political Geography*, 24(4):419–447.
- Kaai S et al. (2007). *Changes in stigma among a cohort of people on antiretroviral therapy: findings from Mombasa, Kenya*. Nairobi, Population Council (résumé de recherche Horizons).
- Kruger V (2003). *MAP evaluation report*. Johannesburg, EngenderHealth.
- Liu H et al. (2006). Understanding interrelationships among HIV-related stigma, concern about HIV infection, and intent to disclose HIV serostatus: a pretest-posttest study in a rural area of eastern China. *AIDS Patient Care and STDs*, 20(2):133–142.
- Lopman B et al. (2007). HIV incidence and poverty in Manicaland, Zimbabwe: is HIV becoming a disease of the poor? *AIDS*, 21(Suppl. 7):S57–S66.
- Ma W et al. (2007). Acceptance of and barriers to voluntary HIV counselling and testing among adults in Guizhou province, Chine. *AIDS*, 21(Suppl. 8):S129–135.
- Mahendra VS et al. (2006). *Reducing AIDS-related stigma and discrimination in Indian hospitals*. New Delhi, Population Council (rapport final de Horizons).
- Mahendra VS et al. (2007). Understanding and measuring HIV related stigma in healthcare settings: a developing country perspective. *Journal of Social Aspects of HIV/AIDS*, 4(2):616–625.
- Mann J et Tarantola D eds (1996). *AIDS in the world II: global dimensions, social roots and response*. New York, Oxford University Press.

- Marmot MG (2006). Status syndrome: a challenge to medicine. *Journal of the American Medical Association*, 295:1304–1307.
- McCrummen S (2007). Prevalence of rape in E. Congo described as worst in world. *Washington Post*, 9 septembre.
- Medley A et al. (2004). Rates, barriers and outcomes of HIV sero-disclosure among women in developing countries: implications for prevention of mother-to-child transmission programmes. *Bulletin de l'Organisation mondiale de la Santé*, 82(4):299–307.
- Mercy JA et al. (2008) Preventing Violence in Developing Countries: A Framework for Action, in Institute of Medicine, *Violence Prevention in Low- and Middle-Income Countries: Finding a Place on the Global Agenda, Workshop Summary*. National Academies Press, Washington DC.
- Merson MH et al. (sous presse). The History and Challenge of HIV Prevention. *Lancet*.
- Mills EA (2006). From the physical self to the social body: expressions and effects of HIV-related stigma in South Africa. *Journal of Community & Applied Social Psychology*, 16:498–503.
- Mishra V et al. (2007). HIV infection does not disproportionately affect the poorer in sub-Saharan Africa. *AIDS*, 21(Suppl.7):S17–S28.
- Nyblade L et al. (2003). *Disentangling HIV and AIDS stigma in Ethiopia, Tanzania and Zambia*. Washington DC, Centre international de recherches sur les femmes.
- Oanh KTH et al. (2008). *Improving hospital-based quality of care in Vietnam by reducing HIV-related stigma and discrimination*. New York, Population Council.
- OMS (2007). *Engaging men and boys in changing gender-based inequity in health: evidence from programme interventions*. Genève, Organisation mondiale de la Santé.
- ONUSIDA (2002). *Droit pénal, santé publique et transmission du VIH: Etude des politiques possibles*. Genève, ONUSIDA (Collection de l'ONUSIDA sur les Meilleures Pratiques).
- ONUSIDA (2003). *Aide-mémoire sur la stigmatisation et la discrimination*. Genève, ONUSIDA.
- ONUSIDA (2007a). *Guide pratique pour l'intensification de la prévention du VIH en vue de l'accès universel*. Mars. Genève, ONUSIDA.
- ONUSIDA (2007b). Présentation d'orientations politiques sur les questions de sexospécificité, à la 20^{ème} réunion du Conseil de Coordination du Programme. 25–27 juin 2007. Genève, ONUSIDA (http://data.unaids.org/pub/Presentation/2007/policy_guidance_address_gender_issues_item4_2_fr.pdf, consulté le 8 mai 2008).
- ONUSIDA (2007c). *Report of the UNAIDS technical consultation on social change communication*. 2-3 août 2007. Genève, ONUSIDA.
- ONUSIDA (2007d). *Le point sur l'épidémie de sida 2007*. Décembre. Genève, ONUSIDA.
- ONUSIDA (2008). *Reducing HIV Stigma and Discrimination: a critical part of national AIDS programmes, A resource for national stakeholders in the HIV response*. Genève, ONUSIDA.
- ONUSIDA et al. (2008). *Éliminer les mutilations génitales féminines: Déclaration interinstitutions*. Genève, Organisation mondiale de la Santé.
- Open Society Institute (2006a). *Fostering enabling legal and policy environments to protect the health and human rights of sex workers*. Report of a meeting co-sponsored by the Sexual Health and Rights Project & Law and Health Initiative. Johannesburg, South Africa. New York, Open Society Institute.
- Open Society Institute (2006b). *Sex worker health and rights: where is the funding? Sexual health and rights project*. New York, Open Society Institute.
- Ottosson D (2007). *State-sponsored homophobia: a world survey of laws prohibiting same sex activity between consenting adults*. Brussels, International Lesbian and Gay Association.
- Pardasani MP (2005). HIV prevention and sex workers: an international lesson in empowerment. *International Journal of Social Welfare*, 14:116–126.

- Peacock D, Levack A (2004). The men as partners program in South Africa: reaching men to end gender-based violence and promote sexual and reproductive health. *International Journal of Men's Health*:173-188.
- Pearhouse R (2007). Legislation contagion: the spread of problematic new HIV laws in Western Africa. *HIV/AIDS Policy and Law Review*, 12:1–11.
- Physicians for Human Rights (2007). *Epidemic of Inequality: Women's Rights and HIV/AIDS in Botswana & Swaziland*. Physicians for Human Rights, Cambridge (USA).
- Piot P, Greener R, Russell S (2007). Squaring the circle: AIDS, poverty, and human development. *PLoS Medicine*, 4(10):e314.
- PNUD (2007). *Rapport 2007/2008 sur le développement humain*. New York, Programme des Nations Unies pour le Développement.
- Population Council (2006). *Reducing stigma and discrimination in hospitals: positive findings from India*. Washington DC, Population Council.
- Population Reference Bureau (2007). *World population data sheet*. (<http://www.prb.org/Datafinder.aspx>, consulté le 28 mars 2008).
- Pronyk J et al. (2006). Effect of a structural intervention for the prevention of intimate-partner violence and HIV in rural South Africa: a cluster randomised trial. *The Lancet*, 368:1973–1983.
- Pulerwitz J et al. (2006). *Promoting more gender-equitable norms and behaviours among young men as an HIV/AIDS prevention strategy*. Washington DC, Population Council (Horizons rapport final).
- Pulerwitz J, Barker G (2008). Measuring attitudes toward gender norms among young men in Brazil. *Men and Masculinities*, 10:322–338.
- Raise Initiative (Reproductive Health Access, Information and Services in Emergencies) (2007). *Fact sheet: gender based violence* (http://www.raiseinitiative.org/library/pdf/fs_gbv.pdf, consulté le 8 mai 2008).
- Reis C et al. (2005). Discriminatory attitudes and practices by health workers toward patients with HIV/AIDS in Nigeria. *PLoS Medicine*, 2(8): e246 (doi:10.1371/journal.pmed.0020246).
- Réseau juridique canadien VIH/sida, Open Society Institute, Alliance internationale contre le VIH/sida (2008). «*Nothing about us without us*»: *Greater, meaningful involvement of people who use illegal drugs: A public health, ethical and human rights imperative*. Réseau juridique canadien VIH/sida, Open Society Institute, Alliance internationale contre le VIH/sida, Toronto.
- SADC (2006). Expert Think Tank Meeting on HIV Prevention in High Prevalence Countries in Southern Africa Report, Maseru, Lesotho, 10-12 May 2006. Southern African Development Community, Gaborone.
- Shilts R (1987). *And the band played on: people, politics and the AIDS epidemic*. New York, St. Martin's Press.
- Strickland R (2004). *To have and to hold: women's property and inheritance rights in the context of HIV/AIDS in sub-Saharan Africa*. Washington DC, International Centre Research on Women (Document de travail de l' CIRF).
- UNESCO (2007) *Education for all for 2015: Will We Make It?* UNESCO, Paris.
- UNICEF (2005). *Progrès pour les enfants: un bilan de l'enseignement primaire et de la parité des sexes (No 2)*. UNICEF.
- Verma R et al. (2006). *Challenging and Changing Gender Attitudes among Young Men in Mumbai, India*. *Reproductive Health Matters* 2006;14(28):135–143.
- Weiser S et al. (2007). Food insufficiency is associated with high-risk sexual behavior among women in Botswana and Swaziland. *PLoS Medicine*, 4(10): e260.
- Welbourn A (1995). *Stepping Stones: A training package on HIV/AIDS, gender issues, communication and relationship skills*. Strategies for Hope Trust, Oxford UK.
- White RC, Carr R (2005). Homosexuality and HIV/AIDS stigma in Jamaica. *Culture, Health & Sexuality*, 7(4):347–359.
- Wolfe W et al. (2006). Effects of HIV-related stigma among an early sample of patients receiving antiretroviral therapy in Botswana. *AIDS Care*, 18(8):931–933.
- World Vision (2008). Protecting women from HIV/AIDS via microenterprise development (MED). (http://www.worldvision.org/worldvision/appeals.nsf/stable/im_MED_Prod_Desc_v7, consulté le 26 mars 2008).

Chapitre 4 | PRÉVENIR LES NOUVELLES INFECTIONS À VIH

- Aceijas C et al. (2004). Global coverage of injecting drug use and HIV infection among injecting drug users. *AIDS*, 18:1295–2203.
- Akhmedov K et al. (2007). *Introduction of youth friendly services for most at risk adolescents in Uzbekistan: an emergency response to the fastest growing HIV epidemic in Central Asia*. Réunion 2007 des personnes chargées de la mise en œuvre de la lutte contre le VIH: Se développer à travers les partenariats. 16-19 juin. Kigali, Rwanda.
- Allen S et al. (2003). Sexual behavior of HIV discordant couples after HIV counseling and testing. *AIDS*, 17:733–740.
- Auerbach JD, Hayes RJ, Kandathil SM. Overview of effective and promising interventions to prevent HIV infection. In: Ross DA, Dick B, Ferguson J, eds. (2006). *Preventing HIV/AIDS in young people: a systematic review of evidence from developing countries*. Equipe spéciale interinstitutions de l'ONUSIDA sur les jeunes. Genève, Organisation mondiale de la Santé.
- Auvert B et al. (2005). Randomized, controlled intervention trial of male circumcision for reduction of HIV infection risk: the ANRS 1265 trial. *PLoS Medicine*, 2:e298.
- Bailey RC et al. (2007). Male circumcision for HIV prevention in young men in Kisumu, Kenya: a randomised controlled trial. *Lancet*, 369:643–656.
- Basu I et al. (2004). HIV prevention among sex workers in India. *Journal of Acquired Immune Deficiency Syndromes*, 36:845–852.
- Bearinger LH et al. (2007). Global perspectives on the sexual and reproductive health of adolescents: patterns, prevention and potential. *Lancet*, 369:1220–1231.
- Becquet R et al. (2005). Infant Feeding Practices before Implementing Alternatives to Prolonged Breastfeeding to Reduce HIV Transmission Through Breastmilk in Abidjan, Côte d'Ivoire. *J Trop Pediatr* 51:351-355.
- Biddlecom AE et al. (2007). *Protecting the next generation in sub-Saharan Africa: learning from adolescents to prevent HIV and unintended pregnancy*. New York, Guttmacher Institute.
- Buchbinder SP et al. (2005). Sexual risk, nitrite inhalant use, and lack of circumcision associated with HIV seroconversion in men who have sex with men in the United States. *Journal of Acquired Immune Deficiency Syndromes*, 39:82–89.
- CADRE et al. (2007). *Concurrent sexual partnerships amongst young adults in South Africa: challenges for HIV prevention communication*. Johannesburg, Centre for AIDS Development, Research and Evaluation.
- Cassels S, Clark SJ, Morris M (2008). Mathematical models for HIV transmission dynamics: tools for social and behavioral science research. *Journal of Acquired Immune Deficiency Syndromes*, 47:S34–S39.
- Castilla J et al. (2005). Effectiveness of highly active antiretroviral therapy in reducing heterosexual transmission of HIV. *Journal of Acquired Immune Deficiency Syndromes*, 40:96–101.
- Centers for Disease Control and Prevention (2005). HIV prevalence, unrecognized HIV infection, and HIV testing among men who have sex with men – five U.S. Cities, June 2004-April 2005. *Morbidity and Mortality Weekly Report*, 54:597–601.
- Centers for Disease Control and Prevention (2006a). Youth risk behavior surveillance – United States, 2005. *Morbidity and Mortality Weekly Report*, 55(SS-5):1–108.
- Centers for Disease Control and Prevention (2006b). HIV prevalence among populations of men who have sex with men – Thailand, 2003 and 2005. *Morbidity and Mortality Weekly Report*, 55:844–848.
- Chinaglia M et al. (2007). *Reaching truckers in Brazil with non-stigmatizing and effective HIV/STI services*. Washington DC, Population Council.
- CIRF, Instituto Promundo (2007). *Engaging men and boys to achieve gender equality: how can we build on what we have learned?* Washington, Centre international de recherche sur les femmes.
- Clinton Global Initiative (2007). *Latest news for AIDS prevention education with migrant construction workers*. (<http://commitments.clintonglobalinitiative.org/projects.htm?mode=progressreport&rid=43084&op=ViewArticle&articleId=227&blogId=232>, consulté le 23 mars 2008).

- Coates TJ et al. (2008). Behavioural science contributions to HIV prevention: insights from the past and directions for the future, *Lancet* (sous presse).
- Commission des Nations Unies sur les stupéfiants (2008). *World situation with regard to drug abuse: report of the Secretariat*. Conseil économique et social des Nations Unies, 51^{ème} session. 10-14 mars, 2008. Vienne.
- Commission mondiale sur les migrations internationales (2005). *Migration in an interconnected world: new directions for action*. Genève, Commission mondiale sur les migrations internationales.
- Crepaz N et al. (2006). Do prevention interventions reduce HIV risk behaviours among people living with HIV? A meta-analytic review of controlled trials. *AIDS*, 20:143–157.
- Darabi L et al. (2008). *Protecting the next generation in Uganda: new evidence on adolescent sexual and reproductive health needs*. New York, Guttmacher Institute.
- De Cock K et al. (2000). Prevention of mother-to-child HIV transmission in resource-poor countries: translating research into policy and practice. *Journal of the American Medical Association*, 283:1175–1182.
- de Walque D (2007). Sero-discordant couples in five african countries: implications for prevention strategies. *Population and Development Review*, 33:501–523.
- Doherty T et al. (2007). Effectiveness of the WHO/UNICEF guidelines on infant feeding for HIV-positive women: results from a prospective cohort study in South Africa. *AIDS* 21:1791-1797.
- Dolan K et al. (2007). HIV in prisons in low- and middle-income countries. *Lancet Infectious Diseases*, 7:32–41.
- Donegan E et al. (1994). Transfusion transmission of retroviruses: human T-lymphotropic viruses types 1 and 2 compared with human immunodeficiency virus type 1. *Transfusion*, 34:478–483.
- Donnelly J (2007). Saving the babies: a victory for Africa. *Boston Globe*, 27 août.
- Dupas P (2006). *Relative risk and the market for sex: teenagers, sugar daddies and HIV in Kenya*. (<http://ipc.umich.edu/edts/pdfs/DupasRelativeRisks.pdf>, consulté le 3 janvier 2008).
- Emmanuel F, Archibald C, Altaf F (2006). *What drives the HIV epidemic among injecting drug users in Pakistan: a risk factor analysis*. XVI^{ème} Conférence internationale sur le sida. 13-18 août. Toronto. (Abstract No. MOPE0524).
- EuroHIV (2007). *HIV/AIDS surveillance in Europe, end-year report, 2006, No. 76*. Sant-Maurice, Institute de Veille Sanitaire (<http://www.eurohiv.org>, consulté le 8 mai 2008).
- Fiellin DA, Green TC, Heimer R (2007). *Combating the twin epidemics of HIV/AIDS and addiction: opportunities for progress and gaps in scale. A report of the CSIS Task Force on HIV/AIDS*. Washington, Centre d'Etudes Stratégiques et Internationales.
- Fondation Henry J Kaiser Family (2006). *AIDS at 25: An overview of major trends in the US epidemic*. Menlo Park, California, Fondation Henry J Kaiser Family (<http://www.kff.org/hiv/ids/upload/7525.pdf>, consulté le 13 mars 2008).
- Gray RH et al. (2007). Male circumcision for HIV prevention in men in Rakai, Uganda: a randomized trial. *Lancet*, 369:657–666.
- Gray RH, Wawer MJ (2007). Randomised trials of HIV prevention. *Lancet*, 370:200–201.
- Gregson S et al. (2002). Sexual mixing patterns and sex differentials in teenage exposure to HIV infection in rural Zimbabwe. *Lancet*, 359:1896–1903.
- Groupe de travail mondial sur la prévention du VIH (2004). *HIV prevention in the era of expanded treatment access*. New York, Fondation Bill & Melinda Gates, Fondation Henry J. Kaiser Family.
- Groupe de travail mondial sur la prévention du VIH (2006). *New approaches to HIV prevention: accelerating research and ensuring future access*. New York, Fondation Bill & Melinda Gates, Fondation Henry J. Kaiser Family.
- Groupe de travail sur le suivi des ressources allouées à la recherche sur les microbicides et les vaccins anti-VIH (2007). *Building a Comprehensive Response: Funding for HIV Vaccines, Microbicides and Other New Prevention Options: 2000-2006*. Groupe de travail sur le suivi des ressources allouées à la recherche sur les microbicides et les vaccins anti-VIH. Consulté le 8 mai 2008 sur: http://www.hivresourcetracking.org/content/RT_Report_Nov2007.pdf.

- Guay LA et al. (1999). Intrapartum and neonatal single-dose nevirapine compared with zidovudine for prevention of mother-to-child transmission of HIV-1 in Kampala, Uganda: HIVNET 012 randomised trial. *Lancet*, 354:795–802.
- Hallett T et al. (2008). Understanding the impact of male circumcision interventions on the spread of HIV in southern Africa. *PLoS ONE* (sous presse).
- Hankins C (2008). Sex, drugs and gender? High time for lived experience to inform action. Editorial. *International Journal of Drug Policy*, 19:95–96.
- Hendriksen ES et al. (2007). Predictors of condom use among young adults in South Africa: the Reproductive Health and HIV Research Unit National Youth Survey. *American Journal of Public Health*, 97:1241–1248.
- Institute of Medicine (2006). *Preventing HIV infection among injection drug users in high risk countries: an assessment of the evidence*. Washington, Institute of Medicine.
- International Harm Reduction Development Program (2007). *Women, harm reduction and HIV*. New York, Open Society Institute.
- Kahn JG, Marseille E, Auvert B. (2006). Cost-effectiveness of male circumcision for HIV prevention in a South African setting. *PLoS Medicine*, 3:e517.
- Kerrigan D et al. (2006). Environmental/structural interventions to reduce HIV/STI risk among female sex workers in the Dominican Republic. *American Journal of Public Health* 96:120–125.
- Khan MR et al. (2007). Mobility and HIV-related sexual behavior in Burkina Faso. *AIDS & Behavior*, 12:202–212.
- Kissin DM et al. (2008). Rapid HIV testing and prevention of perinatal HIV transmission in high-risk maternity hospitals in St. Petersburg, Russia. *American Journal of Obstetrics & Gynecology*, 198(2):183.e1–7.
- Kuhn L et al. (2007). High uptake of exclusive breastfeeding and reduced early post-natal HIV transmission. *PLoS Medicine*, 2:e1363.
- Lines R et al. (2006). *L'échange de seringues en prison: leçons d'un examen complet des données et expériences internationales*. Toronto, Réseau juridique canadien VIH/sida.
- Manzi M et al. (2005). High acceptability of voluntary counselling and HIV-testing but unacceptable loss to follow up in a prevention of mother-to-child HIV transmission programme in rural Malawi: scaling-up requires a different way of acting. *Tropical Medicine and International Health* 10:1242-1250.
- Marston C, King E (2006). Factors that shape young people's sexual behaviour: a systematic review. *Lancet*, 368:1581–1586.
- Maticka-Tyndale E, Brouillard-Coyle C. The effectiveness of community interventions targeting HIV and AIDS prevention at young people in developing countries. In: Ross DA, Dick B, Ferguson J, eds. (2006). *Preventing HIV/AIDS in young people: a systematic review of evidence from developing countries*. Groupe de travail interinstitutions de l'ONUSIDA sur les jeunes. Genève. Organisation mondiale de la Santé.
- MEASURE DHS, 2008, Macro International, Inc. Calverton MD, Etats-Unis d'Amérique.
- Millett GA, Peterson JL(2007). The Known Hidden Epidemic: HIV/AIDS Among Black Men Who Have Sex with Men in the United States. *American Journal of Preventive Medicine* S31-S37.
- Montefiori D et al. (2007). Antibody-based HIV-1 vaccines: recent developments and future directions. *PLoS Medicine*, 4:e348.
- Morris CN, Ferguson AG (2006). Estimation of the sexual transmission of HIV in Kenya and Uganda on the trans-Africa highway: the continuing role for prevention in high risk groups. *Sexually Transmitted Infections* 82:368-371.
- Nashkoev M, Sergeev B (2007). *AIDS in the Commonwealth of Independent States*. Monitoring the AIDS Pandemic Network. Washington, US Bureau of the Census.
- National Research Council, Institute of Medicine, Panel on Transitions to Adulthood in Developing Countries (2005). *Growing Up Global: The Changing Transitions to Adulthood in Developing Countries*. Washington, National Academies Press.
- Nations Unies (2006). *Développement et migrations internationales* (www.un.org/esa/population/hldmigration, consulté le 29 mai 2008)

- Nelson R (2007). Female-initiated prevention strategies key to tackling HIV. *Lancet Infectious Diseases*, 7:183.
- Oanh KTH (2007). *HIV/AIDS policy in Vietnam: a civil society perspective*. New York, Open Society Institute.
- OIT (2006). *Le VIH/sida dans le monde du travail: évaluation mondiale, répercussions sur les enfants et les jeunes, et réponse*. Genève, Organisation internationale du Travail.
- OMS (2006a). Demand for male circumcision rises in a bid to prevent HIV. *Bulletin de l'Organisation mondiale de la Santé* 84:505-508.
- OMS et al. (2006b). *Preventing HIV/AIDS in young people: a systematic review of the evidence from developing countries*, Rapport technique de l'OMS n° 938. Août. Organisation mondiale de la Santé, Genève.
- OMS (2006c). *HIV and Infant Feeding Technical Consultation Held on behalf of the Inter-Agency Task Team (IATT) on Prevention of HIV Infections in Pregnant Women, Mothers and their Infants*. Rapport commun, 25-27 octobre. Organisation mondiale de la Santé, Genève.
- OMS (2006d). *Antiretroviral Drugs for Treating Pregnant Women and Preventing HIV Infection in Infant: Towards Universal Access, Recommendations for a Public Health Approach*. Organisation mondiale de la Santé, Genève.
- OMS (2007). *HIV/AIDS in the South-East Asia region*. Mars. New Delhi, Bureau régional de l'OMS pour l'Asie du Sud-Est (<http://www.searo.who.int/hiv-aids>, consulté le 8 mai 2008).
- ONU DC (2007). *Rapport mondial sur les drogues 2007*. ONU DC, Vienne.
- ONUSIDA (2001b). *Travailler avec les hommes pour la prévention et la prise en charge du VIH*. Genève, ONUSIDA (Collection Meilleures Pratiques de l'ONUSIDA).
- ONUSIDA (2005). *Intensification de la prévention du VIH: ONUSIDA document d'orientation politique*. Genève, ONUSIDA.
- ONUSIDA (2006a). *Evidence for HIV decline in Zimbabwe: a comprehensive review of the epidemiological data*. ONUSIDA, Genève.
- ONUSIDA (2006b) *Rapport sur l'épidémie mondiale de sida*. ONUSIDA, Genève.
- ONUSIDA (2006c). *Sites à niveau élevé de couverture: Prévention du VIH parmi les consommateurs de drogues injectables dans les pays en transition et en développement, Etudes de cas*. Collection Meilleures Pratiques de l'ONUSIDA.
- ONUSIDA (2007a). *Directives pratiques pour l'intensification de la prévention du VIH: En vue de l'accès universel*. ONUSIDA, Genève.
- ONUSIDA (2007b). *Le point sur l'épidémie de sida*. ONUSIDA, Genève.
- ONUSIDA (2007c). *Financial Resources Required to Achieve Universal Access to HIV Prevention, Treatment, Care and Support*. ONUSIDA, Genève.
- ONUSIDA (2007d). *Considérations éthiques relatives aux essais de méthodes biomédicales de prévention du VIH*. ONUSIDA, Genève.
- ONUSIDA, AVAC (2007). *Guide des bonnes pratiques de participation aux essais de méthodes biomédicales de prévention du VIH*. Genève, ONUSIDA.
- ONUSIDA, OMS (2007). *Nouvelles données sur la circoncision masculine et la prévention du VIH: conséquences sur les politiques et les programmes*. Consultation technique de l'OMS et de l'ONUSIDA. Circoncision masculine et prévention du VIH: conséquences des recherches sur les politiques et les programmes. 6-8 mars 2007. Montreux, Suisse.
- Osmond DH et al. (2007). Changes in prevalence of HIV infection and sexual risk behavior in men who have sex with men in San Francisco: 1997–2002. *American Journal of Public Health*, 97:1677–1683.
- Padian NS et al. (2007). Diaphragm and lubricant gel for prevention of HIV acquisition in southern African women: a randomised controlled trial. *Lancet*, 370:251–261.
- Pardasani M (2005). HIV Prevention and sex workers: An international lesson in empowerment. *International Journal of Social Welfare* 14:16-126.

Peltzer CI et al. (2007). Male circumcision, gender and HIV prevention in sub-Saharan Africa: a (social science) research agenda. *Journal of Social Aspects of HIV/AIDS*, 4 (3).

Physicians for Human Rights (2007). *Success stories from the field: curbing the spread of HIV/AIDS among drug injectors. Innovative and effective programs in Brazil, India, Russia, and the China-Vietnam border*. Cambridge (États-Unis d'Amérique), Physicians for Human Rights.

Piot P et al. (sous presse) Coming to terms with complexity: A call to action for HIV prevention. *Lancet*.

PNUD (2007). *Rapport sur le développement humain*. New York, Programme des Nations Unies pour le Développement.

Population Council (2003). *Expanding workplace HIV/AIDS prevention activities for a highly mobile population: construction workers in Ho Chi Minh City* (http://www.popcouncil.org/horizons/ressum/wrkplc/vtnmncstrwrkr/vtnmncstrwrkr_intro.html, consulté le le 23 mars 2008).

Population Council, USAID (2007). *Implementing STI/HIV prevention and care interventions for men who have sex with men in Dakar, Senegal*. Washington DC, Population Council, Horizons Project.

Projet sur l'Étude des migrations en Afrique australe (2005). *HIV/AIDS Population Mobility and Migration in Southern Africa: Towards a Research and Policy Agenda*. Genève, Organisation internationale pour les migrations.

Robertson M et al. (2008). Efficacy Results from the STEP Study (Merck V520 Protocol 023/HVTN 502): A Phase II, Test-of-Concept Trial of the MRKAd5 HIV-1 Gag/Pol/Nef Trivalent Vaccine. 15^{ème} Conférence sur les rétrovirus et les infections opportunistes, Boston. États-Unis d'Amérique.

SADC (2006). Expert Think Tank Meeting on HIV Prevention in High Prevalence Countries in Southern Africa Report, Maseru, Lesotho, 10-12 May 2006. Southern African Development Community, Gaborone.

Say L, Raine R (2007). A systematic review of inequalities in the use of maternal health care in developing countries: examining the scale of the problem and the importance of context. *Bulletin de l'Organisation mondiale de la Santé*, 85:733–820.

Schoofs M (2007). Challenge for AIDS fighters: circumcising Africans safely. *Wall Street Journal*, 7 septembre.

Steen R et al. (2006). Pursuing scale and quality in STI interventions with sex workers: initial results from Avahan India AIDS Initiative. *Sexually Transmitted Infections* 82:381–385.

Stover J et al. (2006). The global impact of scaling up HIV/AIDS prevention programs in low- and middle-income countries. *Science*, 311:1474–1476.

Stripipatana T et al. (2007). Site-specific interventions to improve prevention of mother-to-child transmission of human immunodeficiency virus programs in less developed settings. *American Journal of Obstetrics and Gynecology* 197:S107-S112.

Suarez et al. (2001). Influence of a partner's HIV Serostatus, use of highly active antiretroviral therapy, and viral load on the perceptions of sexual risk behavior in a community sample of men who have sex with men. *Journal of Acquired Immune Deficiency Syndromes*, 28:471–477.

Swartz L, Nkai DP (2004). *The impact of HIV/AIDS on the mining sector, with special emphasis on Southern African male migrant workers*. Bangkok, Programme VIH et développement du PNUD en Asie du sud-est, Comité International de Coopération dans les Recherches Nationales en Démographie.

Teeraratkul A et al. (2005). Evaluating programs to prevent mother-to-child HIV transmission in two large Bangkok hospitals, 1999-2001. *Journal of Acquired Immune Deficiency Syndromes* 38:208-212.

Templeton D, Hogben M (2007). *Circumcision not protective against HIV seroconversion in homosexual men*. 17^{ème} Réunion de la Société internationale pour la recherche sur les maladies sexuellement transmissibles. 30 juillet 2007. (Abstract No. 215).

Thai AIDS Treatment Action Group, Human Rights Watch (2007). *Deadly denial: barriers to HIV/AIDS treatment for people who use drugs*.

Tonwe-Gold B et al. (2007). Antiretroviral Treatment and Prevention of Peripartum and Postnatal HIV Transmission in West Africa: Evaluation of a Two-Tiered Approach. *PloS Medicine* 4:e257.

TRC (2008). *International coordination and information service for drug substitution patients seeking to travel abroad*. Travel Resource Center (www.indro-online.de/nia.htm, consulté le 14 avril 2008).

Underhill K, Montgomery P, Operario D (2007). Sexual abstinence only programmes to prevent HIV infection in high income countries: systematic review. *BMJ* 335:248–252.

UNFPA (2003). *Rapport sur la situation de la population mondiale, 2003. Making one billion count: investing in adolescents' health rights*. New York, Fonds des Nations Unies pour la Population.

UNICEF, ONUSIDA, OMS (2008). *Enfants et sida: deuxième bilan de la situation*. New York, UNICEF.

UNICEF (2008). *La situation des enfants dans le monde 2008*. New York, UNICEF.

Vernazza P et al. (2008). Les personnes séropositives ne souffrant d'aucune autre MST et suivant un traitement antiretroviral efficace ne transmettent pas le VIH par voie sexuelle []. *Bulletin des médecins suisses* 89:165–169.

Vu BN et al. (2008). Male sexuality in Vietnam: the case of male-to-male sex. *Sexual Health*, 5:83–88.

Watson-Jones D et al. (2008). Effect of herpes simplex suppression on incidence of HIV among women in Tanzania. *New England Journal of Medicine*, 358:1560–1571.

Wawer MJ et al. (2005). Rates of HIV-1 transmission per coital act by stage of HIV-1 infection, in Rakai, Uganda. *Journal of Infectious Diseases*, 191:1403–1409.

Wegbreit J et al. (2006). Effectiveness of HIV prevention strategies in resource-poor countries: tailoring the intervention to the context. *AIDS*, 20:1217–1235.

Wellings K et al. (2006). Sexual behaviour in context: a global perspective. *Lancet*, 368:1706–1728.

Were WA et al. (2006). Undiagnosed HIV infection and couple HIV discordance among household members of HIV-Infected people receiving antiretroviral therapy in Uganda. *Journal of Acquired Immune Deficiency Syndromes*, 43:91–95.

White RG (2003). Commentary: What can we make of an association between human immunodeficiency virus prevalence and population mobility? *Journal international de l'épidémiologie*, 32:753–754.

Williams BG et al. (2006). The potential impact of male circumcision on HIV in sub-Saharan Africa. *PLoS Medicine*, 3(7):e262.

World Association for Sexual Health (2008). *Sexual health for the millennium: a declaration and technical document*. Minneapolis (Etats-Unis d'Amérique), World Association for Sexual Health.

Zaba B et al. (2004). Age at first sex: understanding recent trends in African demographic surveys. *Sexually Transmitted Infections*, 80(Supp. II):ii28-ii35.

Chapitre 5 | TRAITEMENT ET PRISE EN CHARGE

Abgrail S et al. (2006). Switch from a first virologically effective protease inhibitor-containing regimen to a regimen containing efavirenz, nevirapine or abacavir. *AIDS* 20:2099-2106.

Agence France Press (2008). 'Unacceptable' Delay in Detecting Brazil AIDS Cases: Official. 14 février.

Anglican United Nations Office (2007). *Working Together: The Anglican Response to HIV & AIDS in Africa*. Anglican United Nations Office, Genève.

Antiretroviral Therapy in Lower Income Countries Collaboration, ART Cohort Collaboration Groups (2006). Mortality of HIV-1-infected patients in the first year of antiretroviral therapy: comparison between low-income and high-income countries. *Lancet* 367:817-824.

Arah OA, Ogbu UC, Okeke CE (2008). Too Poor to Leave, Too Rich to Stay: Developmental and Global Health Correlates of Physician Migration to the United States, Canada, Australia, and the United Kingdom. *Am J Pub Health* 98:148-154.

Aspeling HE, van Wyk NC (2008). Factors associated with adherence to antiretroviral therapy for the treatment of HIV-infected women attending an urban care facility. *Int J Nurs Pract* 14:3-10.

- Badri M et al. (2006). Cost-effectiveness of Highly Active Antiretroviral Therapy in South Africa. *Plos Medicine* January 3: e4
- Barreto CC et al. (2006). Trends in antiretroviral drug resistance and clade distribution among HIV-1 infected blood donors in Sao Paulo, Brazil. *J Acquir Immune Defic Syndr* 41:338-341.
- Basu S et al. (2007). Prevention of nosocomial transmission of extensively drug-resistant tuberculosis in rural South Africa district hospitals: an epidemiological modeling study. *Lancet* 370:1500-1507.
- Beck E et al. (2006). National adult antiretroviral therapy guidelines in resource-limited countries: concordance with 2003 WHO guidelines? *AIDS* 2006;20:1497-1502.
- Beck E et al. (2008a). Treatment Outcome and Cost-effectiveness of different HAART regimens in the UK 1996-2002. *Int J STD & AIDS* (sous presse).
- Beck E, Walensky RP (2008b). The Outcome and Impact of Ten Years of HAART, in *A Decade of HAART* (Zuniga JM et al., eds.). Oxford University Press, Oxford, Royaume-Uni, sous presse.
- Becquet R et al. (2006). Complementary feeding adequacy in relation to nutritional status among early weaned breastfed children who are born to HIV-infected mothers: ANRS 1201/1202 Ditrane Plus, Abidjan, Côte d'Ivoire. *Pediatrics* 117:e701-e710.
- Bolton-Moore C et al. (2007). Clinical outcomes and CD4 cell response in children receiving antiretroviral therapy at primary health care facilities in Zambia. *Journal of the American Medical Association* 298:1888-1899.
- Bong C et al. (2007). Risk factors for early mortality in children on adult fixed-dose combination antiretroviral treatment in a central hospital in Malawi. *AIDS* 21:1805-1810.
- Bryce J et al. (2008). Maternal and child undernutrition: effective action at national level. *Lancet* DOI:10.1016/S0140-6736(07)61694-8 (publication préliminaire en ligne).
- Burman WJ et al. (2008). The Impact of Episodic CD4 Cell Count-Guided Antiretroviral Therapy on Quality of Life. *J Acquir Immune Defic Syndr* 47:185-193.
- Catalan J et al. (2005). *Mental Health and HIV/AIDS: Psychotherapeutic Interventions in Antiretroviral (ARV) Therapy (for second level care)*. Organisation mondiale de la Santé, Genève.
- Cazanave C et al. (2008). Reduced bone mineral density in HIV-infected patients: prevalence and associated factors. *AIDS* 22:395-402.
- Centers for Disease Control and Prevention (2002). Number of Persons Tested for HIV – United States, 2002. *MMWR* 53:1110-1113.
- Centers for Disease Control and Prevention (2005). *Coinfection with HIV and Hepatitis C: Fact Sheet*. Consulté le 9 février 2008 sur <http://www.cdc.gov/hiv/resources/factsheets/coinfection.htm>.
- Chaisson RE, Martinson NA (2008). Tuberculosis in Africa – Combating an HIV-Driven Crisis. *New Eng J Med* 358:1089-1092.
- Clotet B et al. (2007). Efficacy and safety of darunavir-ritonavir at week 48 in treatment-experienced patients with HIV-1 infection in POWER 1 and 2: a pooled subgroup analysis of data from two randomized trials. *Lancet* 369:1169-1178.
- Coalition internationale pour la préparation aux traitements (2007). *Missing the Target #5: Improving AIDS Drug Access and Advancing Health Care for All* (Décembre).
- Coalition mondiale des entreprises contre le VIH/sida (2007). *Case Study – Anglo Coal South Africa*. 23 février. Consulté le 8 février 2008 sur <http://www.businessfightsaids.org/live/cases/cases.php?id=40>.
- Dalal RP et al. (2008). Characteristics and Outcomes of Adult Patients Lost to Follow-Up at an Antiretroviral Treatment Clinic in Johannesburg, South Africa. *J Acquir Immune Defic Syndr* 47:101-107.
- DeBaets AJ et al. (2005). Pediatric Human Immunodeficiency Virus Screening in an African District Hospital. *Clin Diagn Lab Immunol* 12:86-92.
- Delfraissy JF et al. (2008). Lopinavir/ritonavir monotherapy or plus zidovudine and lamivudine in antiretroviral/naïve HIV-infected patients. *AIDS* 22:385-393.

- Dhir AA et al. (2008). Spectrum of HIV/AIDS related cancers in India. *Cancer Causes Control* 19:147-153.
- Dippenaar H, Marston J (2008). *The status of palliative care for children in the Motheo District of the Free State*. Non publié.
- Dowdy DW et al. (2006). The potential impact of enhanced diagnostic techniques for tuberculosis driven by HIV: a mathematical model. *AIDS* 20:751-762.
- Egger M (2007). Outcome of antiretroviral therapy in resource-limited and industrialized countries. Conference on Retroviruses and Opportunistic Infections, Los Angeles, Etats-Unis.
- Eron J et al. (2006). The KLEAN study of fosamprenavir-ritonavir versus lopinavir-ritonavir, each in combination with abacavir-lamivudine, for initial treatment of HIV infection over 48 weeks: a randomized non-inferiority trial. *Lancet* 368:476-482.
- Este JA, Telenti A (2007). HIV entry inhibitors. *Lancet* 370:81-88.
- Ethiopia Federal Ministry of Health (2007). *Millennium AIDS Campaign Ethiopia, November 2006-August 2007*.
- EuroHIV (2007). *HIV/AIDS surveillance in Europe: end-year report 2006, No 75*. Institut de Veille Sanitaire. Saint-Maurice. Disponible sur <http://www.eurohiv.org>
- Family Health International (2007). *Primary health care services increased with integration of basic HIV care*. Consulté le 23 mars 2008 sur www.fhi.org/en/HIVAIDS/country/Rwanda.
- Fassinou P et al. (2004). Highly active antiretroviral therapies among HIV-1-infected children in Abidjan, Côte d'Ivoire. *AIDS* 18:1905-1913.
- Fellay J et al. (2001). Prevalence of adverse events associated with potent antiretroviral treatment: Swiss HIV Cohort Study. *Lancet* 358:1322-1327.
- Fidler S et al. (2008). Primary HIV infection: to treat or not to treat? *Curr Opin Infect Dis* 21:4-10.
- Fonds mondial de lutte contre le sida, la tuberculose et le paludisme (2007a). *Les financements du Fonds mondial permettent de fournir des traitements contre le sida à 1,4 million de personnes*. Fonds mondial de lutte contre le sida, la tuberculose et le paludisme, Genève. Communiqué de presse, 30 novembre.
- Fonds mondial de lutte contre le sida, la tuberculose et le paludisme (2007b). *Board of the Global Fund approves US\$ 1.1 billion in new grants*. Fonds mondial de lutte contre le sida, la tuberculose et le paludisme, Genève. Communiqué de presse, 12 novembre.
- Fonds mondial de lutte contre le sida, la tuberculose et le paludisme (2008). *Monthly progress update – 31 January 2008*. (http://www.theglobalfund.org/en/files/publications/basics/progress_update/progressupdate.pdf, consulté le 23 mars 2008).
- Food and Nutrition Technical Assistance (2004a). *HIV/AIDS: A Guide for Nutritional Care and Support*. Academy for Educational Development, Washington DC.
- Food and Nutrition Technical Assistance (2004b). *Food and Nutrition Implications of Antiretroviral Therapy in Resource Limited Settings*. Technical Note No. 7. Academy for Educational Development, Washington DC.
- Freeman MC et al. (2005). Integrating mental health in global initiatives for HIV/AIDS. *Brit J Psychiatry* 187:1-3.
- Friis H (2005). *Miconutrients and HIV infection: a review of current evidence, Consultation on Nutrition and HIV/AIDS in Africa*. Organisation mondiale de la Santé, Genève, 10-13 avril.
- Gandhi NR et al. (2006). Extensively drug-resistant tuberculosis as a cause of death in patients co-infected with tuberculosis and HIV in a rural area of South Africa. *Lancet* 368:1575-1580.
- George E et al. (2007). Antiretroviral Therapy for HIV-1-Infected Children in Haiti. *Journal of Infectious Diseases* 195:1411-1418.
- Gillespie S, Kadiyala S (2005). *HIV/AIDS and Food and Nutrition Security: From Evidence to Action*. International Food Policy Research Institute, Washington DC.
- Gimbel S et al. (2007). *Rolling out ART in Mozambique 2003-2006: Task Shifting and Decentralization*. 2007 HIV/AIDS Implementers Meeting, Kigali, Rwanda, Juin. Abstract No. 90.

- Girardi E, Sabin CA, Monforte AD (2007). Late Diagnosis of HIV Infection: Epidemiologic Features, Consequences and Strategies to Encourage Earlier Testing *J Acquir Immune Defic Syndr* 46(Supp. 1):S3-S8.
- Gray A (2004). *Access to Medicines and Drug Regulation in Developing Countries: A Resource Guide for DFID*. UK Department for International Development, Londres.
- Grinsztejn B et al. (2007). Safety and efficacy of the HIV-1 integrase inhibitor raltegravir (MK-0518) in treatment-experienced patients with multidrug-resistant virus: a phase II randomized controlled trial. *Lancet* 369:1261-1269.
- Grulich AE et al. (2007). Incidence of cancers in people with HIV/AIDS compared with immunosuppressed transplant recipients: a meta-analysis. *Lancet* 370:59-67.
- Harling G, Wood R, Beck EJ (2005). Efficiency of Intervention in HIV Infection, 1994-2004. *Disease Management and Health Outcomes* 13: 371-394
- Hegarty AM, Chaudhry SI, Hodgson TA (2008). Oral healthcare for HIV-infected patients: an international perspective. *Expert Opin Pharmacother* 9:387-404.
- Heiden D et al. (2007). Cytomegalovirus Retinitis: The Neglected Disease of the AIDS Pandemic. *PLoS Med* 4:e334.
- Hicks PL et al. (2007). The impact of illicit drug use and substance abuse treatment on adherence to HAART. *AIDS Care* 19:1134-1140.
- Hoffman CJ, Thio CL (2007). Clinical implications of HIV and hepatitis B co-infection in Asia and Africa (2007) *Lancet Infectious Diseases* 7:402-409.
- Hopewell PC et al. (2006). International standards for tuberculosis care. *Lancet Infect Dis* 6:710-725.
- Human Rights Watch, Thai AIDS Treatment Action Group (2007a). *Barriers to HIV/AIDS Treatment for People Who Use Drugs in Thailand*.
- Human Rights Watch (2007b). *Hidden in the Mealie Meal: Gender-Based Abuses and Women's HIV Treatment in Zambia*. Human Rights Watch, New York.
- International Union of Superiors General (2008). *In Loving Service: Catholic Religious Institutes of men and women addressing HIV and AIDS through communities of care and prevention, findings of a global survey*. Projet non publié, février.
- Isaac R et al. (2008). Declines in dietary macronutrient intake in persons with HIV infection who develop depression. *Public Health Nutr* 11:124-131.
- Janssens B et al. (2007). Effectiveness of Highly Active Antiretroviral Therapy in HIV-Positive Children: Evaluation at 12 Months in a Routine Program in Cambodia. *Pediatrics* 120:e1134-e1140.
- Johnson M et al. (2006). 96-week comparison of once-daily atazanavir/ritonavir and twice-daily lopinavir/ritonavir in patients with multiple virologic failures. *AIDS* 20:711-718.
- Jones CY et al. (2006). Micronutrient levels and HIV disease status in HIV-infected patients on highly active antiretroviral therapy in the Nutrition for Healthy Living cohort. *J Acquir Immune Defic Syndr* 43:475-482.
- Lange JMA (2006). Antiretroviral treatment and care of HIV, in *The HIV Pandemic: local and global implications* (Beck E et al., eds.). Oxford University Press, Oxford, Royaume-Uni.
- Lazzarin A et al. (2007). Efficacy and safety of TMC125 (etravirine) in treatment-experienced HIV-1-infected patients in DUET-2: 24-week results from a randomized, double-blind, placebo-controlled trial. *Lancet* 370:39-48.
- Lohse N et al. (2007). Survival of Persons with and without HIV Infection in Denmark, 1995-2005. *Ann Intern Med* 146:87-95.
- MacArthur RD et al. (2006). A comparison of three highly active antiretroviral treatment strategies consisting of non-nucleoside reverse transcriptase inhibitors, protease inhibitors, or both in the presence of nucleoside reverse transcriptase inhibitors as initial therapy (CPCRA 058 FIRST Study): a long-term randomized trial. *Lancet* 368:2125-2135.
- Makombe SD et al. (2007). A national survey of the impact of rapid scale-up of antiretroviral therapy on health-care workers in Malawi: effects on human resources and survival. *Bulletin de l'Organisation mondiale de la Santé* 85:851-857.

- Malawi National AIDS Commission (2007). *InfoBrief 2: 200 HTC Week*.
- Marston M et al. (2005). Estimating the net effect of HIV on child mortality in African populations affected by generalized HIV epidemics. *J Acquir Immune Defic Syndr* 38:219-227.
- Marston B, DeCock KM (2004). Multivitamins, Nutrition and Antiretroviral Therapy for HIV Disease in Africa. *New England Journal of Medicine* 351:78-80.
- MEASURE DHS, 2008. Macro International, Inc., Calverton MD.
- Miller G (2006). The Unseen: Mental Illness's Global Toll. *Science* 311:458-461.
- Mills EJ et al. (2006). Adherence to antiretroviral therapy in sub-Saharan Africa and North America: A meta-analysis. *JAMA* 296:679-690.
- Moore A, Morrison SJ (2007). *Health Worker Shortages Challenge PEPFAR Options for Strengthening Health Systems*. Task Force on HIV/AIDS. Center for Strategic and International Studies, Washington D.C. Septembre.
- Newell ML et al. (2004). Mortality of infected and uninfected infants born to HIV-infected mothers in Africa: a pooled analysis. *Lancet* 364:1236-1243.
- New York City Department of Health and Mental Hygiene (2005). *HIV/AIDS Epidemiology Program Fourth Quarter Report*. 3:1-4. Octobre.
- New York City Department of Health and Mental Hygiene (2007). *HIV Epidemiology & Field Services Semi-Annual Report*. Octobre.
- Niel Malan DR et al. (2008). Efficacy and Safety of Atazanavir, With or Without Ritonavir, as Part of Once-Daily Highly Active Antiretroviral Therapy Regimens in Antiretroviral-Naïve Patients. *J Acquir Immune Defic Syndr* 47:161-167.
- Nunn AS et al. (2007). Evolution of Antiretroviral Drug Costs in Brazil in the Context of Free and Universal Access to AIDS Treatment. *PLoS Med* 4:e305.
- Nyirenda M et al. (2007). Mortality levels and trends by HIV serostatus in rural South Africa. *AIDS* 21 (Supp. 6):S73-S79.
- Obermeyer CM, Osborn M (2007). The Utilization of Testing and Counseling for HIV: A Review of the Social and Behavioral Evidence. *Am J Pub Health* 97:1762-1774.
- O'Brien DP et al. (2006). In resource-limited settings good early outcomes can be achieved in children using adult fixed-dose combination antiretroviral therapy. *AIDS* 20:1955-1960.
- OMS (2003). *Nutrient requirements for people living with HIV/AIDS: Report of a technical consultation*. Organisation mondiale de la Santé, Genève.
- OMS (2004). *Interim policy on collaborative TB/HIV activities*. Organisation mondiale de la Santé, Genève.
- OMS (2006a). *Antiretroviral Therapy for HIV Infection in Adults and Adolescents: Recommendations for a Public Health Approach*. Organisation mondiale de la Santé, Genève.
- OMS (2006b). *Report on the WHO/UNAIDS meeting on forecasting ARV needs up to 2010*. Organisation mondiale de la Santé, Genève.
- OMS (2006c). *Antiretroviral Therapy for HIV Infection in Infants and Children: Towards Universal Access, Recommendations for a public health approach*. Organisation mondiale de la Santé, Genève.
- OMS (2006d). *Travailler ensemble pour la santé*. Organisation mondiale de la Santé, Genève.
- OMS (2007a). *Prioritizing second-line antiretroviral drugs for adults and adolescents: a public health approach*. Organisation mondiale de la Santé, Genève (Report of a WHO Working Group meeting, 21-22 mai).
- OMS (2007b). *Tuberculosis Care and TB-HIV Co-management: Integrated Management of Adolescent and Adult Illness (IMAI)*. Organisation mondiale de la Santé, Genève.
- OMS (2007c). *TB/HIV Facts at a Glance*. Organisation mondiale de la Santé, Genève (<http://www.who.int/tb/challenges/hiv/facts/en/index.html>, consulté le 9 février 2008).

- OMS (2007d). *Global Tuberculosis Control: Surveillance, Planning, Financing*. Organisation mondiale de la Santé, Genève.
- OMS (2007e). *Task Shifting to Tackle Health Workers Shortages*. Organisation mondiale de la Santé, Genève.
- OMS (2007f). *Appreciating assets: mapping, understanding, translating and engaging religious health assets in Zambia and Lesotho*. Organisation mondiale de la Santé, Genève.
- OMS (2008a). *Global Tuberculosis Control 2008: Surveillance, Planning, Financing*. Organisation mondiale de la Santé, Genève (WHO/HTM/TB/2008.393).
- OMS (2008b). The methadone fix. *Bulletin of the World Health Organization*, 86:164–165. Organisation mondiale de la Santé, Genève
- OMS (2008c). *Anti-tuberculosis drug resistance in the world – Report No. 4, The WHO/IUATLD global project on anti-tuberculosis drug resistance surveillance*. Organisation mondiale de la Santé, Genève.
- OMS, ONUSIDA, PEPFAR (2008). *Task shifting. Global recommendations and guidelines*. Organisation mondiale de la Santé, Genève.
- OMS, UNICEF, ONUSIDA (2007). *Vers un accès universel: étendre les interventions prioritaires liées au VIH/sida dans le secteur de la santé, Rapport de situation, avril 2007*. Organisation mondiale de la Santé, Genève.
- ONUSIDA (2007a). *Financing Resources Required to Achieve Universal Access to HIV Prevention, Treatment, Care and Support*. ONUSIDA, Genève.
- ONUSIDA (2007b). *Poursuite de l'aide aux pays pour la fixation des objectifs nationaux afin d'aboutir à l'accès universel*. 20^{ème} réunion du Conseil de Coordination du Programme de l'ONUSIDA. 25–27 juin. ONUSIDA, Genève (Point 4.1 de l'ordre du jour provisoire).
- ONUSIDA (2007c). *Le Point sur l'épidémie de sida*. ONUSIDA, Genève.
- ONUSIDA, OMS (2007). *Guide du conseil et du dépistage du VIH à l'initiative du soignant*. Organisation mondiale de la Santé, Genève.
- Organe international de contrôle des stupéfiants (1989). *Report of the International Narcotics Control Board for 1989: demand for and supply of opiates for medical and scientific needs*. Vienne, Nations Unies.
- Ormassen V et al. (2007). HIV related and non-HIV related mortality before and after the introduction of highly active antiretroviral therapy (HAART) in Norway compared to the general population. *Scand J Infect Dis* 39:51-57.
- Palmer S et al. (2008). Low-level viremia persists for at least 7 years in patients on suppressive antiretroviral therapy. *PNAS* 105:3879-3884.
- Panel on Antiretroviral Guidelines for Adults and Adolescents (2008). *Guidelines for the use of antiretroviral agents in HIV-1-infected adults and adolescents*. US Department of Health and Human Services, Washington.
- Patel K et al. (2008). Long-term effectiveness of highly active antiretroviral therapy on the survival of children and adolescents with HIV infection: a 10-year follow-up study. *Clin Infect Dis* 46:507-515.
- Patel V (2007). Mental health in low- and middle-income countries. *Brit Med Bull* doi:10.1093/bmb/ldm010 (publication préliminaire en ligne).
- Pence BW et al. (2007). Psychiatric illness and virologic response in patients initiating highly active antiretroviral therapy. *J Acquir Immune Defic Syndr* 44:159-166.
- Phillips AN et al. (2007). Risk of extensive virologic failure to the three original antiretroviral drug classes over long-term follow-up from the start of therapy in patients with HIV infection: an observational cohort study. *Lancet* 370:1923-1928.
- Phillips EJ, Malial SA (2008). Pharmacogenetics and the potential for the individualization of antiretroviral therapy. *Curr Opin Infect Dis* 21:16-24.
- PNUD (2007). *Rapport mondial sur le développement humain 2007/2008*. Programme des Nations Unies pour le Développement, New York.
- Prendergast A et al. (2007). International perspectives, progress, and future challenges of paediatric HIV infection. *Lancet* 370:68-80.

President's Emergency Plan for AIDS Relief (2008). *The Power of Partnerships: Fourth Annual Report to Congress on PEPFAR*.

Puthankit T et al. (2007). Hospitalization and Mortality among HIV-Infected Children after Receiving Highly Active Antiretroviral Therapy. *Clin Infect Dis* 44:599-604.

Reddi A et al. (2007). Preliminary outcomes of a paediatric highly active antiretroviral therapy cohort from KwaZulu-Natal, South Africa. *BMC Paediatrics* 7:13.

Rouet F et al. (2008). Frequent occurrence of chronic hepatitis B virus infection among West African HIV type-1-infected children. *Clin Infect Dis* 46:361-366.

Sanders E (2008). New life for African patients: Thanks to US funding, antiviral drugs are available to those too poor to afford them. *Los Angeles Times*. 15 février.

Samb B et al. (2007). Rapid Expansion of the Health Workforce in Response to the HIV Epidemic. *New Eng J Med* 2007;357:2510-2514.

Sherman GG, Matsebula TC, Jones SA (2005). Is early HIV testing of infants in poorly resourced prevention of mother to child transmission programmes affordable? *Trop Med & Int Health* 10:1108-1113.

Smit C et al. (2006). Effective therapy has altered the spectrum of cause-specific mortality following HIV seroconversion. *AIDS* 20:741-749.

Smit C et al. (2008). Risk of Hepatitis-Related Mortality Increased Among Hepatitis C Virus/HIV-Coinfected Drug Users Compared with Drug Users Infected Only With Hepatitis C Virus: A 20-Year Prospective Study. *J Acquir Immune Defic Syndr* 47:221-225.

Srithanaviboonchai K et al. (2008). Novel low-cost assay for the monitoring of CD4 counts in HIV-infected individuals. *J Acquir Immune Defic Syndr* 47:135-139.

Steen TW et al. (2007). Two and a Half Years of Routine HIV Testing in Botswana. *J Acquir Immune Defic Syndr* 44:484-488.

Steinbrook R (2007). Closing the Affordability Gap for Drugs in Low-Income Countries. *New Eng J Med* 357:1996-1999.

Strategies for Management of Antiretroviral Therapy (SMART) Study Group et al. (2006). CD4+ count-guided interruption of antiretroviral treatment. *New Eng J Med* 355:2283-2296.

Sulkowski MS, Benhamou Y (2007). Therapeutic issues in HIV/HCV-co-infected patients. *J Viral Hep* 14:371-386.

Tegger MK et al. (2008). The Effect of Mental Illness, Substance Use and Treatment for Depression on the Initiation of Highly Active Antiretroviral Therapy among HIV-Infected Individuals. *AIDS Patient Care and STDs* 22:233-243.

Thomas CF, Limper AH (2004). Pneumocystic pneumonia. *New Eng J Med* 350:2487-2498.

UK Collaborative HIV Cohort Study (2008). Are previous treatment interruptions associated with higher viral rebound rates in patients with viral suppression? *AIDS* 22:349-356.

UNITAID (2008). *Aide-mémoire*. Consulté le 8 mars 2008 sur <http://www.unitaid.eu/images/action/factsheet.pdf>.

Walensky RP et al. (2006). The survival benefits of AIDS treatment in the United States. *J Infect Dis* 194;11-19.

Walzer A et al. (2006). Determinants of survival without antiretroviral therapy after infancy in HIV-1-infected Zambian children in the CHAP Trial. *J Acquir Immune Def Syndr* 42:637-645.

Wang H et al. (2007). Self-Reported Adherence to Antiretroviral Treatment among HIV-Infected People in Central China. *AIDS Patient Care STDs* (Epub ahead of print).

Wang X, Wu Z (2007). Factors associated with adherence to antiretroviral therapy among HIV/AIDS patients in rural China. *AIDS* 21(Supp. 8):S149-S155.

Weinstock HS et al. (2004). The Epidemiology of Antiretroviral Drug Resistance among Drug-Naïve HIV-1-Infected Persons in 10 US Cities. *JID* 189:2174-2180.

Weiser SD et al. (2006). Routine HIV Testing in Botswana: A Population-Based Study on Attitudes, Practices and Human Rights Concerns. *PLoS Med* 3:e261.

Whalen C et al. (1995). Accelerated course of human immunodeficiency virus infection after tuberculosis. *Am J Respir Crit Care Med* 151:129-135.

Wiedle PJ et al. (2006). Adherence to antiretroviral therapy in a home-based AIDS care programme in rural Uganda. *Lancet* 368:1587-1594.

Wilson I et al. (2005). Quality of HIV care provided by nurse practitioners, physician assistants, and physicians. *Ann Intern Med* 143:729-737.

Chapitre 6 | ATTÉNUATION DE L'IMPACT DE L'ÉPIDÉMIE

Banque asiatique de développement, ONUSIDA (2004). *Asia-Pacific's Opportunity: Investing to Avert an HIV/AIDS Crisis*. Série d'études ADB/ONUSIDA.

Barnett T (2004). *HIV/AIDS, Nutrition and Food Security: Looking to Future Challenges*, dans *The Macroeconomics of HIV/AIDS*. Fonds monétaire international, Washington DC.

Beegle K (2003). *Labor effects of adult mortality in Tanzanian households*. Policy Research Working Paper No. 3062. Banque mondiale.

Bell C, Devarajan S, Gersbach H (2004). Thinking About the Long-Run Economic Costs of AIDS, dans *The Macroeconomics of HIV/AIDS*. Fonds monétaire international, Washington DC.

Bhorat H, Kanbur R (2005). *Poverty and Well-Being in Post-Apartheid South Africa*. DPRU Working Paper No. 05/101. Consulté le 3 mars 2008 sur http://papers.ssrn.com/sol3/papers.cfm?abstract_id=982805.

Birdsall N, Hamoudi A (2004). AIDS and the Accumulation and Utilization of Human Capital in Africa, dans *The Macroeconomics of HIV/AIDS*. Fonds monétaire international, Washington DC.

Bollinger L, Stover J, Riwa P (1999). *The economic impact of AIDS in Tanzania*. Policy Working Paper. Policy Project.

Centre international de recherche sur les femmes (CIRF), 2007. *Women's Property Rights as an AIDS Response: Lessons from Community Interventions in Africa*. Centre international de recherche sur les femmes, Washington DC.

Chapoto A, Jayne TS, Mason N (2007). Security of widows' access to land in the era of HIV/AIDS: Panel survey evidence from Zambia. Food Security Research Project – Zambia, Ministère de l'Agriculture et des Coopératives, Agriculture Consultative Forum, Michigan State University.

Chapoto A, Jayne TS (2005). *Socio-economic characteristics of Individuals affected by AIDS-related Prime-age Mortality in Zambia*. Lusaka, Zambia, Food Security Research Project.

Chirambo K (2007). AIDS, Politics and Governance: Preliminary results on the impact of HIV/AIDS on the electoral process in Namibia, Malawi, Senegal, South Africa, Tanzania and Zambia. Présenté à l'Université de Warwick/à la Conférence PNUD sur le thème 'Governance of HIV/AIDS Responses: Making Participation and Accountability Count.'

Coalition internationale pour la préparation aux traitements (ITPC) (2007) *Missing the Target #5: Improving AIDS Drug Access and Advancing Health Care for All*. Treatment Monitoring and Advocacy Project, San Francisco, États-Unis.

Coalition mondiale sur les femmes et le sida (2006). *Du soutien pour les dispensatrices de soins*. N° 5. ONUSIDA, Genève.

Collins DL, Leibbrandt M (2007). The financial impact of HIV/AIDS on poor households in South Africa. *AIDS* 21(Supp. 1):S75-S81.

Commission on AIDS in Asia (2008). *Redefining AIDS in Asia – Crafting an effective response*.

Connelly D et al. (2007). Prevalence of HIV infection and median CD4 counts among health care workers in South Africa. *S Afr Med J* 97:115-120.

- Dinkelman T, Lam D, Leibbrandt M (2007). Household and community income, economic shocks and risky sexual behavior of young adults: evidence from the Cape Area Panel Study 2002 and 2005. *AIDS* 21(Supp. 1):S49-S56.
- Dorward AR, Mwale IM (2004). Labor Market and Wage Impacts of HIV/AIDS in Rural Malawi, dans *The Macroeconomics of HIV/AIDS*. Fonds monétaire international, Washington DC.
- Fonds mondial de lutte contre le sida, la tuberculose et le paludisme (2008). *Monthly Progress Update – 31 January 2008*. Consulté le 6 mars 2008 sur http://www.theglobalfund.org/en/files/publications/basics/progress_update/progressupdate.pdf
- Fourie I (2005). *The Impact of HIV/AIDS on the South African Mining Industry*. LBMA Precious Metals Conference, Johannesburg. Consulté le 4 mars 2008 sur http://www.lbma.org.uk/conf2005/2f.fourie_LBMA2005.pdf.
- Garrett L (2005). *HIV and National Security: Where Are the Links?* Council on Foreign Relations, New York.
- Gillespie S, Kadiyala S (2005). *HIV/AIDS and Food and Nutrition Security: From Evidence to Action*. International Food Policy Research Institute, Washington DC.
- Gillespie S et al. (2007). Investigating the empirical evidence for understanding vulnerability and the associations between poverty, HIV infection and AIDS impact. *AIDS* 2007 ;21(Supp. 1):S1-S4.
- Global Fund Partnership Forum (2006). *Visite de site, 30 juin 2006 – Hospice de Philanjalo*. Fonds mondial de lutte contre le sida, la tuberculose et le paludisme. Consulté le 24 mars 2006 sur <http://www.theglobalfund.org/en/about/forum/2006/philanjalo/>.
- Greener R (2004). The Impact of HIV/AIDS on Poverty and Inequality, dans *The Macroeconomics of HIV/AIDS*. Fonds monétaire international, Washington DC.
- Groupe de travail du Secrétaire général sur les femmes, les filles et le VIH/sida en Afrique australe (2004). *Facing the Future Together*.
- Haacker M (2004a). HIV/AIDS: The Impact on the Social Fabric and the Economy, dans *The Macroeconomics of HIV/AIDS*. Fonds monétaire international, Washington DC.
- Haacker M (2004b). The Impact of HIV/AIDS: The Impact on Government Finance and Public Services, dans *The Macroeconomics of HIV/AIDS*. Fonds monétaire international, Washington DC.
- HCR (2007). *Statistiques annuelles 2006: Trends in Displacement, Protection and Solutions*. Bureau du Haut Commissariat des Nations Unies pour les réfugiés, Genève.
- IRIN News (2006). *Swaziland: The vital but underestimated role of AIDS caregivers*. 9 mai. Consulté le 24 mars 2008 sur <http://www.irinnews.org/report.aspx?reportid=58966>.
- Jayne TS et al. (2004). HIV/AIDS and the Agricultural Sector in Eastern and Southern Africa: Anticipating the Consequences, dans *The Macroeconomics of HIV/AIDS*. Fonds monétaire international, Washington DC.
- Karlan D, Ashraf N, Yin W (2007). *Female Empowerment: Impact of a Commitment Savings Product in the Philippines*. Working Paper No. 106. Center for Global Development, Washington DC.
- Kim JC et al. (2007). Understanding the Impact of a Microfinance-Based Intervention on Women's Empowerment and the Reduction of Intimate Partner Violence in South Africa. *Am J Pub Health* 97:1794-1802.
- Mermin J et al. (2008). Mortality in HIV-infected Ugandan adults receiving antiretroviral treatment and survival of their HIV-uninfected children: a prospective cohort study. *Lancet* 371:752-759.
- Mishra V et al. (2007). The socioeconomic determinants of HIV incidence: evidence from a longitudinal, population-based study in rural South Africa. *AIDS* 2007;21(Supp. 1):S29-S38.
- OMS, UNICEF, ONUSIDA (2006). *Aide-mémoire épidémiologiques sur le VIH/sida et les infections sexuellement transmissibles: Ouganda*. Organisation mondiale de la Santé, Genève, Décembre.
- ONUSIDA (2006). *Sida, sécurité et action humanitaire*. 19^{ème} Réunion du Conseil de Coordination du Programme de l'ONUSIDA, Lusaka, Zambie, 6-8 décembre. ONUSIDA, Genève. Disponible sur <http://data.unaids.org/pub/Agenda/2006/Securite.pdf>

- Pal K et al. (2005). Can Low Income Countries Afford Basic Social Protection? First Results of a Modeling Exercise. Organisation internationale du Travail, Genève.
- Piot P, Greener R, Russell S (2007). La quadrature du cercle: sida, pauvreté et développement humain. *PLoS Med* 4: e314.
- PNUD (2005) *Rapport sur le développement humain*. PNUD, New York.
- PNUD (2007). *Rapport sur le développement humain 2007/2008*. UNDP, New York.
- Preston-Whyte et al. (2007). Revealing the full extent of households' experiences of HIV and AIDS in rural South Africa. *Soc Sci & Med*, 65(6):1249-1259.
- Pronyk PM et al. (2007). *The role of structural factors in explaining variations in community HIV prevalence: a study in rural South Africa*. Acornhoek, Afrique du Sud, Rural AIDS and Development Action Resource Programme, Consulté le 12 mai 2008 sur http://web.wits.ac.za/NR/rdonlyres/87874FDD-0C41-4945-A28B-9AEAFD027283/0/Pronyk_IMAGE_Structural_Factors_IMAGE_Working_Paper_1.pdf.
- Pronyk PM et al. (2006). Effect of a structural intervention for the prevention of intimate-partner violence and HIV in rural South Africa: a cluster randomised trial. *Lancet* 368:1973-1983.
- Reuters (2008). 'Malawi to Raise Pay of Civil Servants with HIV.' 7 janvier.
- Rosen S et al. (2006). *The Impact of AIDS on Government Service Delivery: The Case of the Zambian Wildlife Authority*. Health and Development Discussion Paper No. 8. Center for International Health and Development, Boston University School of Public Health, Boston.
- Simon J et al. (2007). Early effects of antiretroviral therapy on work performance: Results from a cohort study of Kenyan agricultural workers. Center for International Health and Development, Boston University School of Public Health. Consulté le 26 septembre 2007 sur <http://www.hivimplement/agenda/pdf/E1/E1%20Simon%abstract%2081.ppt.pdf>.
- Swaminathan H, Bhatla N, Chakraborty S (2007). *Women's Property Rights as an AIDS Response: Emerging Efforts in South Asia*. Centre international de recherche sur les femmes, Washington DC.
- Thirumurthy H, Zivin JF, Goldstein M (2007). *AIDS Treatment and Intra-household Resource Allocations: Children's Nutrition and School in Kenya*. Working Paper No. 105. Center for Global Development, Washington DC.
- UNESCO, HCR (2007). *Educational responses to HIV and AIDS for refugees and internally displaced persons: Discussion paper for decision-makers*. UNESCO, Paris.
- UNICEF (2007a). *The Impact of Social Cash Transfers on Children Affected by HIV and AIDS*. UNICEF, New York.
- UNICEF (2007b). *La Situation des enfants du monde*. UNICEF, New York.
- UNICEF, ONUSIDA, OMS (2008). *Enfants et sida: deuxième bilan de la situation*. UNICEF, New York.
- United States President's Emergency Plan for AIDS Relief (2007). *Latest results*. Consulté le 6 mars 2008 sur <http://www.pepfar.gov/about/c19785.htm>.
- Webb D (2007). From the individual to the system: the coming of age of programmes for orphans and vulnerable children. *Exchange on HIV/AIDS, sexuality and gender* 2:1-4.
- Zambia Central Board of Health, Center for International Health and Development (Boston University School of Public Health) (2004). *The Costs of HIV/AIDS Among Professional Staff in the Zambian Public Health Sector*. Zambian Central Board of Public Health, Lusaka.

Chapitre 7 | ET À PARTIR DE LÀ, QUE FAUT-IL FAIRE ?

Attawell K, Dickinson C (2007). *Evaluation indépendante des progrès dans la mise en œuvre des recommandations de la Cellule mondiale de réflexion en appui aux ripostes nationales au sida*. 20^{ème} réunion du Conseil de Coordination de l'ONUSIDA (UNAIDS/PCB(20)/CRP4).

Banque mondiale (2007). *The Africa multi-country AIDS program 2000-2006: Results of the World Bank's response to a development crisis*. Washington DC, Banque mondiale

- Center for Global Development (2007). *Does the IMF constrain health spending in poor countries? Evidence and an agenda for action*. Washington DC, Center for Global Development (Report of the Working Group on IMF Programs and Health Spending).
- Centro Nacional para la Prevención y control del SIDA, Ministry of Health [Mexico] (2008). *Country Report to monitor progress in the implementation of the Declaration of Commitment (DoC): HIV spending indicator*.
- Gouws E et al. (2006). Short term estimates of adult HIV incidence by mode of transmission: Kenya and Thailand as examples. *Sexually Transmitted Infections*, 82(Suppl. 3):iii51-iii55.
- Hayes S et al. (2007). *Decentralized funding in response to the AIDS Pandemic: An opportunity for promoting good governance in Africa* (Report prepared for the United Nations Development Program, the University of Warwick Center for the Study of Regionalization, and Globalization Conference: Governance of HIV and AIDS Responses).
- McDougal JS et al. (2006). Comparison of HIV type 1 incidence observed during longitudinal follow-up with incidence estimated by cross-sectional analysis using the BED Capture enzyme immunoassay. *AIDS Research and Human Retroviruses*, 22:945-952.
- Office of US Global AIDS Coordinator et al. (2008). *The power of partnerships: The US President's emergency plan for AIDS relief, 2008 annual report to Congress*. Washington DC, US State Department.
- Ofori-Koentang B, Annan J (2005). *District Planning and Implementation Strategy Note and Guide*. PNUD, New York.
- ONUSIDA (2006). *Rapport sur l'épidémie mondiale de sida*. ONUSIDA, Genève.
- ONUSIDA (2007a). *Le Maroc: une réponse nationale au VIH*. ONUSIDA, Genève (Collection ONUSIDA sur les Meilleures Pratiques).
- ONUSIDA (2007b). *Vers l'accès universel à la prévention, au traitement et aux soins: expériences et défis dans la région de Mbeya en Tanzanie – une étude de cas*. ONUSIDA, Genève (Collection ONUSIDA sur les Meilleures Pratiques).
- ONUSIDA (2007c). *Financial resources required to achieve universal access to HIV prevention, treatment, care and support*. ONUSIDA, Genève (http://data.ONUSIDA.org/pub/Report/2007/20070925_advocacy_grne2_en.pdf).
- ONUSIDA (2008). *The socioeconomic impact of the HIV/AIDS epidemic* (AIDS Financing and Economics Division, working paper), ONUSIDA, Genève.
- ONUSIDA Zambie (2006). *Joint United Nations programme on support on AIDS 2007-2010*, ONUSIDA, Lusaka, Zambie.
- Organisation de l'Unité africaine (2001). *Déclaration d'Abuja sur le VIH/sida, la tuberculose et autres maladies infectieuses connexes*. Sommet africain sur le VIH/sida, la tuberculose et autres maladies connexes. 24-27 avril. Abuja, Nigéria (http://www.un.org/ga/aids/pdf/abuja_declaration.pdf, consulté le 17 mars 2008).
- PNUD (2005). *Rapport sur le développement humain*. New York, Programme des Nations Unies pour le Développement
- PNUD Bureau for Development Policy, HIV/AIDS Group, Democratic Governance Group (2007). *Decentralized responses to HIV/AIDS: An analysis of local government responses*. New York, Programme des Nations Unies pour le Développement.
- Samb B et al. (2007). Rapid expansion of the health workforce in response to the HIV epidemic. *New England Journal of Medicine*, 357:2510-2514.
- Stover J et al. (2006). The global impact of scaling up HIV/AIDS prevention programs in low- and middle-income countries. *Science*, 311:1474-1476.

CRÉDITS PHOTOS

Avant-propos

Page 9 ONUSIDA/O.O'Hanlon

Chapitre 1 | LE DÉFI MONDIAL DU VIH

Page 11 ONUSIDA/P.Virot (en haut à gauche),
 ONUSIDA/P.Virot (en bas à droite)

Page 16 ONUSIDA
 Page 26 ONUSIDA

Chapitre 2 | SITUATION DE L'ÉPIDÉMIE MONDIALE DE VIH

Page 29 ONUSIDA/A.Dutta (en haut à gauche),
 ONUSIDA/O.O'Hanlon (en bas à droite)

Page 56 ONUSIDA/P.Virot

Page 40 ONUSIDA/P.Virot

Chapitre 3 | GESTION DES CAUSES SOCIÉTALES DU RISQUE ET DE LA VULNÉRABILITÉ PAR RAPPORT AU VIH

Page 63 ONUSIDA/S.Drakborg (en haut à gauche),
 ONUSIDA/S.Drakborg (en bas à droite)

Page 82 ONUSIDA/P.Virot
 Page 87 ONUSIDA

Page 73 ONUSIDA/A.Dutta

Page 94 ONUSIDA

Chapitre 4 | PRÉVENIR LES NOUVELLES INFECTIONS À VIH

Page 95 ONUSIDA/P.Virot (en haut à gauche),
 ONUSIDA/P.Virot (en bas à droite)

Page 109 ONUSIDA/Tango Photo/P.Carrera
 Page 112 ONUSIDA

Page 101 ONUSIDA/O.O'Hanlon

Page 114 ONUSIDA/OIT/J.Maillard

Page 104 ONUSIDA

Page 116 ONUSIDA

Chapitre 5 | TRAITEMENT ET PRISE EN CHARGE

Page 129 ONUSIDA/P.Virot (en haut à gauche),
 ONUSIDA/P.Virot (en bas à droite)

Page 137 ONUSIDA/OMS/S.Torfin
 Page 155 ONUSIDA/W.Phillips

Page 133 ONUSIDA

Chapitre 6 | ATTÉNUATION DE L'IMPACT DE L'ÉPIDÉMIE

Page 159 ONUSIDA/S.Montanari (en haut à gauche),
 ONUSIDA/C.Sattlberger (en bas à droite)

Page 173 ONUSIDA
 Page 174 ONUSIDA/A.Gutman

Page 164 ONUSIDA/A.Gutman

Chapitre 7 | ET À PARTIR DE LÀ, QUE FAUT-IL FAIRE ?

Page 187	ONUSIDA/P.Virot (en haut à gauche), ONUSIDA/P.Virot (en bas à droite)	Page 197	ONUSIDA
Page 195	ONUSIDA	Page 204	ONUSIDA/P.Virot
		Page 209	ONUSIDA/A.Dutta

Annexe 1 | ESTIMATIONS ET DONNÉES VIH ET SIDA, 2007 ET 2001

Page 211	ONUSIDA/L.Rahn (en haut à gauche), ONUSIDA/P.Virot (en bas à droite)
----------	---

Annexe 2 | INDICATEURS DE PROGRÈS PAR PAYS

Page 235	ONUSIDA/P.Virot (en haut à gauche), ONUSIDA/S.Montanari (en bas à droite)
----------	--

Déni de responsabilité: Les photographies figurant dans ce rapport ne reflètent pas nécessairement la situation, les opinions ou les croyances des personnes représentées, et n'impliquent d'aucune façon leur statut VIH.

L'ONUSIDA, le Programme commun des Nations Unies sur le VIH/SIDA, rassemble les efforts et les ressources de 10 organismes des Nations Unies dans la riposte mondiale au sida. Les organismes coparrainants sont les suivants: le HCR, l'UNICEF, le PAM, le PNUD, l'UNFPA, l'ONUDC, l'OIT, l'UNESCO, l'OMS et la Banque mondiale. Basé à Genève, le Secrétariat de l'ONUSIDA est présent sur le terrain dans plus de 80 pays à travers le monde.

Ce rapport a été imprimé sur du papier approuvé par le PEFC



Fonds des Nations Unies pour la Population



Organisation mondiale de la Santé



BANQUE MONDIALE

ONUSIDA
20 AVENUE APPIA
CH-1211 GENÈVE 27
SUISSE

Tél.: (+41) 22 791 36 66
Fax: (+41) 22 791 48 35
courriel: distribution@unaid.org

www.unaids.org